Report 'default'

Table Of Contents

Report for Table (1)	1
Table(s) of Model "MDM 3.0 PMI SPP"	3
Column(s) of Table "MDD_CMN_CD_RFRNC"	6
Column(s) of Table "MDD_CMN_CD_RFRNC_CROSSWLK"	6
Column(s) of Table "MDD_MDM_PRVDR_ID_IDX"	6
Column(s) of Table "MDD_MDM_PRVDR_ID_IDX_HSTRY"	7
Column(s) of Table "MDD_PRVDR_DM_ADR_HSTRY"	8
Column(s) of Table "MDD_PRVDR_DM_AFLTD_PGM_HSTRY"	9
Column(s) of Table "MDD_PRVDR_DM_AUTHRZD_COS_HSTRY"	10
Column(s) of Table "MDD_PRVDR_DM_BED_TYPE_HSTRY"	10
Column(s) of Table "MDD_PRVDR_DM_DMGRPHC_DTL_HSTRY"	11
Column(s) of Table "MDD_PRVDR_DM_LCN_TXY_ASTN_HSTY"	11
Column(s) of Table "MDD_PRVDR_DM_LCNS_HSTRY"	12
Column(s) of Table "MDD_PRVDR_DM_LGCY_IDENT_HSTRY"	13
Column(s) of Table "MDD_PRVDR_DM_NAME_HSTRY"	14
Column(s) of Table "MDD_PRVDR_DM_NPI_HSTRY"	15
Column(s) of Table "MDD_PRVDR_DM_NPI_PIN_LCTN_ADR_HSTRY"	15
Column(s) of Table "MDD_PRVDR_DM_SPCLTY_HSTRY"	16
Column(s) of Table "MDD_PRVDR_DM_TAX_IDENT_HSTRY"	17
Column(s) of Table "MDD_PRVDR_DM_TXNMY_HSTRY"	18
Column(s) of Table "MDD_PRVDR_DM_TYPE_HSTRY"	18
Column(s) of Table "MDD_PRVDR_QIES_PRFL"	19
Column(s) of Table "MDD_SPP_ENRLMT_STUS"	27
Column(s) of Table "MDD_SPP_MDCD_AFLTD_GRP"	27
Column(s) of Table "MDD_SPP_MDCD_ENRLMT"	28
Column(s) of Table "MDD_SPP_MDCR_BLG_ENRLMT"	29
Column(s) of Table "MDD_SPP_PA_EMPLR_ASCTN_DTL"	30
Column(s) of Table "MDD_SPP_PA_EMPLR_ENRLMT_ASCTN"	30
Column(s) of Table "MDD_SPP_PRVDR_CHOW"	31
Column(s) of Table "MDD_SPP_PRVDR_DME_FAAIR"	31
Column(s) of Table "MDD_SPP_PRVDR_ENRLMT_BAR"	32
Column(s) of Table "MDD_SPP_PRVDR_ENRLMT_CNTCT"	33
Column(s) of Table "MDD_SPP_PRVDR_ENRLMT_ROLE_ASCTN"	33
Column(s) of Table "MDD_SPP_PRVDR_ENRLMT_STUS_RSN_DTL"	34
Column(s) of Table "MDD SPP PRVDR LGL ACTN"	35
Column(s) of Table "MDD_SPP_PRVDR_REASGNMT_BNFTS"	35
Column(s) of Table "MDD_SPP_PRVDR_SNCTN"	36
Index	

Table(s) of Model "MDM 3.0 PMI SPP"	
Table Physical_Name	Comments
MDD_CMN_CD_RFRNC MDD_CMN_CD_RFRNC_CROSSWLK	
MDD_MDM_PRVDR_ID_IDX	An instance of this entity represent a Provider's Identifying information from a source system used by the Master Data Management (MDM) Identity Resolution Process
MDD_MDM_PRVDR_ID_IDX_HSTRY	An instance of this entity represent a Provider's Identifying information from a source system used by the Master Data Management (MDM) Identity Resolution Process
MDD_PRVDR_DM_ADR_HSTRY	An instance of this entity represents a location where a post office will deliver mail to a Provider at a Point in time (History)
MDD_PRVDR_DM_AFLTD_PGM_HSTRY	A Medicaid/Children's Health Insurance Program(CHIP) health plan, waiver, health home entity etc. that the provider is associated with as of a point in time.
MDD_PRVDR_DM_AUTHRZD_COS_HSTRY	A record to classify the provider into the authorized categories of service for which the provider entity has been authorized by the state to render to Medicaid/CHIP eligibles as of a point in time. Medicaid defines providers' Service Category based on this classification. If PROV-CLASSIFICATION-TYPE is 4 (Authorized category of service code) then
	reference the following table for the appropriate PROV-ČLÁSSIFICATION-CODE valid value PROV-CLASSIFICATION-TYPE = 4 Code Authorized Category Of Service Code Description 101 Inpatient hospital services, other than services in an institution for mental diseases 102 Outpatient hospital services
	003 Rural health clinic services 004 Other ambulatory services furnished by a rural health clinic 005 Professional laboratory services 006 Technical laboratory services 007 Professional radiological services 008 Technical radiological services 009 Technical radiological services 009 Technical radiological services 009 Technical radiological services 009 Technical radiological services
	010 Early and periodic screening and diagnosis and treatment (EPSDT) services 011 Family planning services and supplies for individuals of child-bearing age 012 Physicians' services 013 Medical and surgical services of a dentist 014 Outpatient substance abuse treatment services. 015 Medical or other remedial care or services, other than physicians' services, provided by licensed practitioners within the scope of practice as defined under State law 016 Home health services - Nursing services 017 Home health services - Medical supplies, equipment, and appliances suitable for use in the home 019 Home health services - Physical therapy provided by a home health
	agency or by a facility licensed by the State to provide medical rehabilitation services 120 Home health services - Occupational therapy provided by a home health agency or by a facility licensed by the State to provide medical rehabilitation services
	021 Home health services - Speech pathology and audiology services provided by a home health agency or by a facility licensed by the State to provide medical rehabilitation services 022 Private duty nursing services 023 Advanced practice nurse services 024 Pediatric nurse 025 Nurse-midwife service 026 Nurse practitioner services 027 Respiratory care for ventilator-dependent individuals
	028 Clinic services 029 Dental services 030 Physical therapy services (when not provided under home health services)
	Code Authorized category of service code Description Occupational therapy services (when not provided under home health services) 32 Speech, hearing, and language disorders services (when not provided
	under home health services) 033 Prescribed drugs 034 Over-the-counter medications. 035 Dentures 036 Prosthetic devices 037 Eyeglasses
	038 Hearing Aids 039 Diagnostic services 040 Screening services 041 Preventive services 042 Well-baby and well-child care services as defined by the State.
	Q43 Rehabilitative services 044 Inpatient hospital services for individuals age 65 or older in institutions for mental diseases 045 Nursing facility services for individuals age 65 or older in institutions for mental diseases
	046 Intermediate care facility (ICF/IIDICF/IID) services 047 Nursing facility services, other than in institutions for mental diseases 048 Inpatient psychiatric services for individuals under age 21 049 Outpatient mental health services, other than Outpatient substance abuse treatment services. This TOS includes services furnished in a State- operated mental hospital and including community-based services. 050 Inpatient substance abuse treatment services and residential substance abuse treatment services.
	051 Personal care services 052 Primary care case management services 053 Targeted case management services 054 Case Management services other than those that meet the definition of primary care case management services or targeted case management services 055 Care coordination services
	Transportation services 556 557 558 558 558 559 559 559 559

	062 HCBS - Case management services Code Authorized category of service code Description 063 HCBS - Home health aide services 064 HCBS - Home health aide services 065 HCBS - Personal care services 066 HCBS - Adult day health services 067 HCBS - Habilitation services 068 HCBS - Respite care services 069 HCBS - Day treatment or other partial hospitalization services, psychosocial rehabilitation services and clinic services (whether or not furnished in a facility) for individuals with chronic mental illness 070 HCBS - Day Care 071 HCBS - Training for family members 072 HCBS - Minor modification to the home 073 HCBS - Other services requested by the agency and approved by CMS as cost effective and necessary to avoid institutionalization 074 HCBS - Expanded habilitation services - Prevocational services 075 HCBS - Expanded habilitation services - Educational services 076 HCBS - Expanded habilitation services - Educational services 077 HCBS-65-plus - Case management services 078 HCBS-65-plus - Case management services 079 HCBS-65-plus - Homemaker services 080 HCBS-65-plus - Homemaker services 081 HCBS-65-plus - Homemaker services 082 HCBS-65-plus - Homemaker services 083 HCBS-65-plus - Homemaker services 084 Sterilizations 085 Prenatal care and pre-pregnancy family planning services and supplies. 086 Other Pregnancy-related Procedures 087 Hospice services 088 Any other health care services or items specified by the Secretary and not excluded under regulations. 115 Residential care
MDD_PRVDR_DM_BED_TYPE_HSTRY	A record to capture the number of various categories of beds available at a provider facility as of a point in time. Valid Medicaid Bed types are Code Description 1 Intermediate Care Facility for the Intellectually Disabled 2 Inpatient 3 Nursing Facility
MDD_PRVDR_DM_DMGRPHC_DTL_HSTRY	A Title 18 Skilled Nursing Facility (T18 SNF) A provider's additional demographic information as of a point in time. This includes Ownership type, Profit Status, Gender etc. as of a point in time.
MDD_PRVDR_DM_LCN_TXY_ASTN_HSTY	An instance represents the linkage between a Health Care Provider and an instance of Health Care Provider Medicare Specialty at a point in time.
MDD_PRVDR_DM_LCNS_HSTRY	A Healthcare Provider's license information as of a point in time.
MDD_PRVDR_DM_LGCY_IDENT_HSTRY	An instance of Health Care Provider Medicare identification in use at a point in time for a Health Care Provider. This identifier has typically been in use for Medicare purposes prior to the advent of the National Provider Identifier (NPI). Examples are: CMS Certification Number (CCN) Provider Transaction Number (PTAN) National Supplier Clearinghouse (NSC) Number National Council for Prescription Drug Programs (NCPDP) Number
MDD_PRVDR_DM_NAME_HSTRY	A name for a Provider. A Provider may have many names, e.g. of different types, or at different times.
MDD_PRVDR_DM_NPI_HSTRY	An instance of this entity contain information about National Provider Identifier associated with a provider
MDD_PRVDR_DM_NPI_PIN_LCTN_ADR_HSTRY	A National Provider Identifier(NPI) and Provider Identification Number (PIN) that is valid at a location for a Provider as of a point in time.
MDD_PRVDR_DM_SPCLTY_HSTRY	An instance represents the linkage between a Health Care Provider and an instance of Health Care Provider Medicare Specialty at a point in time. This information is important to enable a Provider to bill Medicare for services rendered to Medicare Beneficiaries.
MDD_PRVDR_DM_TAX_IDENT_HSTRY	A Federal Tax Identifier for a Provider at a point in time.
MDD_PRVDR_DM_TXNMY_HSTRY	An instance in the entity represents authorizing license or certificate given to a Health Care Provider in order to officially enable the Provider to carry out a medical skill or activity.
MDD_PRVDR_DM_TYPE_HSTRY	A type of Medicaid provider based on its classification (Classification type 3) as of a point in time. Valid values are: Code Provider Type Description 01 Physician 02 Speech Language Pathologist 03 Oral Surgery (Dentist only) 04 Cardiac Rehabilitation and Intensive Cardiac Rehabilitation 05 Anesthesiology Assistant 06 Chiropractic 07 Optometry 08 Certified Registered Nurse Anesthetist (CRNA) 10 Mammography Center 11 Independent Diagnostic Testing Facility (IDTF) 12 Podiatry 13 Ambulatory Surgical Center 14 Nurse Practitioner 15 Medical Supply Company with Orthotist 16 Medical Supply Company with Orthotist-Prosthetist 17 Medical Supply Company with Orthotist-Prosthetist 18 Other Medical Supply Company 19 Individual Certified Orthotist 20 Individual Certified Prosthetist-Orthotist 21 Individual Certified Prosthetist-Orthotist 22 Medical Supply Company with Pharmacist 23 Ambulance Service Provider 24 Public Health or Welfare Agency 25 Voluntary Health or Charitable Agency 26 Psychologist, Clinical 27 Portable X-Ray Supplier 28 Audiologist 29 Physical Therapist in Private Practice

	31 Clinical Laboratory 32 Clinic or Group Practice 33 Registered Dietitian or Nutrition Professional 34 Mass Immunizer Roster Biller 35 Radiation Therapy Center 36 Slide Preparation Facility 37 Licensed Clinical Social Worker 38 Certified Clinical Nurse Specialist 39 Advance Diagnostic Imaging 40 Optician 41 Physician Assistant 42 Hospital-General 43 Skilled Nursing Facility 44 Intermediate Care Nursing Facility 45 Other Nursing Facility 46 Home Health Agency 47 Pharmacy 48 Medical Supply Company with Respiratory Therapist 49 Department Store 50 Grocery Store 51 Indian Health Service facility 52 Oxygen supplier 53 Pedorthic personnel 54 Medical supply company with pedorthic personnel 55 Rehabilitation Agency 56 Ocularist 57 All Other
MDD_PRVDR_QIES_PRFL	Provides "Master Data" information on each Quality Improvement Evaluation System (QIES) Provider.
MDD_SPP_ENRLMT_STUS	An instance contains an enrollment forms enrollment status. Over time an enrollment form may have many enrollment statuses. This table stores the historical rows from the PEC_ENRLMT_STUS table.
MDD_SPP_MDCD_AFLTD_GRP	A provider's relationship with other provider. A provider can be affiliated with a group practice or an organization that is authorized to submit Medicaid claims on their behalf.
MDD_SPP_MDCD_ENRLMT	A provider's enrollment specific information of state's Medicaid or Children's Health Insurance Program(CHIP) program.
MDD_SPP_MDCR_BLG_ENRLMT	An enrollment carried out by an enrolling entity seeking either: 1. the authority to begin the billing of Medicare for services rendered in an identified U.S. state or states, or 2. a Reassignment of the billing rights already acquired in a prior enrollment to bill Medicare.
MDD_SPP_PA_EMPLR_ASCTN_DTL	A Physician Assistant and his/her Employer association details in a Medicare enrollment. This includes the association of a Medicare legacy number to a National Provider Identifier (NPI).
MDD_SPP_PA_EMPLR_ENRLMT_ASCTN	An association of Physician Assistant and Employer in a Medicare enrollment.
MDD_SPP_PRVDR_CHOW	An instance contains an change of ownership for a provider. Over time an enrollment form may have many change of ownerships . Enrollment ID that was used in an acquisition or consolidation.
MDD_SPP_PRVDR_DME_FAAIR	An instance of this entity represents the Provider information that was submitted at a specific point in time relative to the enrollment to bill Medicare of a Provider that is considered to be a "Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS) Supplier". Such an enrollment is typically done via submittal of an 855S form. Each instance contains the enrollment alert that is associated with the Fraud and Abuse Index of Risk Code. Alerts are warning codes/indicators of supplier activity used by the National Supplier Clearinghouse (NSC) and the four Durable Medical Equipment Medicare Administrative Carriers (DME MACs). Alerts communicate specific information about a supplier's claims-related activities and sanction updates.
MDD_SPP_PRVDR_ENRLMT_BAR	Each instance contains information for the regulation on enrollment bars (a bar prevents a Provider from enrolling in Medicare).
MDD_SPP_PRVDR_ENRLMT_CNTCT	Each instance contains an enrollment contact person who can answer questions about information furnished in the enrollment application. The contact person is knowledgeable about the information provided in this application. The contact person is not required to be the applicant, or any other individual described in the application.
MDD_SPP_PRVDR_ENRLMT_ROLE_ASCTN	An instance of this entity represents the association between a Provider enrolled to bill Medicare, another Provider that furnishes some supporting role to the first Provider, and the Role classification that the supporting Provider carries out. Examples include: an individual Provider reassigning Medicare benefits to the other Provider a physician carrying out a supervising role at an testing facility
MDD_SPP_PRVDR_ENRLMT_STUS_RSN_DTL	Each instance contains the revoked/denied reason for an enrollment status. Over time an enrollment form may have many enrollment statuses. The table us used to capture multiple occurrences of reason codes.
MDD_SPP_PRVDR_LGL_ACTN	An instance of this entity represents the association between a Provider enrolled to bill Medicare, another Provider that furnishes some supporting role to the first Provider, and the Role classification that the supporting Provider carries out. Examples include: an individual Provider reassigning Medicare benefits to the other Provider a physician carrying out a supervising role at an testing facility
	A sanction or Legal Action that has been imposed or levied against a Provider. Example: The Department of Health and Human Services (DHHS) Office of Inspector General (OIG) issues Provider sanction data that is updated monthly. This DHHS OIG sanction data is made available by CMS to parties such as the Medicare Administrative Contractors in the Medicare Exclusion Database (MED).

MDD_SPP_PRVDR_REASGNMT_BNFTS	A pairing of: 1. A Reassigning Health Care Provider who is going to perform health care for beneficiaries at a practice location operated by another Provider (the Receiving Health Care Provider), and 2. A Receiving Health Care Provider. The Reassigning Provider will reassign his or her Medicare or Medicaid or other benefits (the right to bill Medicare, Medicaid, etc) for services rendered to the relevant beneficiaries) to the Receiving Provider for any services that the Reassigning Provider will carry out while performing health care in conjunction with the Receiving Provider.
MDD_SPP_PRVDR_SNCTN	An instance of this entity represents the association between a Provider enrolled to bill Medicare, another Provider that furnishes some supporting role to the first Provider, and the Role classification that the supporting Provider carries out. Examples include: an individual Provider reassigning Medicare benefits to the other Provider a physician carrying out a supervising role at an testing facility A sanction or Legal Action that has been imposed or levied against a Provider. Example: The Department of Health and Human Services (DHHS) Office of Inspector General (OIG) issues Provider sanction data that is updated monthly. This DHHS OIG sanction data is made available by CMS to parties such as the Medicare Exclusion Database (MED).

Column(s) of Table "MDD CMN CD RFRNC"		
Column Physical_Name	Comments	Physical Data Type
RFRNC_SRRGT_KEY		BIGINT
AUDT_INSRT_ID		VARCHAR(20)
AUDT_INSRT_TS		TIMESTAMP
AUDT_UPDT_ID		VARCHAR(20)
AUDT_UPDT_TS		TIMESTAMP
RFRNC_TYPE_CD		VARCHAR(20)
RFRNC_VAL_CD		VARCHAR(20)
RFRNC_TYPE_DESC		VARCHAR(20)
RFRNC_VAL_DESC		VARCHAR(20)
SRC_SYS_NAME		VARCHAR(20)
SRC_SUB_SYS_NAME		VARCHAR(20)

Column(s) of Table "MDD CMN CD RFRNC CROSSWLK"		
Column Physical_Name	Comments	Physical Data Type
SRC_RFRNC_SRRGT_KEY		BIGINT
TRGT_RFRNC_SRRGT_KEY		BIGINT
AUDT_INSRT_ID		VARCHAR(20)
AUDT_INSRT_TS		TIMESTAMP

Column(s) of Table "MDD MDM PRVDR ID IDX"		
Column Physical_Name	Comments	Physical Data Type
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
AUDT_INSRT_TS	The data lineage column used to identify the date and time that the record was inserted within the table.	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
PRVDR_IND	Indicates whether the record belongs to a provider	STRING
PRSN_IND	Indicates whether the record belongs to a person	STRING
ORG_IND	Indicates whether the record belongs to a organization	STRING
ENRLMT_ID	Enrollment Identifier of the provider from PECOS system	STRING
PAC_ID	Provider Access Control Identifier of the provider from PECOS system	STRING
PRVDR_NPI	National Provider Identifier of a Health Care Provider. For a Medicaid Provider, this value is reported by the state to the source system or is derived(harvested) from Medicaid Claims.	STRING
AUDT_UPDT_TS	The data lineage column used to identify the date and time that the record was last updated within the table.	TIMESTAMP
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
AUDT_REC_STUS_CD	Indicates the staus of the record.	STRING
PRVDR_LCTN_ID	Unique identifier for a provider service location	STRING
STATE_PRVDR_MID_NUM	The provider's Medicaid Identification Number issued by a submitting state.	STRING

FAC_SW	Indicates whether the provider Medicaid enrollment is of facility category	STRING
GRP_SW	Indicates whether the provider Medicaid enrollment is of Group category	STRING
SRC_PRVDR_ID	This is the natural value that represents a provider entity in a Source System. Sometimes one or more values from the Source have to be concatenated to achieve the required granularity that is aligned with Master Data Management Provider Enterprise Identifier.	STRING
SRC_PRVDR_ID_TYPE_DESC	This table abstractly relates all types of Source identifiers to Enterprise identifiers. This column describes (or qualifiers) the type of Source Identifier that is populated in Source Provider Identifier.	STRING
MDM_PRVDR_ENT_ID	This column is generated by Master Data Engine for every unique Source Identification number based on probabilistic matching algorithm.	STRING
HLD_BACK_NPI_IND	Indicates this is a Hold Back NPI for Medicaid Provider. Values can be 'Y' or 'N'.	STRING
HRVST_NPI_IND	Indicates if National Provider Identifier (NPI) is harvested or not. Valid values are 'Y' or 'N'.	STRING

Column(s) of Table "MDD MDM PRVDR ID IDX HSTRY"		
Column Physical_Name	Comments	Physical Data Type
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
AUDT_INSRT_TS	The data lineage column used to identify the date and time that the record was inserted in the lean index table.	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record in the lean index table.	BIGINT
PRVDR_IND	Indicates whether the record belongs to a provider	STRING
PRSN_IND	Indicates whether the record belongs to a person	STRING
ORG_IND	Indicates whether the record belongs to a organization	STRING
ENRLMT_ID	Enrollment Identifier of the provider from PECOS system	STRING
PAC_ID	Provider Access Control Identifier of the provider from PECOS system	STRING
PRVDR_NPI	National Provider Identifier of a Health Care Provider. For a Medicaid Provider, this value is reported by the state to the source system or is derived(harvested) from Medicaid Claims.	STRING
AUDT_UPDT_TS	The data lineage column used to identify the date and time that the record was last updated in the lean index table.	TIMESTAMP
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record in the lean index table.	BIGINT
AUDT_REC_STUS_CD	Indicates the staus of the record in the lean index table.	STRING
PRVDR_LCTN_ID	Unique identifier for a provider service location	STRING
STATE_PRVDR_MID_NUM	The provider's Medicaid Identification Number issued by a submitting state.	STRING
FAC_SW	Indicates whether the provider Medicaid enrollment is of facility category	STRING
GRP_SW	Indicates whether the provider Medicaid enrollment is of Group category	STRING
SRC_PRVDR_ID	This is the natural value that represents a provider entity in a Source System. Sometimes one or more values from the Source have to be concatenated to achieve the required granularity that is aligned with Master Data Management Provider Enterprise Identifier.	STRING
SRC_PRVDR_ID_TYPE_DESC	This table abstractly relates all types of Source identifiers to Enterprise identifiers. This column describes (or qualifies) the type of Source Identifier that is populated in Source Provider Identifier.	STRING

MDM_PRVDR_ENT_ID	This column is generated by Master Data Engine for every unique Source Identification number based on probabilistic matching algorithm.	STRING
HLD_BACK_NPI_IND	Indicates this is a Hold Back NPI for Medicaid Provider. Values can be 'Y' or 'N'.	STRING
HRVST_NPI_IND	Indicates if National Provider Identifier (NPI) is harvested or not. Valid values are 'Y' or 'N'.	STRING
REC_CHG_TYPE_NAME	The type of change for a record. This can be Insrt, Update etc.	STRING
REC_APPND_TS	The date and time on which the Record is Appended.	TIMESTAMP
REC_COMT_VRSN_NUM	Internal delta version number of data commit.	BIGINT
REC_COMT_TS	The data and time on which the record commited in Delta engine.	TIMESTAMP

Column(s) of Table "MDD PRVDR DM ADR HSTRY"		
Column Physical_Name	Comments	Physical Data Type
PRVDR_ADR_EFCTV_TS	A date on which a Geographic Address for a Provider that is of a certain address type becomes effective.	TIMESTAMP
PRVDR_ADR_TRMNTN_TS	A date on which a Geographic Address for a Provider that is of a certain address type ceases to be effective.	TIMESTAMP
PRCTC_LCTN_TYPE_IND	A yes\no indicator of whether the Provider healthcare Address has the characteristics of the indicated classification of Provider healthcare Address Type.	STRING
PRCTC_LCTN_NAME	The name commonly used to denote this location where the Provider renders healthcare service.	STRING
PRVDR_PRMRY_PRCTC_LCTN_SW	A yes\no indication of whether the Practice Location is considered to be the Provider's primary practice location. This information is useful to assist in the Center for Medicare and Medicaid Services (CMS) claims billing activity.	STRING
TEL_NUM	The telephone or Fax number. The number contains the information necessary to identify uniquely the intended endpoint.	STRING
TEL_EXTNSN_NUM	The extension number used to further route telephone calls once they are connected to the telephone number.	STRING
PRVDR_ADR_ZIP_PLUS_4_CD	The extension Zone Improvement Plan (ZIP) code as assigned by the United States Postal Service (USPS). Four additional digits added to the 5-digit ZIP Code that identify a specific range of delivery addresses. The concatenation of Medicare Beneficiary Address Plus Four Code create the compound attribute Entity Address ZIP Plus Four Code.	STRING
PRVDR_ADR_ZIP_CD	Unique identifier of a Geographic Postal Zone. The ZIP Code was established in 1963 as a system of 5-digit codes that identifies the individual post office or metropolitan area delivery station associated with an address. The first three digits identify the delivery area of a sectional center facility or a major-city post office serving the delivery address area. The next two (the fourth and fifth) digits identify the delivery area of an associate post office, post office branch, or post office	STRING
PRVDR_ADR_LINE_1_TXT	station. The first line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	STRING
PRVDR_ADR_LINE_2_TXT	The second line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the	STRING
	components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	
PRVDR_ADR_LINE_3_TXT	The third line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	STRING
PRVDR_ADR_STATE_CD	The US Postal Service's (USPS) standard state code.	STRING
PRVDR_ADR_CITY_NAME	The name of the city. A finer partitioning of geographic subdivisions of a state or county, usually associated with additional levels of government.	STRING
PROC_CNTL_DTL_INST_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT

REC_ADD_TS	Data Lineage column to identify when the user/ process has last INSERTed the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that INSERTs data i	TIMESTAMP
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
PRVDR_ADR_HSTRY_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
PRVDR_ADR_LINE_4_TXT	Address Line 4	STRING
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
MDM_PRVDR_SK	This is a dummy sequential number generated by IBM Infosphere for every unique Source Identification Number. Source Identification Number consists of the following four columns: Source System Name, Source Sub System Name, Source Sub System Name, Source Provider Identifier Type Description, Source Provider Identifier	BIGINT
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
REC_STUS_CD	Indicates the status of the record	STRING
	Possible values are C (Current table record), H (History table record), D (Deleted record) values.	
FAX_NUM	The Fax Number available in the provider address	STRING
PRVDR_ADR_FRGN_STATE_NAME	The Provider Address Foreign State Name.	STRING
PRVDR_ADR_FRGN_PSTL_CD	The Provider Address Foreign Postal Code	STRING
PRVDR_ADR_FRGN_CNTRY_NAME	The Provider Address Foreign Country Name	STRING
EMAIL_ADR	The email address of the provider	STRING
STATE_BRDR_ADR_SW	Indicates if the provider address is situated in state boarder	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
PRVDR_SRC_ADR_SK	Unique identifier of Address record in source system.	DECIMAL(20)
ADR_CNTY_RFRNC_SK	It refers the county specified in a provider address. http://www.census.gov/geo/reference/codes/ countylookup.html	STRING

Column(s) of Table "MDD PRVDR DM AFLTD PGM HSTRY"		
Column Physical_Name	Comments	Physical Data Type
AFLTD_PGM_ID	A data element to identify the Medicaid/CHIP programs, waivers and demonstrations in which the provider participates.	BIGINT
AFLTD_PGM_EFCTV_DT	The first day of the time span during which the values in all data elements in the PROV-AFFILIATED-PROGRAMS record segment are in effect (i.e., the values accurately reflect reality as it is understood to be at the time the record is created). This date field is necessary when defining a unique row in a database table.	DATE
AFLTD_PGM_END_DT	The last day of the time span during which the values in all data elements in the PROV-AFFILIATED-PROGRAMS record segment are in effect (i.e., the values accurately reflect reality as it is understood to be at the time the record is created).	DATE
PROC_CNTL_DTL_INSRT_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data into this table.	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
PRVDR_AFLTD_PGM_HSTRY_SK	The unique identifier for an affiliated program associated with a provider of a point in time	BIGINT
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT

SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
REC_STUS_CD	Indicates the status of the record. Possible values are C (Current record), H (History record) and D (Deleted record).	STRING

Column(s) of Table "MDD PRVDI	R DM AUTHRZD COS HSTRY"	
Column Physical_Name	Comments	Physical Data Type
PRVDR_AUTHRZD_COS_SK	Unique number to identify a Provider's Authorized Category Of Service as of a point in time	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data into this table.	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
MDCD_AUTHRZD_COS_EFCTV_DT	The first day of the time span during which the values in the Provider Taxonomy Classification segment are in effect.	DATE
MDCD_AUTHRZD_COS_END_DT	The last day of the time span during which the values in the Provider Taxonomy Classification segment are in effect.	DATE
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT
REC_STUS_CD	Indicates the status of the record. Possible values are C (Current record), H (History record) and D (Deleted record).	STRING
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE

Column(s) of Table "MDD_PRVDR_DM_BED_TYPE_HSTRY"		
Column Physical_Name	Comments	Physical Data Type
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record	BIGINT
PRVDR_BED_TYPE_USG_HSTRY_SK	A system generated unique identifier for a bed usage in a provider facility as of a point in time.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data into this table.	TIMESTAMP
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
MDCD_BED_TYPE_EFCTV_DT	The first day of the time span during which the values in the Provider Bed Type segment are in effect.	DATE
MDCD_BED_TYPE_END_DT	The last day of the time span during which the values in the Provider Bed Type segment are in effect.	DATE
BED_CNT	A count of the number of beds available at the facility for the category of bed identified in the BED-TYPE-CODE data element.	INT
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT

REC_STUS_CD	Indicates the status of the record. Possible values are C (Current record), H (History record) and D (Deleted record).	STRING
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE

Column(s) of Table "MDD PRV	DR DM DMGRPHC DTL HSTRY"	
Column Physical_Name	Comments	Physical Data Type
PRVDR_DMGRPHC_DTL_HSTRY_SK	Unique identifier for a Medicaid provider's additional demographic information	BIGINT
NEW_PTNTS_ACPTNC_SW	Indicates whether the provider accepts new patients.	STRING
TCHNG_SW	Indicates if the provider's organization is a teaching facility.	STRING
REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data into this table.	TIMESTAMP
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
PROC_CNTL_DTL_INSRT_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
MDCD_PRVDR_DMGRPHC_EFCTV_DT	The date on which the Provider's additional demographic details are effective	DATE
MDCD_PRVDR_DMGRPHC_END_DT	The date on which the Provider's additional demographic details are no more effective	DATE
MDM_PRVDR_SK		BIGINT
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record.	DATE
REC_STUS_CD	Indicates the status of the record. Possible values are C (Current record), H (History record) and D (Deleted record).	STRING
GNDR_RFRNC_SK		BIGINT
OWNRSHP_RFRNC_SK		BIGINT
PRFT_STUS_RFRNC_SK		BIGINT
PRVDR_IDNTY_TYPE_CD_RFRNC_SK	This identifies that the identity code is for either ethnicity, race, or language of the provider.	BIGINT
PRVDR_IDNTY_CD_RFRNC_SK	This identifies either the ethnicity, race, or language of the provider.	BIGINT
PRVDR_IDNTY_SUB_CD_RFRNC_SK	This identifies the ethnicity subdivision of the provider.	BIGINT
PRVDR_LANG_PRIMARY_IND	This identifies which language is the primary language of the provider.	BIGINT
SRC_SUB_SYS_NAME	Name of the subsytem such as NPESS, FISS, etc in the case of NPISCS, from which the record is sourced	STRING
SRC_SYS_NAME	Name of the system from which the record is sourced.	STRING

Column(s) of Table "MDD_PRVDR_DM_LCN_TXY_ASTN_HSTY"		
Column Physical_Name	Comments	Physical Data Type
PRVDR_LCN_TXY_ASTN_HSTY_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT

REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data into this table.	TIMESTAMP
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record	BIGINT
PRVDR_TXNMY_HSTRY_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
PRVDR_LCNS_HSTRY_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
PRMRY_TXNMY_SW	Indicates whether the Taxonomy is the primary for the provider or not. X – Designates the initial Primary Taxonomy selection Y – Designates that the taxonomy was the Primary Taxonomy N – Designates that the taxonomy was not the Primary Taxonomy	STRING
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record) values.	STRING

Column(s) of Table "MDD_PRVDR_DM_LCNS_HSTRY"		
Column Physical_Name	Comments	Physical Data Type
LCNS_NUM	The identifier assigned to a license or certificate for a specific medical skill and assigned to a healthcare Provider.	STRING
PRVDR_LCNS_EFCTV_TS	The date the healthcare Provider officially began to be identified at CMS by the specific type of legacy Medicare identifier.	TIMESTAMP
PRVDR_LCNS_TRMNTN_TS	The last day the legacy Medicare identifier was active at CMS for the healthcare Provider.	TIMESTAMP
LCNS_CITY_NAME	The name of a city that the license may be valid for. Such a city name is relative to either:30 1. An ambulance service license, or 2, A Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS) license.	STRING
MLTPL_ENRLMT_IND	Indicates whether the DMEPOS Supplier is currently enrolled in the Medicaid/Medicare program other than as a DMEPOS Supplier; valid values are: 'Y' and 'N'. If 'Y', a corresponding row will be in the DMEPOS Supplier Other Enrollment Association entity.	STRING
PRVDR_LCNS_HSTRY_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data into this table.	TIMESTAMP
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP

LCNS_STATE_CD	The USPS state code of a state that the license may be valid for.	STRING
ISS_TS	The date on which the issuing organization made it known that a Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS) license would be granted to the Provider.	TIMESTAMP
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record) values.	STRING
LCNS_ISSG_ENT_NAME	A free text field to capture the identity of the entity issuing the license or accreditation.	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
MDCR_USG_CD_RFRNC_SK	Unique code for Medicare number usage. Possible values are R (Reassignment) and P (Practice location)	BIGINT

Column(s) of Table "MDD_PR\/I	OR DM LGCY IDENT HSTRY"	
Column Physical Name	Comments	Physical Data Type
PRVDR_LGCY_ID	The unique identifier that had in the past been assigned to the Provider by some system for use by Medicare before the advent of the National Provider Identifier (NPI) as an identifier.	STRING
GEO_ISO_PRNCPL_SBDIV_CD	Represents an administrative area directly subordinate to the pertinent governing authority.	STRING
LGCY_MDCR_IDENT_EFCTV_TS	The date the healthcare Provider officially began to be identified at CMS by the specific type of legacy Medicare identifier.	TIMESTAMP
CNTRCTR_ID	The identification number assigned by Center for Medicare and Medicaid Services (CMS) to a fiscal intermediary authorized to process institutional claim records. (NCH)	STRING
LGCY_MDCR_IDENT_TRMNTN_TS	The last day the legacy Medicare identifier was active at CMS for the healthcare Provider.	TIMESTAMP
GEO_ISO_CNTRY_CD	A two-character alphabetic representation of a basic geopolitical entity as listed in International Organization for Standards (ISO) 3166-1	STRING
PRVDR_LGCY_MDCR_IDENT_HSTRY_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dumny sequential integer that acts as a Primary Key for the table.	BIGINT
PROC_CNTL_DTL_INSRT_SK	A unique identifier for the process that inserted the record.	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data into this table.	TIMESTAMP
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
MDM_PRVDR_SK	This is a dummy sequential number generated by IBM Infosphere for every unique Source Identification Number. Source Identification Number consists of the following four columns: Source System Name Source Sub System Name Source Provider Identifier Type Description Source Provider Identifier	BIGINT
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier for the process that last updated the record.	BIGINT
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record) values.	STRING

RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
ID_ISSG_ENT_NAME	Name or Identifier that identifies the entity that issued the identifier for a provider.	STRING

Column(s) of Table "MDD_PF Column Physical Name	Comments	Physical Data Type
. –		TIMESTAMP
PRVDR_NM_EFCTV_TS	The date on which the Organization Name became effective.	TIMESTAMP
PRVDR_NAME_SFX_NAME	The unique identifier for the Person Name Suffix	STRING
PRVDR MDL NAME	The middle name of the Person Name	STRING
PRVDR 1ST NAME	The first name or given name of the Person Name	STRING
PRVDR_LAST_NAME	The last name or surname of the Person Name	STRING
PRVDR_NAME_CRDNTL_TXT	Text used to describe the known official or professional credentials that may accompany a person's name; examples may include M.D. Ph.D.	STRING
PRVDR_NAME_SLTTN_NAME	The unique identifier for the Person Name Salutation	STRING
PRVDR_OTHR_NAME_TYPE_TXT	The type of name if Person Name Type Code = 'Other'.	STRING
PRVDR_NM_TRMNTN_TS	The date on which the Name is no longer effective for the Person	TIMESTAMP
PRVDR_DEATH_TS	The date on which the Person died. This date has been verified by the Social Security Administration (SSA).	DATE
PRVDR_BIRTH_TS	The date of birth of the Person	DATE
PRVDR_ORG_NAME	The name by which the Organization is known.	STRING
PRVDR_NAME_HSTRY_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data into this table.	TIMESTAMP
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
PRVDR_ORG_OTHR_NAME_TXT	Text used to convey the nature or purpose of a name assigned to the Organization that does not fit within the usual types of name and hence has been assigned a name type of "other".	STRING
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
MDM_PRVDR_SK	This is a dummy sequential number generated by IBM Infosphere for every unique Source Identification Number. Source Identification Number consists of the following four columns: Source System Name Source Sub System Name Source Provider Identifier Type Description Source Provider Identifier	BIGINT
SRC_SYS_REC_DESC	Description for the unique identifier for the record in the source system	STRING
REC_STUS_CD	Indicates the status of the record.	STRING
	Possible values are C (Current table record), H (History table record), D (Deleted record) values.	
PRVDR_ALIAS_1ST_NAME	The alias first name or given name of the Person Name	STRING
PRVDR_ALIAS_MDL_NAME	The alias middle name of the Person Name	STRING
PRVDR_ALIAS_LAST_NAME	The alias last name or surname of the Person Name	STRING
PRVDR_ORG_ALIAS_NAME	The alias name of the Organization.	STRING
PRVDR_LGL_NAME	Legal name is the name that identifies a person for legal, administrative and other official purposes. Most jurisdictions require the use of a legal name for all legal and administrative purposes, and some jurisdictions permit or require a name change to be recorded at marriage. This attribute identifies the Legal Name for a Provider.	STRING

PRVDR_TAX_NAME	Name used by provider for Internal Revenue Service (IRS) Tax purposes.	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE

Column(s) of Table "MDD PRVDR DM NPI HSTRY"		
Column Physical_Name	Comments	Physical Data Type
NPI_ENMRTN_TS	The date on which the NPI record for a Provider became effective.	TIMESTAMP
NPI_DEACTVTN_TS	The date on which the NPI record for a Provider ceased to be effective.	TIMESTAMP
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
PROC_CNTL_DTL_INSRT_SK	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data i	TIMESTAMP
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
PRVDR_NPI_HSTRY_SK	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	BIGINT
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
MDM_PRVDR_SK	This is a dummy sequential number generated by IBM Infosphere for every unique Source Identification Number. Source Identification Number consists of the following four columns: Source System Name Source Sub System Name Source Provider Identifier Type Description Source Provider Identifier	BIGINT
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record) values.	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE

Column(s) of Table "MDD_PRVDR_DM_NPI_PIN_LCTN_ADR_HSTRY"		
Column Physical_Name	Comments	Physical Data Type
PRVDR_LGCY_ID	The unique identifier that had in the past been assigned to the Provider by some system for use by Medicare before the advent of the National Provider Identifier (NPI) as an identifier.	STRING
CNTRCTR_ID	The identification number assigned by Center for Medicare and Medicaid Services (CMS) to a fiscal intermediary authorized to process institutional claim records.	STRING
PRVDR_NPI_ID	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
NPI_PIN_LCTN_ADR_EFCTV_TS	The date on which an NPI and Legacy Id became effective at an address.	TIMESTAMP
NPI_PIN_LCTN_ADR_TRMNTN_TS	The date on which an NPI and Legacy Id became ceased to be in usage for the healthcare Provider at an Address.	TIMESTAMP
PROC_CNTL_DTL_INSRT_SK	A unique identifier for the process that inserted the record.	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data into this table.	TIMESTAMP
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
PRVDR_NPI_PIN_LCTN_ADR_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT

SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier for the process that last updated the record.	BIGINT
MDM_PRVDR_SK	This is a dummy sequential number generated by IBM Infosphere for every unique Source Identification Number. Source Identification Number consists of the following four columns: Source System Name Source Sub System Name Source Provider Identifier Type Description Source Provider Identifier	BIGINT
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record) values.	STRING
PRVDR_LCTN_ADR_LINE_1_TXT	The first line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	STRING
PRVDR_LCTN_ADR_LINE_2_TXT	The second line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	STRING
PRVDR_LCTN_ADR_LINE_3_TXT	The third line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	STRING
PRVDR LCTN ADR LINE 4 TXT	Address Line 4	STRING
PRVDR_LCTN_ADR_CITY_NAME	The name of the city. A finer partitioning of geographic subdivisions of a state or county, usually associated with additional levels of government.	STRING
PRVDR_LCTN_ADR_STATE_CD	The US Postal Service's (USPS) standard state code.	STRING
PRVDR_LCTN_ADR_ZIP_CD	Unique identifier of a Geographic Postal Zone The ZIP Code was established in 1963 as a system of 5-digit codes that identifies the individual post office or metropolitan area delivery station associated with an address. The first three digits identify the delivery area of a sectional center facility or a major-city post office serving the delivery address area. The next two (the fourth and fifth) digits identify the delivery area of an associate post office, post office branch, or post office station.	STRING
PRVDR_LCTN_ADR_ZIP_PLUS_4_CD	The extension Zone Improvement Plan (ZIP) code as assigned by the United States Postal Service (USPS). Four additional digits added to the 5-digit ZIP Code that identify a specific range of delivery addresses. The concatenation of Medicare Beneficiary Address Zip Code and Medicare Beneficiary Address Plus Four Code create the compound attribute Entity Address Zip Plus Four Code.	STRING
PRVDR_LCTN_ADR_FRGN_STATE_NAME	The Provider Address Foreign State Name.	STRING
PRVDR_LCTN_ADR_FRGN_PSTL_CD	The Provider Address Foreign Postal Code	STRING
PRVDR_LCTN_ADR_FRGN_CNTRY_NAME	The Provider Address Foreign Country Name	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
PRVDR_SRC_ADR_SK	Unique identifier of Address record in source system.	DECIMAL(20)

Column(s) of Table "MDD_PRVDR_DM_SPCLTY_HSTRY"		
Column Physical_Name	Comments	Physical Data Type
PRVDR_MDCR_SPCLTY_EFCTV_TS	The date on which a Provider is reported as carrying out the classification of Medicare Specialty.	TIMESTAMP
PRVDR_PRMRY_IND	An indicator of whether the healthcare Provider's Medicare specialty is regarded as being its primary specialty or not.	STRING
PRVDR_MDCR_SPCLTY_TRMNTN_TS	The date on which a Provider is no longer reported as carrying out the classification of Medicare Specialty.	TIMESTAMP
BRD_CRTFCTN_IND	Indicates whether the physician has a primary or secondary board certification.	STRING
UNDFND_SPCLTY_DESC	A Provider's free-form description of his/her/its Medicare Specialty in cases where the Provider Medicare Specialty Code says that it is some form of 'other'.	STRING

PRVDR_MDCR_SPCLTY_HSTRY_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data into this table.	TIMESTAMP
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier for the process that last updated the record.	BIGINT
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record) values.	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE

Column Physical Name	RVDR_DM_TAX_IDENT_HSTRY"	Physical Data Type
TIN_ID	The tax identifier assigned to a Provider by the Internal Revenue Service (IRS), U.S. Department of the Treasury.	STRING
FED_TAX_IDENT_EFCTV_TS	The date on which the Tax Identification Number for a Provider became effective. For Medicare, this can be the date that the association between a Medicare Enrollment and an individual's Tax Identification Number (TIN) became effective or the first day the TIN was associated with the PECOS Associate.	TIMESTAMP
PRVDR_SSN_VRFY_SW	A switch that indicates that the Social Security Administration (SSA) has verified the Person's current Social Security number.	STRING
FED_TAX_IDENT_TRMNTN_TS	The date on which the Tax Identification Number for a Provider ceased to be effective. For Medicare, this can be the date that the association between a Medicare Enrollment and an individual's Tax Identification Number (TIN) ceases to be effective or the last day the TIN was associated with the PECOS Associate.	TIMESTAMP
PRVDR_FED_TAX_IDENT_HSTRY_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was update within the table.	TIMESTAMP
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
MDM_PRVDR_SK	This is a dummy sequential number generated by IBM Infosphere for every unique Source Identification Number. Source Identification Number consists of the following four columns: Source System Name Source Sub System Name Source Provider Identifier Type Description Source Provider Identifier	BIGINT
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
REC_STUS_CD	Indicates the status of the record	STRING
	Possible values are C (Current table record), H (History table record), D (Deleted record) values.	

RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE

Column(s) of Table "MDD PRVD	R DM TXNMY HSTRY"	
Column Physical_Name	Comments	Physical Data Type
PRVDR_TXNMY_EFCTV_TS	The date on which the license becomes effective for the Provider.	TIMESTAMP
PRVDR_TXNMY_TRMNTN_TS	The date on which the license ceased to be effective for the Provider.	TIMESTAMP
PRVDR_TXNMY_HSTRY_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data into this table.	TIMESTAMP
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
MDM_PRVDR_SK	This is a dummy sequential number generated by IBM Infosphere for every unique Source Identification Number. Source Identification Number consists of the following four columns: Source System Name Source Sub System Name Source Provider Identifier Type Description Source Provider Identifier	BIGINT
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
REC_STUS_CD	Indicates the status of the record	STRING
	Possible values are C (Current table record), H (History table record), D (Deleted record) values.	
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE

Column Physical_Name	Comments	Physical Data Type
PRVDR_TYPE_HSTRY_SK	A unique identifier for a medicaid provider type based on Provider classification Type -3.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key in a database is a unique identifier for either an entity in the modeled world or an object in the database. The surrogate key is not derived from application data, unlike a natural (or business) key which is derived from application data. Dummy sequential integer that acts as a Primary Key for the table.	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has last inserted the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that inserts data into this table.	TIMESTAMP
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record. This usually translates to the session timestamp of the Informatica Workflow or the System Date of the Adhoc process that updates data into this table.	TIMESTAMP
MDCD_PRVDR_TYPE_EFCTV_DT	The first day of the time span during which the values in all data elements in the Medicaid Provider Taxonomy Classification record segment are in effect.	DATE
MDCD_PRVDR_TYPE_END_DT	The last day of the time span during which the values in all data elements in the Medicaid Provider Taxonomy Classification record segment are in effect.	DATE
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT
REC_STUS_CD	Indicates the status of the record. Possible values are C (Current record), H (History record) and D (Deleted record).	STRING

SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT

Column(s) of Table "MDD_PRVDR_QIES_PRFL"		
Column Physical_Name	Comments	Physical Data Type
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT
CRTFCTN_DT	Exit date of the initial visit of the Health survey for certifications completed after July 28, 2012. For certifications prior to that date, the certification date is the exit date of the initial visit of the Health survey or LSC survey, whichever is later.	DATE
ORGNL_PRTCPTN_DT	Date Format : YYYYMMDD Date a provider is first approved to provide Medicare and/or Medicaid services.	DATE
PPS_PSYCH_EXCLSN_UNIT_IND	Indicates if a hospital has a psychiatric Prospective Payment System (PPS)-excluded unit.	STRING
PPS_REHAB_EXCLSN_UNIT_IND	Indicates if a hospital has a rehabilitation Prospective Payment System (PPS)-excluded unit.	STRING
CHOW_DT	Effective date of the most recent change of ownership for this provider.	DATE
SSA_CNTY_CD	Social Security Administration geographic code indicating the county where the provider is located.	STRING
SSA_CNTY_DESC	Social Security Administration geographic code indicating the county where the provider is located.	STRING
TRMNTN_DT	Date the provider was terminated. For Clinical Laboratory Improvement Act (CLIA) providers, date the laboratory's certificate was terminated or the expiration date of the current CLIA certificate.	DATE
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was update within the table.	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record). H	STRING
	Possible values are C (Current table record), H (History table record), D (Deleted record) values.	
CTGRY_SPECF_FAC_TYPE_CD	Unique value that identifies a facility type. Example: Skilled Nursing Facility, Home Health Agency, hospital, Ambulance Service.	STRING
	Valid Values:	
	01 = Short-Term	
	02 = Long Term	
	03 = Religious Non-Medical Health Care Institution	
	04 = Psychiatric	
	05 = Rehabilitation 06 = Children's	
	07 = Distinct Part Psychiatric	
	11 = Critical Access Hospitals"	
	,	

CTGRY_SPECF_FAC_TYPE_DESC	Category-specific facility type description, for certain provider categories only.	STRING
	,	
	Valid Values :	
	Short-Term	
	Long Term	
	Religious Non-Medical Health Care Institution	
	Psychiatric	
	Rehabilitation	
	Children's Distinct Part Psychiatric	
	Critical Access Hospitals	
	"	
TRMNTN_CD	Current termination status for the provider.	STRING
	Valid Values:	
	00=Active Provider	
	01=Voluntary-Merger, Closure	
	02=Voluntary-Dissatisfaction with Reimbursement	
	03=Voluntary-Risk of Involuntary Termination	
	04=Voluntary-Other Reason for Withdrawal	
	05=Involuntary-Failure to Meet Health/Safety Requirements	
	06=Involuntary-Failure to Meet Agreement	
	07=Other-Provider Status Change	
	08=Nonpayment of Fees - Clinical Laboratory Improvement Act (CLIA) Only	
	09=Rev/Unsuccessful Participation in PT - Clinical Laboratory Improvement Act (CLIA) Only	
	10=Rev/Other Reason - Clinical Laboratory Improvement Act (CLIA) Only	
	11=Incomplete CLIA Application Information - Clinical Laboratory Improvement Act (CLIA) Only	
	12=No Longer Performing Tests - Clinical Laboratory Improvement Act (CLIA) Only	
	13=Multiple To Single Site Certificate - Clinical Laboratory Improvement Act (CLIA) Only	
	14=Shared Laboratory - Clinical Laboratory Improvement Act (CLIA) Only	
	15=Failure To Renew Waiver PPM Certificate - Clinical Laboratory Improvement Act (CLIA) Only	
	16=Duplicate CLIA Number - Clinical Laboratory Improvement Act (CLIA) Only	
	17=Mail Returned No Forward Address Cert Ended - Clinical Laboratory Improvement Act (CLIA) Only	
	20=Notification Bankruptcy - Clinical Laboratory Improvement Act (CLIA) Only	
	33=Accreditation Not Confirmed - Clinical Laboratory Improvement Act (CLIA) Only	
	80=Awaiting State Approval	
	99=OIG Action - Do Not Activate - Clinical Laboratory Improvement Act (CLIA) Only"	

PRVDR_CTGRY_DESC	Type of provider participating in the Medicare/ Medicaid program.	STRING
	Valid Values:	
	Type of provider participating in the Medicare/ Medicaid program.	
	modelad programm	
	Hospital	
	Psychiatric Residential Treatment Facility	
	End Stage Renal Disease Facility	
	Ambulatory Surgical Center"	
PRVDR_CTGRY_SBTYP_CD	Subtype of the provider, within the primary category. Used in reporting to show the breakdown of provider categories, mainly for hospitals and Skilled Nursing Facilities (SNF).	STRING
	Facilities (SNF).	
	Valid Values:	
	For Hospitals:	
	01=Short Term	
	02=Long Term	
	03=Religious Non-Medical Health Care Institutions	
	04=Psychiatric 05=Rehabilitation	
	06=Children's Hospitals	
	11=Critical Access Hospitals	
	22=Medicaid Only Short-Term Hospitals	
	23=Medicaid Only Children's Hospitals	
	24=Medicaid Only Children's Psychiatric	
	25=Medicaid Only Psychiatric Hospitals	
	26=Medicaid Only Rehabilitation Hospitals	
	27=Medicaid Only Long-Term Hospitals	
	For Psychiatric Residential Treatment Facilities:	
	01=Psychiatric Residential Treatment	
	For End Stage Renal Disease Facilities:	
	01=End Stage Renal Disease	
	For Ambulatory Surgical Centers:	
	01=Ambulatory Surgical Centers.	
	5. Ambalatory durgious defines	

PRVDR_CTGRY_SBTYP_DESC	Subtype of the provider, within the primary category.	STRING
	Subtype of the provider, within the primary category. Used in reporting to show the breakdown of provider categories, mainly for hospitals and SNFs.	
	Valid Values:	
	For Hospitals:	
	Short Term	
	Long Term	
	Religious Non-Medical Health Care Institutions	
	Psychiatric	
	Rehabilitation	
	Children's Hospitals	
	Critical Access Hospitals	
	Medicaid Only Short-Term Hospitals	
	Medicaid Only Children's Hospitals	
	Medicaid Only Children's Psychiatric	
	Medicaid Only Psychiatric Hospitals	
	Medicaid Only Rehabilitation Hospitals	
	Medicaid Only Long-Term Hospitals	
	For Povehietria Posidential Treatment Facilities	
	For Psychiatric Residential Treatment Facilities:	
	Psychiatric Residential Treatment	
	For End Stage Renal Disease Facilities:	
	End Stage Renal Disease	
	For Ambulatory Surgical Centers:	
	Ambulatory Surgical Center"	
OWNRSHP_TYPE_CD	Ownership type of the provider.	STRING
OWNINGTH _TTT E_GD	CWINGTONIP type of the provider.	STARG
	Valid Values :	
	valid values .	
	For Hospitals:	
	01=Church	
	02=Private (Not For Profit)	
	03=Other (Specify)	
	04=Private (For Profit)	
	05=Federal	
	06=State	
	07=Local	
	08=Hospital District Or Authority	
	09=Physician Ownership	
	10=Tribal	
	For Psychiatric Treatment Centers:	
	01=Private Non Profit	
	02=Proprietary	
	03=Religious Affiliation	
	04=Vol. Non-Prof Religious Aff.	
	05=For Profit	
	06=Not For Profit	
	07=Corporation	
	08=State	
	09=Local Government	
	For End Stage Renal Disease Facilities:	
	01=For Profit	
	l	
	02=Not For Profit	
	03=Public	

	02=Non Profit	
	03=Government "	
OWNRSHP_TYPE_DESC	Ownership type of the provider.	STRING
	Valid Values :	
	For Hospitals:	
	Church	
	Private (Not For Profit)	
	Other (Specify)	
	Private (For Profit)	
	Federal	
	State	
	Local	
	Hospital District Or Authority	
	Physician Ownership	
	Tribal	
	For Psychiatric Treatment Centers:	
	Private Non Profit	
	Proprietary	
	Religious Affiliation	
	Vol. Non-Prof Religious Aff.	
	For Profit	
	Not For Profit	
	Corporation	
	State	
	Local Government	
	For End Stage Renal Disease Facilities:	
	For Profit	
	Not For Profit	
	Public	
	1 upile	
	For Ambulatory Surgery Centers:	
	Proprietary	
	Non Profit	
	Government "	

	T	ATT. 110
ACRDTN_TYPE_CD	Accrediting organization deeming the provider. If a provider is deemed by multiple accrediting organizations, then the accrediting organization with the earliest active deeming effective date is displayed	STRING
	organizations, then the accrediting organization with	
	in this field.	
	Valid Values:	
	valid values.	
	For Hospitals:	
	0=Not Accredited	
	1=JC(Joint Commission)	
	2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program)	
	3=DNV (Det Norske Veritas)	
	For Ambulatory Surgery Centers:	
	O-Unaccondited	
	0=Unaccredited	
	1=JC(Joint Commission)	
	2=AAAHC (Accreditation Association for Ambulatory	
	Health Care)	
	3=AAAASF(American Association for Accreditation of Ambulatory Surgery Facilities)	
	4=AOA/HFAP (American Osteopathic Association /	
	Healthcare Facilities Accreditation Program)	
	5=DNV (Det Norske Veritas)""	
	п	
ACRDTN_TYPE_DESC	Accrediting organization deeming the provider. If a provider is deemed by multiple accrediting	STRING
	organizations than the approditing organization with	
	organizations, then the accrediting organization with the earliest active deeming effective date is displayed	
	the earliest active deeming effective date is displayed in this field.	
	the earliest active deeming effective date is displayed	
	the earliest active deeming effective date is displayed	
	the earliest active deeming effective date is displayed	
	the earliest active deeming effective date is displayed in this field.	
	the earliest active deeming effective date is displayed in this field.	
	the earliest active deeming effective date is displayed in this field.	
	the earliest active deeming effective date is displayed in this field.	
	the earliest active deeming effective date is displayed in this field. Valid Values:	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals:	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals:	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas) For Ambulatory Surgery Centers:	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas) For Ambulatory Surgery Centers: 0=Unaccredited	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas) For Ambulatory Surgery Centers:	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas) For Ambulatory Surgery Centers: 0=Unaccredited 1=JC(Joint Commission)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas) For Ambulatory Surgery Centers: 0=Unaccredited 1=JC(Joint Commission)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas) For Ambulatory Surgery Centers: 0=Unaccredited 1=JC(Joint Commission) 2=AAAHC (Accreditation Association for Ambulatory Health Care)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas) For Ambulatory Surgery Centers: 0=Unaccredited 1=JC(Joint Commission)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas) For Ambulatory Surgery Centers: 0=Unaccredited 1=JC(Joint Commission) 2=AAAHC (Accreditation Association for Ambulatory Health Care) 3=AAAASF(American Association for Accreditation of Ambulatory Surgery Facilities)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas) For Ambulatory Surgery Centers: 0=Unaccredited 1=JC(Joint Commission) 2=AAAHC (Accreditation Association for Ambulatory Health Care) 3=AAAASF(American Association for Accreditation of	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas) For Ambulatory Surgery Centers: 0=Unaccredited 1=JC(Joint Commission) 2=AAAHC (Accreditation Association for Ambulatory Health Care) 3=AAAASF(American Association for Accreditation of Ambulatory Surgery Facilities)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas) For Ambulatory Surgery Centers: 0=Unaccredited 1=JC(Joint Commission) 2=AAAHC (Accreditation Association for Ambulatory Health Care) 3=AAAASF(American Association for Accreditation of Ambulatory Surgery Facilities) 4=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program)	
	the earliest active deeming effective date is displayed in this field. Valid Values: For Hospitals: 0=Not Accredited 1=JC(Joint Commission) 2=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 3=DNV (Det Norske Veritas) For Ambulatory Surgery Centers: 0=Unaccredited 1=JC(Joint Commission) 2=AAAHC (Accreditation Association for Ambulatory Health Care) 3=AAAASF(American Association for Accreditation of Ambulatory Surgery Facilities) 4=AOA/HFAP (American Osteopathic Association / Healthcare Facilities Accreditation Program) 5=DNV (Det Norske Veritas)***	

EMER_SRVC_DEPT_CD	A code indicating how dedicated emergency department services are provided.	STRING
	department services are provided.	
	Valid Values :	
	For Hospitals:	
	0=Not Provided	
	1=Provided By Staff	
	2=Provided Under Arrangement	
	3=Provided By Staff And Under Arrangement	
	For Ambulatory Surgical Centers:	
	0=Not Provided	
	1=Provided By Staff	
	2=Provided Under Arrangement	
	3=Combination"	
EMER_SRVC_DEPT_DESC	A code indicating how dedicated emergency	STRING
	A code indicating how dedicated emergency department services are provided.	
	Valid Values :	
	For Hospitals:	
	0=Not Provided	
	1=Provided By Staff	
	2=Provided Under Arrangement	
	3=Provided By Staff And Under Arrangement	
	For Ambulatory Surgical Centers:	
	0=Not Provided	
	1=Provided By Staff	
	2=Provided Under Arrangement	
	3=Combination"	
SHED DOVOU ODVO OD		OTRIVO
EMER_PSYCH_SRVC_CD	A code indicating how emergency psychiatric services are provided.	STRING
	Valid Values:	
	For Hospitals:	
	0=Not Provided	
	1=Provided By Staff	
	2=Provided Under Arrangement	
	3=Provided By Staff And Under Arrangement	
	For Ambulatory Surgical Centers:	
	0=Not Provided	
	1=Provided By Staff	
	2=Provided Under Arrangement	
	3=Combination"	

EMER_PSYCH_SRVC_DESC	A code indicating how emergency psychiatric services are provided.	STRING
	Valid Values:	
	For Hospitals:	
	0=Not Provided	
	1=Provided By Staff	
	2=Provided Under Arrangement	
	3=Provided By Staff And Under Arrangement	
	For Ambulatory Surgical Centers: 0=Not Provided	
	1=Provided By Staff	
	2=Provided Under Arrangement	
	3=Combination"	
PSYCH_UNIT_BED_CNT	Number of beds in a Prospective Payment System (PPS)-exempt psychiatric unit of a hospital.	INT
REHAB_UNIT_BED_CNT	Number of beds in a Prospective Payment System (PPS)-exempt rehabilitation unit of a hospital.	INT
CRTFD_BED_CNT	Number of beds in Medicare and/or Medicaid certified areas within a facility.	INT
TOT_BED_CNT	Total number of beds in Medicare and/or Medicaid certified areas within a facility, including those in non-participating or non-licensed areas.	INT
TOT_PREFRD_BED_CNT	Total number of beds in a provider, including those in non-participating or non-licensed areas.	INT
TRMNTN_DESC	Current termination status for the provider.	STRING
	Valid Values:	
	00=Active Provider	
	01=Voluntary-Merger, Closure	
	02=Voluntary-Dissatisfaction with Reimbursement	
	03=Voluntary-Risk of Involuntary Termination	
	04=Voluntary-Other Reason for Withdrawal 05=Involuntary-Failure to Meet Health/Safety	
	Requirements	
	06=Involuntary-Failure to Meet Agreement 07=Other-Provider Status Change	
	08=Nonpayment of Fees - Clinical Laboratory Improvement Act (CLIA) Only	
	09=Rev/Unsuccessful Participation in PT - Clinical Laboratory Improvement Act (CLIA) Only	
	10=Rev/Other Reason - Clinical Laboratory Improvement Act (CLIA) Only	
	11=Incomplete Clinical Laboratory Improvement Act (CLIA) Application Information - CLIA Only	
	12=No Longer Performing Tests - Clinical Laboratory Improvement Act (CLIA) Only	
	13=Multiple To Single Site Certificate - Clinical Laboratory Improvement Act (CLIA) Only	
	14=Shared Laboratory - Clinical Laboratory Improvement Act (CLIA) Only	
	15=Failure To Renew Waiver PPM Certificate - Clinical Laboratory Improvement Act (CLIA) Only	
	16=Duplicate CLIA Number - Clinical Laboratory Improvement Act (CLIA) Only	
	17=Mail Returned No Forward Address Cert Ended - Clinical Laboratory Improvement Act (CLIA) Only	
	20=Notification Bankruptcy - Clinical Laboratory Improvement Act (CLIA) Only	
	33=Accreditation Not Confirmed - Clinical Laboratory Improvement Act (CLIA) Only 80=Awaiting State Approval	
	99=OIG Action - Do Not Activate - Clinical Laboratory Improvement Act (CLIA) Only"	

SRC_SYS_NAME	Name of the system from which the record is sourced.	STRING
SRC_SUB_SYS_NAME	Name of the subsytem such as NPESS, FISS, etc in the case of NPISCS, from which the record is sourced	STRING

Column(s) of Table "MDD SP	Comments	Physical Data Type
CNTCT_TS	Contains the date contact took place for the specified reason code. Valid reason codes represent first contact, second contact, third contact, etc.	TIMESTAMP
OTHR_RSN_TXT	Contains the reason for the status when the reason code is Other.	STRING
ENRLMT_STUS_CMT_TXT	Comments concerning any unique or unusual circumstances concerning the status of the enrollment.	STRING
STUS_EFF_TS	Status Effective Date	TIMESTAMP
STUS_END_TS	Status End date	TIMESTAMP
SRC_ENRLMT_ID	Unique number for the enrollment form.	STRING
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was update within the table.	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
STUS_CD	Indicates the Enrollment status	STRING
STUS_DESC	Describes the Enrollment Status	STRING
REC_STUS_CD	Indicates the status of the record	STRING
	Possible values are C (Current table record), H (History table record), D (Deleted record) values.	
ENRLMT_STUS_RSN_CD	Unique value that indicates the reason for the status. e.g., reason for status "Returned" is missing information.	STRING
ENRLMT_STUS_RSN_DESC	Description for the unique value that indicates the reason for the status. e.g., reason for status "Returned" is missing information.	STRING
ENRLMT_STUS_SK	Unique number generated at source to make the row in the table unique.	DECIMAL(20)
SRC_SYS_NAME	Name of the system from which the record is sourced.	STRING
SRC_SUB_SYS_NAME	Name of the subsytem such as NPESS, FISS, etc in the case of NPISCS, from which the record is sourced	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE

Column(s) of Table "MDD SP	Comments	Physical Data Type
SPP_MDCD_AFLTD_GRP_SK	Unique number generated by an Oracle Sequence object to make the MDD_SPP_MDCD_AFLTD_GRP row unique.	BIGINT
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT
AFLTD_ENT_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT
AUDT_INSRT_TS	The data lineage column used to identify the date and time that the record was inserted within the table.	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
AUDT_UPDT_TS	The data lineage column used to identify the date and time that the record was last updated within the table.	TIMESTAMP
AFLTD_GRP_EFCTV_DT	The date the healthcare Provider officially began to be identified at CMS by the specific type of legacy Medicare identifier.	DATE
AFLTD_GRP_END_DT	The last day the legacy Medicare identifier was active at CMS for the healthcare Provider.	DATE
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
REC_STUS_CD	Indicates the status of the record. Possible values are C (Current record), H (History record) and D (Deleted record).	STRING

SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT

Column(s) of Table "MDD_SPP_N		
Column Physical_Name	Comments	Physical Data Type
MDCD_ENRLMT_EFCTV_DT	The first day of the time span during which the values in all data elements on a Provider Medicaid record segment are in effect.	DATE
MDCD_ENRLMT_END_DT	The last day of the time span during which the values in all data elements on a Provider Medicaid record segment are in effect.	DATE
SPP_MDCD_ENRLMT_SK	A unique identifier for a provider's enrollment of state's Medicaid or Children's Health Insurance Program (CHIP).	BIGINT
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was update within the table.	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT
PRVDR_MDCD_ENRLMT_STUS_DESC	Description of the provider's Medicaid and/or CHIP enrollment status within the effective and end date.	STRING
STATE_PLAN_ENRLMT_TYPE_NAME	Name/Description of the state plan with which a provider has an affiliation and is able to provide services to the state's fee for service enrollees. Valid vales are 1 Medicaid 2 CHIP 3 Both Medicaid and CHIP 4 Not state plan affiliated	STRING
PRVDR_ENRLMT_MTHD_DESC	Description of the process by which a provider was enrolled in Medicaid or Children's Health Insurance Program(CHIP).	STRING
APLCTN_DT	The date on which the provider applied for enrollment into the State's Medicaid and/or CHIP program.	DATE
REC_STUS_CD	Indicates the status of the record. Possible values are C (Current record), H (History record) and D (Deleted record).	STRING
SRC_SYS_REC_ID	Unique identifier for the record in the source system	STRING
SRC_SYS_REC_DESC	Description of the unique identifier for the record in the source system	STRING
PRVDR_MDCD_ENRLMT_STUS_CD	A code representing the provider's Medicaid and/or CHIP enrollment status for the specified enrollment time span. Code Description 1 Active - Active Do Not Pay 22 Active - Active Reinstated 33 Active - Active Reinstated 40 Active - Eligibility Verification 50 Active - Eligibility Verification 51 Active - Eligibility Verification 52 Active - Financial Trans Only 53 Denied - Denied Two Provider Numbers 54 Denied - Denied Two Provider Numbers 55 Denied - Invalid License 56 Denied - Not Eligible 57 Denied - Not Eligible 58 Denied - Not Eligible 59 Denied - Not Eligible 50 Denied - Not Eligible 50 Denied - Not Eligible 51 Denied - Same Number Assigned 52 Denied - Same Number Assigned 53 Denied - Not Eligible 54 Denied - Same Number Assigned 55 Pending - Not License/Cert Verification 56 Pending - Missing Documentation 57 Pending - Not License/Temp License 58 Pending - NPI Invalid 59 Pending - Status Approval 50 Pending - Wilssing or Incomplete 50 Term - Action Taken by Medicaid/CHIP 50 Term - Action Taken by Medicaid (CHIP 51 Term - Action Taken by Medicare 52 Term - Fallse or misleading information 53 Term - Federal exclusion/ debarment, etc. 54 Term - Fallse or misleading information 55 Term - Federal exclusion/ debarment, etc. 56 Term - Federal exclusion/ debarment, etc. 57 Term - Federal exclusion/ debarment, etc. 58 Term - Federal exclusion/ debarment, etc. 59 Term - Federal exclusion/ debarment, etc. 50 Term - Federal exclusion/ debarment, etc. 51 Term - Federal exclusion/ debarment, etc. 52 Term - Federal exclusion/ debarment, etc. 53 Term - Federal exclusion/ debarment, etc. 54 Term - Federal exclusion/ debarment, etc. 55 Term - Federal exclusion/ debarment, etc. 56 Term - Federal exclusion/ debarment, etc. 57 Term - Federal exclusion/ debarment, etc. 58 Term - Federal exclusion/ debarment, etc. 59 Term - Federal exclusion/ debarment, etc. 50 Term - Federal exclusion/ debarment, etc. 51 Term - Federal exclusion/ debarment,	STRING

	78 Term - Onsite review/ Provider is no longer operational 79 Term - Other 80 Term - Provider Deceased 81 Term - State exclusion/ debarment, etc. 82 Term - Unknown 83 Term - Voluntary Termination	
STATE_PLAN_ENRLMT_TYPE_CD	The state plan with which a provider has an affiliation and is able to provide services to the state's fee for service enrollees. This identifies whether the provider is enrolled in Medicaid, CHIP, or both. Code Description 1 Medicaid 2 CHIP 3 Both Medicaid and CHIP 4 Not state plan affiliated	STRING
PRVDR_ENRLMT_MTHD_CD	The code that indicates the process by which a provider was enrolled in Medicaid or Children's Health Insurance Program (CHIP). Code Description 1 Enrolled through use of Medicare enrollment system (State did not require that provider submit application. Rather Provider is active Medicare provider and state Medicaid program accepted these credentials as sufficient to participate as state Medicaid provider.) 2 Enrolled through use of state-based provider application 3 Other	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE

Column(s) of Table "MDD SP		Division Data Torre
Column Physical_Name	Comments	Physical Data Type
MDCR_ENRLMT_ID	The unique identifier assigned by the Provider Enrollment Chain Organization System (PECOS) at Centers for Medicare and Medicaid Services (CMS) to an enrollee that successfully enrolls to bill Medicare.	STRING
MDCR_ENRLMT_ROLE_CD	Unique value that identifies a Role code. Example: 00, 12, 14, 33, 30	STRING
MDCR_BLG_ENRLMT_EFCTV_TS	The date on which the entity enrolled to bill Medicare for services rendered.	TIMESTAMP
TRMNTN_TS	The date on which the Health Care Provider enrollment to bill Medicare for the indicated type of submission form in the indicated U.S. state ceased to be active.	TIMESTAMP
ELGBL_FOR_DLTN_SW	A yes/no indicator of whether a Part A Medicare Provider enrollment has been moved to voluntary withdrawal and that information has been sent to the Fiscal Intermediary Standard System (FISS) by the FISS Claims Extract. If the value is 'Y', the Provider enrollment can be physically deleted.	STRING
FNLZD_TS	The date on which the Medicare Provider Enrollment is considered to have been both completed and accepted by Medicare.	TIMESTAMP
MDCR_BLG_ENRLMT_ID	A unique identifier for an enrollment seeking the authority to bill Medicare for services rendered.	STRING
CNTRCTR_ID	Unique number that identifies a Medicare contractor.	STRING
STATE_CD	Unique value that identifies a state in which the Medicare Administrative Contractor operates.	STRING
MDM_PRVDR_SK	This is a dummy sequential number generated by IBM Infosphere for every unique Source Identification Number. Source Identification Number consists of the following four columns: Source System Name Source Sub System Name Source Provider Identifier Type Description Source Provider Identifier	BIGINT
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was update within the table.	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
REC_STUS_CD	Indicates the status of the record	STRING
	Possible values are C (Current table record), H (History table record), D (Deleted record) values.	
INCORPTN_STATE_CD	A unique identifier assigned by ANSI (American National Standards Institute) to a US State. Reference lookup as GEO_ANSI_STATE_RFRNC.	STRING
ORG_BUSNS_STRUC_CD	A unique identifier for a classification of business structure as used by a Person or an Organization in the course of providing some product or service.	STRING
	Reference lookup as ORG_BUSN_STRUC_TYPE_RFRNC.	

ORG_PRFT_SW	An indicator Y for yes and N for no that the non government organization is for profit For example Y Yes for profit N No for non profit	STRING
ORG_BUSNS_STRUC_TYPE_DESC	Description for a classification of business structure as used by a Person or an Organization in the course of providing some product or service.	STRING
SRC_SYS_NAME	Name of the system from which the record is sourced.	STRING
SRC_SUB_SYS_NAME	Name of the subsytem such as NPESS, FISS, etc in the case of NPISCS, from which the record is sourced	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
ENRLMT_ROLE_DESC	Description for the Unique value that identifies the Role Code.	STRING

Column(s) of Table "MDD_SPP_PA_EMPLR_ASCTN_DTL"		
Column Physical_Name	Comments	Physical Data Type
SPP_PA_EMPLR_ASCTN_DTL_SK	A system generated unique identifier to identify the additional association details of the Physician Assistant and his/her Employer in a Medicare enrollment.	BIGINT
PA_MDCR_ID	The Medicare Identifier of Physician Assistant. This number uniquely identifies the applicant as a Medicare provider and/or supplier and is the number used on claim forms.	STRING
PA_MDCR_TYPE_CD	Unique value that identifies the type of the Medicare Identifier for a Physician Assistant. Example: NSC or OSCAR, etc.	STRING
EMPLR_MDCR_ID	The Medicare Identifier of the employer. This number uniquely identifies the applicant as a Medicare provider and/or supplier and is the number used on claim forms.	STRING
EMPLR_MDCR_TYPE_CD	Unique value that identifies the type of the Medicare Identifier for an employer. Example: NSC or OSCAR, etc.	STRING
EMPLR_NPI	National Provider Identifier of the Employer.	STRING
EMPLR_MDCR_TYPE_DESC	Description of Medicare Identifier Type of Employer.	STRING
PA_MDCR_TYPE_DESC	Description of Medicare Identifier Type of Physician Assistant.	STRING
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record) values.	STRING
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was updated.	TIMESTAMP
PA_ASCTN_DTL_SRC_SK	Unique identifier to track the Physician Assistant association detail record in the source system.	DECIMAL(20)
SPP_PA_EMPLR_ENRLMT_ASCTN_SK	A system generated unique identifier to identify the association of the Physician Assistant and his/her Employer in a Medicare enrollment.	BIGINT

Column(s) of Table "MDD_SPP_PA_EMPLR_ENRLMT_ASCTN"		
Column Physical_Name	Comments	Physical Data Type
PA_ENRLMT_ID	The unique identifier assigned by the Provider Enrollment Chain Organization System (PECOS) at Centers for Medicare and Medicaid Services (CMS) to an Physician Assistant that successfully enrolls to bill Medicare.	STRING
SPP_PA_EMPLR_ENRLMT_ASCTN_SK	A system generated unique identifier to identify the association of the Physician Assistant and his/her Employer in a Medicare enrollment.	BIGINT
EMPLR_ENRLMT_ID	The unique identifier assigned by the Provider Enrollment Chain Organization System (PECOS) at Centers for Medicare and Medicaid Services (CMS) to an Employer that successfully enrolls to bill Medicare.	STRING
EMPLR_PAC_ID	Unique number that identifies an Employer Pecos Associate.	STRING
ASCTN_EFCTV_DT	The date that the association of Physician Assistant and Employer Enrollment becomes effective.	DATE
ASCTN_END_DT	The date after which the association of Physician Assistant and Employer Enrollment is no longer effective.	DATE
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record).	STRING

PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was updated.	TIMESTAMP
MDM_PRVDR_SK	The system generated unique identifier for a Provider Lean Index record in Master Data Management System.	BIGINT
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
PA_ASCTN_SRC_SK	Unique identifier to track the Physician Assistant association record in source system.	DECIMAL(20)

Column(s) of Table "MDD_SPP_PRVDR_CHOW"		
Column Physical_Name	Comments	Physical Data Type
AGRMT_ACPT_SW	This attribute only pertains to a change of ownership (CHOW) and will have a null value for all other types. It indicates whether the buyer (new owner) accepted the Medicare agreement of the seller (former owner)	STRING
ASCTD_ENRLMT_ID	Associated enrollment number for the enrollment form	STRING
ASCTD_PECOS_ASCT_CNTL_ID	Unique number that identifies the associated PECOS Associate of the seller (former owner)	STRING
ASCTD_TIN	The IRS Tax Identification Number of the seller (former) owner. This attribute will provide historical information in the event that the associated PECOS Associate of the seller (former owner) is deleted from PECOS	STRING
BUYER_SELR_SW	Indicates whether the Enrollment Identifier is related to the buyer or the seller. If it is the seller, the Associated Enrollment Identifier is related to the buyer	STRING
CCN	The Online Survey, Certification and Reporting (OSCAR) number of the seller (former owner) of a change of ownership (CHOW).	STRING
CCN_EFCTV_DT	The date on which the OSCAR (OnlineSurvey, Certification and Reporting) Identifier is effective for the seller((former)owner	DATE
CCN_END_DT	The end date of the OSCAR Number	DATE
CHOW_EFCTV_DT	Indicates whether the associate enrollment is related to a change of ownership (CHOW), acquisition/merger or consolidation	DATE
CHOW_TYPE_CD	Indicates whether the associated enrollment is related to a change of ownership (CHOW),acquisition/merger or consolidation	STRING
CHOW_TYPE_CD_DESC	The description of whether the associated enrollment is related to a change of ownership (CHOW), acquisition/merger or consolidation	STRING
CITY_NAME	City name of the Seller (former owner)	STRING
CNTRCTR_ID	Unique number that identifies a Medicare contractor.	STRING
ENRLMT_ID	Unique number for the enrollment form	STRING
LINE_1_ST_ADR	Line 1 address of the Seller (former) owner	STRING
LINE_2_ST_ADR	Line 2 address of the Seller (former) owner	STRING
MDM_PRVDR_SK	Unique record number to identify the provider profile record	BIGINT
ORG_NAME	The Legal Business Name (LBN) of the seller/former owner. This attribute will provide historical information in the event that the associated PECOS Associate of the seller (former owner) is deleted from PECOS	STRING
PROC_CNTL_DTL_INSRT_SK	An ETL (Extract Transform Load) column to identify when the user/process has inserted the record	BIGINT
PROC_CNTL_DTL_LAST_UPDT_SK	An ETL (Extract Transform Load) column to identify when the user/process has updated the record	BIGINT
PRVDR_ENRLMT_CHOW_SK	unique number generated to make the prvdr_enrlmt_chow row unique	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has inserted the record	TIMESTAMP
REC_STUS_CD	Status of Record. Valid Values: C - Current D - Delete H - History	STRING
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record	TIMESTAMP
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
SRC_SUB_SYS_NAME	Name of the subsytem such as from which the record is sourced. For TMSIS it will be the state code	STRING
SRC_SYS_NAME	Name of the system from which the record is sourced like PECOS, TMSIS	STRING
STATE_CD	State code of the Seller (former owner)	STRING
ZIP_CD	Zip code of the Seller (former owner)	STRING

Column(s) of Table "MDD_SPP_PRVDR_DME_FAAIR"		
Column Physical_Name	Comments	Physical Data Type

FAAIR_TYPE_CD	Unique value that identifies the type of Fraud and Abuse Index of Risk Code. e.g.: Q - Low risk; R – Limited risk; S – Medium risk; T – High risk, etc.	STRING
FAAIR_EFCTV_TS	Date when the Fraud and Abuse Index of Risk is in effect for the Durable Medical Equipment (DME) Supplier.	TIMESTAMP
FAAIR_TRMNTN_TS	Date when the Fraud and Abuse Index of Risk is no longer valid for the Durable Medical Equipment (DME) Supplier.	TIMESTAMP
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was update within the table.	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
MDCR_BLG_ENRLMT_ID	A unique identifier for an enrollment seeking the authority to bill Medicare for services rendered.	STRING
DME_FAAIR_SK	An identification component from source system used to achieve an uniqueness in the data loaded into this table.	DECIMAL(20)
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record) values.	STRING
MDM_PRVDR_DME_FAAIR_SK	Unique number generated on MDM to make the row in the table unique.	BIGINT
SRC_SYS_NAME	Name of the system from which the record is sourced.	STRING
SRC_SUB_SYS_NAME	Name of the subsytem such as NPESS, FISS, etc in the case of NPISCS, from which the record is sourced	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
FAAIR_TYPE_DESC	Description for the Unique value that identifies the type of Fraud and Abuse Index of Risk Code.	STRING
	Example:	
	Q - Low risk R – Limited risk S – Medium risk T – High risk	

Column(s) of Table "MDD_SPP_PRVDR_ENRLMT_BAR"		
Column Physical_Name	Comments	Physical Data Type
CNTRCTR_ID	Unique number that identifies a Medicare contractor. STATE_CD CHAR(2) NOT NULL No No Unique value that identifies a state	STRING
ENRLMT_BAR_EDIT_RSN_CD	Unique Code of Bar change Reason, E.g.: 00 - CMS AUTHORIZED UPDATE; 01 - ENROLLMENT BAR OVERTURNED AS A RESULT OF THE ADJUDICATION	STRING
ENRLMT_BAR_EDIT_RSN_DESC	Unique description of Bar change Reason. E.g.: 00 - CMS AUTHORIZED UPDATE; 01 - ENROLLMENT BAR OVERTURNED AS A RESULT OF THE ADJUDICATION	STRING
ENRLMT_BAR_EFCTV_DT	The date that the Enrollment Bar became effective	DATE
ENRLMT_BAR_END_DT	Indicates the date on which the Enrollment Bar is no longer valid	DATE
ENRLMT_BAR_EXPRTN_DT	The date that the Enrollment bar will expire and is an earlier date than an end date	DATE
ENRLMT_BAR_RSN_CD	identifies the Enrollment Bar Reason. E.g.: 00 - FAILURE TO RESPOND TO REVALIDATION REQUEST:01 - FAILURE TO REPORT LICENSE REVOCATION OR SUSPENSION (NOT BILLING)	STRING
ENRLMT_BAR_RSN_DESC	Unique description for the Enrollment Bar Reason. E. g.: 00 - FAILURE TO RESPOND TO REVALIDATION REQUEST:01 - FAILURE TO REPORT LICENSE REVOCATION OR SUSPENSION (NOT BILLING)	STRING
ENRLMT_BAR_TXT	Text for Enrollment Bar	STRING
ENRLMT_BAR_TYPE_CD	Unique value that identifies the type of bar.E.g.:00 - ENROLLMENT BAR-1 YEAR;01 -ENROLLMENT BAR-2 YEARS	STRING
ENRLMT_BAR_TYPE_DESC	Unique description that identifies the type of bar.E. g.:00 -ENROLLMENT BAR-1 YEAR;01 - ENROLLMENT BAR-2 YEARS	STRING
MDCR_BLG_ENRLMT_ID	No Unique number for the enrollment form	STRING
MDM_PRVDR_SK	unique record number to identify the provider profile record	BIGINT
PROC_CNTL_DTL_INSRT_SK	An ETL (Extract Transform Load) column to identify when the user/process has inserted the record	BIGINT
PROC_CNTL_DTL_LAST_UPDT_SK	An ETL (Extract Transform Load) column to identify when the user/process has updated the record	BIGINT

PRVDR_ENRLMT_BAR_SK	unique number generated to make the prvdr_enrlmt_bar row unique	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has inserted the record	TIMESTAMP
REC_STUS_CD	Status of Record. Valid Values: C - Current D - Delete H - History	STRING
REC_UPDT_TS	Data Lineage column to identify when the process has last updated the record	TIMESTAMP
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
SRC_SUB_SYS_NAME	Name of the subsytem such as from which the record is sourced. For TMSIS, it will be the state code	STRING
SRC_SYS_NAME	Name of the system from which the record is sourced like PECOS, TMSIS	STRING
STATE_CD	Unique value that identifies a state	STRING

Column(s) of Table "MDD SPP F	PRVDR ENRLMT CNTCT"	
Column Physical_Name	Comments	Physical Data Type
CITY_NAME	City name of the enrollment contact person	STRING
EMAIL_ADR	Email address of the enrollment contact person	STRING
ENRLMT_CNTCT_CREAT_TS	Tmestamp of the record was created (MM/DD/ YYYY)	TIMESTAMP
ENRLMT_CNTCT_END_DT	Date of information for the Enrollment contact person is no longer valid	DATE
ENRLMT_CNTCT_TYPE_CD	Unique value that identifies a contact type. E.g.: 00 - AUTHORIZED OFFICIAL; 01 - DELEGATED OFFICIAL	STRING
ENRLMT_CNTCT_TYPE_DESC	Unique description that identifies a contact type. E.g.: 00 - AUTHORIZED OFFICIAL; 01 - DELEGATED OFFICIAL	STRING
ENRLMT_CNTCT_TYPE_OTHR_TXT	Description of the contact type If the contact type is other	STRING
FAX_NUM	Fax number of the enrollment contact person	STRING
FIRST_NAME	First name of the enrollment contact person	STRING
LAST_NAME	Last name of the enrollment contact person	STRING
LINE_1_ST_ADR	Street address line 1 of the enrollment contact person	STRING
LINE_2_ST_ADR	Street address line 2 of the enrollment contact person	STRING
MDL_NAME	Middle name of the enrollment contact person	STRING
MDM_PRVDR_SK	Unique record number to identify the provider profile record	BIGINT
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
PRVDR_ENRLMT_CNTCT_SK	Unique number generated on MDM to make the row in the table unique.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
REC_STUS_CD	Status of Record. Valid Values: A - Add, D - Delete	STRING
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was update within the table.	TIMESTAMP
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
SRC_ENRLMT_ID	Unique number for the enrollment form	STRING
SRC_SUB_SYS_NAME	Name of the subsytem such as NPESS FISS, etc in the case of NPISCS from which the record is sourced	STRING
SRC_SYS_NAME	Name of the system from which the record is sourced	STRING
STATE_CD	Unique value that identifies a state	STRING
TEL_NUM	Telephone number of the enrollment contact person	STRING
ZIP_CD	Zip code of the enrollment contact person	STRING
ZIP_PLUS_4_CD	The extension Zone Improvement Plan (ZIP) code as assigned by the United States Postal Service (USPS). Four additional digits added to the 5-digit ZIP Code that identify a specific range of delivery addresses	STRING

Column(s) of Table "MDD_SPP_F	PRVDR_ENRLMT_ROLE_ASCTN"	
Column Physical_Name	Comments	Physical Data Type
ASCTN_ROLE_TYPE_CD	The unique identifier for a classification of the various functions or roles that a Health Care Provider may carry out relative to another Health Care Provider that is enrolled to bill Medicare for health care services rendered. Examples include: 5% or more ownership interest Partner Interpreting physician Employee Phy-Own-Hosp- Direct Organization Ownership Interest	STRING

	Reference lookup as PRVDR_ROLE_TYPE_RFRNC.	
PRSN_TITL_TXT	Text used to describe the purpose or duties of the	STRING
	associated Person that has a control relationship relative to the Health Care Provider.	
OWNRSHP_PCT_NUM	The percentage of ownership that the Person may have in the Health Care Provider.	FLOAT
	Example 1: Company A owns 100% of a Skilled Nursing Facility (that is, Company A owns 100% of the actual assets that constitute the Provider Skilled Nursing Facility) Company C owns 60% of Company A, so that Company C is an indirect owner of the Provider Skilled Nursing Facility. Individual Y owns 15% of Company C. The 100% ownership that Company A has of the Skilled Nursing Facility) is multiplied by the 60% that Company C owns of Company A to determine that Company C owns of Company A to determine that Company C owns of Company A to indirect ownership in the Skilled Nursing Facility. This 60% indirect ownership of Company C is then multiplied by the 15% that Individual Y owns in Company C to calculate that Individual Y has a 9% indirect ownership in the Skilled Nursing Facility.	
CNTRCT_SRVC_TXT	Description of contracted services that the person with some degree of control may furnish to the	STRING
DLGTD_W2_EMPLEE_SW	Provider. Indicator of whether the person with control is carrying out the role of a delegated employee.	STRING
ORG_CR_FR_ACQS_SW	A "yes/no" indicator of whether it is known that the Organization was created for the express purpose of acquiring ownership (either partial or total) in the Health Care Provider.	STRING
ASCTN_EFCTV_TS	The date on which the association between a Provider, a supporting Provider, and the role classification carried out by the supporting Provider begins to be effective.	TIMESTAMP
ASCTN_TRMNTN_TS	The date on which the association between a Provider, a supporting Provider, and the role classification carried out by the supporting Provider ceases to be effective.	TIMESTAMP
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was last updated into the table.	TIMESTAMP
MDCR_BLG_ENRLMT_ID	A unique identifier for an enrollment seeking the authority to bill Medicare for services rendered.	STRING
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record	BIGINT
MDM_PRVDR_SK	This is a dummy sequential number generated by IBM Infosphere for every unique Source Identification Number. Source Identification Number consists of the following four columns: Source System Name Source Sub System Name Source Provider Identifier Type Description Source Provider Identifier Maps to Infosphere Model - Member Record Number	BIGINT
PRVDR_ROLE_ASCTN_SK	An identification component from the source system used to achieve an uniqueness in the data loaded into this table.	DECIMAL(20)
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record) values.	STRING
MDM_PRVDR_ENRLMT_ROLE_ASCTN_SK	Unique number generated on MDM to make the row in the table unique.	BIGINT
SRC_SYS_NAME	Name of the system from which the record is sourced.	STRING
SRC_SUB_SYS_NAME	Name of the subsytem such as NPESS, FISS, etc in the case of NPISCS, from which the record is sourced	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
ASCTN_ROLE_TYPE_DESC	Description of Health Care Provider role or function codes	STRING

Column(s) of Table "MDD_SPP_F	PRVDR ENRLMT STUS RSN DT	L"
Column Physical_Name	Comments	Physical Data Type
ENRLMT_ID	Unique number for the enrollment form	STRING
ENRLMT_STUS_OTHR_RSN_TXT		STRING
ENRLMT_STUS_RSN_CD	Unique value that indicates the reason for the status. e.g., reason for status "Returned" is missing information	STRING
ENRLMT_STUS_RSN_DESC	Description for the unique value that indicates the reason for the status. e.g., reason for status "Returned" is missing information	STRING
ENRLMT_STUS_SK	the SK value comes from the parent mdd_spp_enrlmt_stus table	DECIMAL(20)

PROC_CNTL_DTL_INSRT_SK	An ETL (Extract Transform Load) column to identify when the user/process has inserted the record	BIGINT
PROC_CNTL_DTL_LAST_UPDT_SK	An ETL (Extract Transform Load) column to identify when the user/process has updated the record	BIGINT
REC_ADD_TS	Data Lineage column to identify when the user/ process has inserted the record	TIMESTAMP
REC_STUS_CD	Status of Record. Valid Values: C - Current , D - Delete, H - History	STRING
REC_UPDT_TS	Data Lineage column to identify when the user/ process has last updated the record	TIMESTAMP
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
SRC_SUB_SYS_NAME	Name of the subsytem such as from which the record is sourced. For TMSIS, it will be the state code	STRING
SRC_SYS_NAME	Name of the system from which the record is sourced like PECOS, TMSIS	STRING

Column(s) of Table "MDD_SPP_F	PRVDR LGL ACTN"	
Column Physical_Name	Comments	Physical Data Type
LGL_ACTN_TXT	Description of why and how the adverse legal action occurred in connection with a conviction, suspension, revocation, restriction, denial or other adverse action to a person.	STRING
LAW_AUTHRTY_NAME	Law enforcement authority/court/administrative body that imposed the action, and the resolution.	STRING
RSLTN_TXT	Evidence of how the adverse legal action was finally resolved. (e.g., reinstatement notices, etc.)	STRING
PRVDR_LGL_ACTN_TS	The date on which a sanction that has been imposed or levied against a Provider becomes effective.	TIMESTAMP
TRMNTN_TS	The date on which the sanction applied to the Provider ceases to be effective.	TIMESTAMP
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was update within the table.	TIMESTAMP
PRVDR_LGL_ACTN_SK	An identification component from the source system used to achieve an uniqueness in the data loaded into this table.	DECIMAL(20)
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record) values.	STRING
MDM_PRVDR_SK	This is a dummy sequential number generated by IBM Infosphere for every unique Source Identification Number. Source Identification Number consists of the following four columns: Source System Name Source Sub System Name Source Provider Identifier Type Description Source Provider Identifier	BIGINT
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
MDM_PRVDR_LGL_ACTN_SK	Unique number generated on MDM to make the row in the table unique.	BIGINT
SRC_SYS_NAME	Name of the system from which the record is sourced.	STRING
SRC_SUB_SYS_NAME	Name of the subsytem such as NPESS, FISS, etc in the case of NPISCS, from which the record is sourced	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE

Column(s) of Table "MDD_SPP_F	PRVDR_REASGNMT_BNFTS"	
Column Physical_Name	Comments	Physical Data Type
RCVG_PRVDR_LGCY_MDCR_ID	For the provider who is receiving the reassigned benefits: This number uniquely identifies the applicant as a Medicare provider and/or supplier and is the number used on claim forms. Examples of Medicare numbers are UPINS. OSCAR. NSC.	STRING
RCVG_NPI_ID	For the provider who is receiving the reassigned benefits: The unique number generated by the National Provider system for the requesting provider.	STRING
RASNG_NPI_ID	For the provider who reassigned their benefits: The unique number generated by the National Provider system for the requesting provider.	STRING
RASNG_PRVDR_LGCY_MDCR_ID	For the provider who reassigned their benefits: This number uniquely identifies the applicant as a Medicare provider and/or supplier and is the number used on claim forms. Examples of Medicare numbers are UPINs, OSCAR, NSC.	STRING

PRVDR_ROLE_TYPE_CD	The unique identifier for a classification of the various functions or roles that a Health Care Provider may carry out relative to another Health Care Provider that is enrolled to bill Medicare for health care services rendered. Examples include: 5% or more ownership interest Partner Interpreting physician Employee Phy-Own-Hosp- Direct Organization Ownership Interest	STRING
ASCTN_EFCTV_TS	Reference lookup as PRVDR_ROLE_TYPE_RFRNC. The date on which the association between a Provider, a supporting Provider, and the role classification carried out by the supporting Provider begins to be effective.	TIMESTAMP
ASCTN_TRMNTN_TS	The date on which the association between a Provider, a supporting Provider, and the role classification carried out by the supporting Provider ceases to be effective.	TIMESTAMP
RASNG_CNTRCTR_ID_CD	The identification number assigned by CMS to a fiscal intermediary authorized to process institutional claim records. (NCH)	STRING
RCVG_CNTRCTR_ID_CD	The identification number assigned by CMS to a fiscal intermediary authorized to process institutional claim records. (NCH)	STRING
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was update within the table.	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
RASNG_MDCR_PRVDR_ENRLMT_ID	A unique identifier for an enrollment seeking the authority to bill Medicare for services rendered.	STRING
RCVG_MDCR_PRVDR_ENRLMT_ID	A unique identifier for an enrollment seeking the authority to bill Medicare for services rendered.	STRING
PRVDR_REASGNMT_ID	An identification component from the source used to achieve an uniqueness in the data loaded into this table.	STRING
PRVDR_REASGNMT_MDCR_NPI_SK	An identification component from the source used to achieve an uniqueness in the data loaded into this table.	DECIMAL(20)
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record) values.	STRING
MDM_PRVDR_REASGNMT_BNFTS_SK	Unique number generated on MDM to make the row in the table unique.	BIGINT
SRC_SYS_NAME	Name of the system from which the record is sourced.	STRING
SRC_SUB_SYS_NAME	Name of the subsytem such as NPESS, FISS, etc in the case of NPISCS, from which the record is sourced	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
PRVDR_ROLE_TYPE_DESC	Description for the unique identifier for a classification of the various functions or roles that a Health Care Provider may carry out relative to another Health Care Provider that is enrolled to bill Medicare for health care services rendered. Examples include: 5% or more ownership interest Partner Interpreting physician Employee Phy-Own-Hosp- Direct Organization Ownership Interest	STRING
	Reference lookup as PRVDR_ROLE_TYPE_RFRNC.	

Column(s) of Table "MDD SPP F	PRVDR SNCTN"	
Column Physical_Name	Comments	Physical Data Type
SNCTN_CD	A unique identifier for a type of adverse action taken against a person. There are four types of actions: 1) Exclusion Sanctions against a Health Care Provider Examples: Program-Related Conviction Felony Conviction Relating to Health Care Fraud Imposition of a Civil Money Penalty or Assessment Excessive Claims or Furnishing of Unnecessary or Substandard Items or Services Breach of Corporate Integrity Agreement 2) Adverse Legal Actions that may negatively impact a Health Care Provider Examples: Criminal conviction of a controlled Substance related charge at either the state or Federal level. Criminal conviction at the state level of a charge other than for a controlled substance related charge Civil conviction at the state court level	STRING

	DEA Suspensions or Convictions, crimes that occurred in connection with a Provider having its DEA registration Revoked, Denied, Suspended or Restricted, whether as a Provider, corporate Officer, a Partner, a Stockholder, etc. Oontrolled Substance Convictions, whether a Person has ever been convicted of a controlled substance-related criminal charge at the state or Federal level.	
	Reference lookup as ADVRS_ACTN_RFRNC.	
PRVDR_SNCTN_EFCTV_TS	The date on which a sanction that has been imposed or levied against a Provider becomes effective.	TIMESTAMP
REINSTMT_TS	Reinstatement date for the adverse action imposed on the organization.	TIMESTAMP
REINSTMT_RSN_CD	Unique value that indicates the reason for the reinstatement of the organization.	STRING
PROC_CNTL_DTL_INSRT_SK	A unique identifier of the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was update within the table.	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	A unique identifier of the process that last updated the record.	BIGINT
MDM_PRVDR_SK	This is a dummy sequential number generated by IBM Infosphere for every unique Source Identification Number. Source Identification Number consists of the following four columns: Source System Name Source Sub System Name Source Provider Identifier Type Description Source Provider Identifier	BIGINT
SNCTN_DESC	Description for the sanction code	STRING
PRVDR_SNCTN_SK	An identification component from the source system used to achieve an uniqueness in the data loaded into this table.	DECIMAL(20)
REC_STUS_CD	Indicates the status of the record Possible values are C (Current table record), H (History table record), D (Deleted record) values.	STRING
MDM_PRVDR_SNCTN_SK	Unique number generated on MDM to make the row in the table unique.	BIGINT
SRC_SYS_NAME	Name of the system from which the record is sourced.	STRING
SRC_SUB_SYS_NAME	Name of the subsytem such as NPESS, FISS, etc in the case of NPISCS, from which the record is sourced	STRING
RPTG_PRD_DT	Date that indicates the source reporting period of the record	DATE
REINSTMT_RSN_DESC	Description for the unique value that indicates the reason for the reinstatement of the organization.	STRING

Index

A
ACRDTN_TYPE_CD 25
ACRDTN_TYPE_DESC 25
ADR_CNTY_RFRNC_SK 10
AFLTD_ENT_PRVDR_SK 28 AFLTD_GRP_EFCTV_DT 28
AFLID_GRP_EFCTV_DT 28 AFLTD GRP END DT 28
AFLTD_PGM_EFCTV_DT 10
AFLTD_PGM_END_DT 10
AFLTD_PGM_ID 10
AGRMT_ACPT_SW 32
APLCTN_DT 29
ASCTD_ENRLMT_ID 32
ASCTD_PECOS_ASCT_CNTL_ID 32
ASCTD_TIN 32
ASCTN_EFCTV_DT 31
ASCTN_EFCTV_TS 35, 37
ASCTN_END_DT 31 ASCTN_ROLE_TYPE_CD 34
ASCTN ROLE TYPE DESC 35
ASCTN_ROLE_TYPE_DESC 35 ASCTN_TRMNTN_TS 35, 37
AUDT_INSRT_ID 7
AUDT INSRT TS 7 8 28
AUDT REC STUS CD 7.8
AUDT_UPDT_ID 7 AUDT_UPDT_TS 7, 8, 28
AUDT_UPDT_TS 7, 8, 28
В
BED_CNT 11
BRD CRTFCTN IND 17
BUYER_SELR_SW 32
C
CCN 32
CCN_EFCTV_DT 32 CCN END DT 32
CHOW_DT 20
CHOW FECTV DT 32
CHOW_EFCTV_DT 32 CHOW TYPE CD 32
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32,34
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32,34 CNTCT_TS 28
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT_35
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32,34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32,34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E ELGBL_FOR_DLTN_SW 30
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E ELGBL_FOR_DLTN_SW 30 EMAIL_ADR 10, 34 EMER_PSYCH_SRVC_CD 26
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E ELGBL_FOR_DLTN_SW 30 EMAIL_ADR 10, 34 EMER_PSYCH_SRVC_CD 26 EMER_PSYCH_SRVC_DESC 27
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E ELGBL_FOR_DLTN_SW 30 EMAIL_ADR 10, 34 EMER_PSYCH_SRVC_CD 26 EMER_PSYCH_SRVC_DESC 27 EMER_SRVC_DEPT_CD 26
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E ELGBL_FOR_DLTN_SW 30 EMAIL_ADR 10, 34 EMER_PSYCH_SRVC_CD 26 EMER_PSYCH_SRVC_DESC 27 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_DESC 26
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E ELGBL_FOR_DLTN_SW 30 EMAIL_ADR 10, 34 EMER_PSYCH_SRVC_CD 26 EMER_PSYCH_SRVC_DESC 27 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_DESC 26 EMPLR_ENRLMT_ID 31
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E ELGBL_FOR_DLTN_SW 30 EMAIL_ADR 10, 34 EMER_PSYCH_SRVC_CD 26 EMER_PSYCH_SRVC_DESC 27 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_DESC 26 EMPLR_ENRLMT_ID 31 EMPLR_MDCR_ID 31
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E ELGBL_FOR_DLTN_SW 30 EMAIL_ADR 10, 34 EMER_PSYCH_SRVC_CD 26 EMER_PSYCH_SRVC_DESC 27 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_DESC 26 EMPLR_ENRLMT_ID 31 EMPLR_MDCR_ID 31 EMPLR_MDCR_TYPE_CD 31
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E ELGBL_FOR_DLTN_SW 30 EMAIL_ADR 10, 34 EMER_PSYCH_SRVC_CD 26 EMER_PSYCH_SRVC_DESC 27 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_DESC 26 EMPLR_ENRLMT_ID 31 EMPLR_MDCR_TYPE_CD 31 EMPLR_MDCR_TYPE_DESC 31
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32, 34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E ELGBL_FOR_DLTN_SW 30 EMAIL_ADR 10, 34 EMER_PSYCH_SRVC_CD 26 EMER_PSYCH_SRVC_DESC 27 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_DESC 26 EMPLR_ENRLMT_ID 31 EMPLR_MDCR_TYPE_CD 31 EMPLR_MDCR_TYPE_DESC 31 EMPLR_NPI 31
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32,34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14, 16, 30, 32, 33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E ELGBL_FOR_DLTN_SW 30 EMAIL_ADR 10, 34 EMER_PSYCH_SRVC_DESC 27 EMER_SRVC_DEPT_CD 26 EMER_PSYCH_SRVC_DESC 27 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_DESC 26 EMPLR_ENRLMT_ID 31 EMPLR_MDCR_TYPE_CD 31 EMPLR_MDCR_TYPE_DESC 31 EMPLR_NPI 31 EMPLR_NPI 31 EMPLR_PAC_ID 31 ENRLMT_BAR_EDIT_RSN_CD_33
CHOW_EFCTV_DT 32 CHOW_TYPE_CD 32 CHOW_TYPE_CD_DESC 32 CITY_NAME 32,34 CNTCT_TS 28 CNTRCT_SRVC_TXT 35 CNTRCTR_ID 14,16,30,32,33 CRTFCTN_DT 20 CRTFD_BED_CNT 27 CTGRY_SPECF_FAC_TYPE_CD 20 CTGRY_SPECF_FAC_TYPE_DESC 21 D DLGTD_W2_EMPLEE_SW 35 DME_FAAIR_SK 33 E ELGBL_FOR_DLTN_SW 30 EMAIL_ADR 10,34 EMER_PSYCH_SRVC_CD 26 EMER_PSYCH_SRVC_DESC 27 EMER_SRVC_DEPT_CD 26 EMER_SRVC_DEPT_DESC 26 EMPLR_ENRLMT_ID 31 EMPLR_MDCR_TYPE_CD 31 EMPLR_MDCR_TYPE_DESC 31 EMPLR_NPI 31 EMPLR_PAC ID 31

```
ENRLMT BAR END DT 33
ENRLMT_BAR_EXPRTN_DT 33
ENRLMT BAR RSN CD 33
ENRLMT_BAR_RSN_DESC 33
ENRLMT_BAR_TXT
ENRLMT_BAR_TYPE_CD 33
ENRLMT_BAR_TYPE_DESC 33
ENRLMT_CNTCT_CREAT_TS 34
ENRLMT_CNTCT_END_DT 34
ENRLMT_CNTCT_TYPE_CD 34
ENRLMT_CNTCT_TYPE_DESC 34
ENRLMT_CNTCT_TYPE_OTHR_TXT 34
ENRLMT ID 7, 8
ENRLMT_ROLE_DESC 3
ENRLMT_STUS_CMT_TXT 28
ENRLMT_STUS_OTHR_RSN_TXT 35
ENRLMT_STUS_RSN_CD 28, 35
ENRLMT_STUS_RSN_DESC 28, 35
ENRLMT_STUS_SK 28, 35
FAAIR EFCTV TS 33
FAAIR_TRMNTN_TS 33
FAAIR_TYPE_CD 33
FAAIR_TYPE_DESC 33
FAC_SW 8
FAX NUM 10, 34
FED TAX IDENT EFCTV TS 18
FED_TAX_IDENT_TRMNTN_TS 18
FIRST_NAME 34
FNLZD_TS 30
G
GEO_ISO_CNTRY_CD 14
GEO_ISO_PRNCPL_SBDIV_CD 14
GNDR_RFRNC_SK 12
GRP_SW 8
Н
HLD BACK NPI IND 8,9
HRVST NPI IND 8,9
ID_ISSG_ENT_NAME 15
INCORPTN STATE CD 30
ISS_TS 14
LAST NAME 34
LAW AUTHRTY NAME 36
LCNS_CITY_NAME 13
LCNS_ISSG_ENT_NAME 14
LCNS NUM 13
LCNS STATE CD 14
LGCY_MDCR_IDENT_EFCTV_TS 14
LGCY_MDCR_IDENT_TRMNTN_TS 14
LGL_ACTN_TXT 36
LINE_1_ST_ADR 32, 34
LINE_2_ST_ADR 32, 34
MDCD_AUTHRZD_COS_EFCTV_DT 11
MDCD_AUTHRZD_COS_END_DT 11
MDCD_BED_TYPE_EFCTV_DT 11
MDCD_BED_TYPE_END_DT 11
MDCD_ENRLMT_EFCTV_DT 29
MDCD_ENRLMT_END_DT 29
MDCD PRVDR DMGRPHC EFCTV DT 12
MDCD PRVDR DMGRPHC END DT 12
MDCD_PRVDR_TYPE_EFCTV_DT 19
MDCD_PRVDR_TYPE_END_DT 19
MDCR_BLG_ENRLMT_EFCTV_TS 30
MDCR BLG ENRLMT ID 30, 33, 35
MDCR_ENRLMT_ID 30
```

```
MDCR ENRLMT ROLE CD 30
MDCR USG_CD_RFRNC_SK 14
MDD CMN CD RFRNC
MDD CMN CD RFRNC CROSSWLK 4,7
MDD MDM PRVDR ID IDX 4,7
MDD MDM PRVDR ID IDX HSTRY 4,8
MDD_PRVDR_DM_ADR_HSTRY 4,9
MDD PRVDR DM AFLTD PGM HSTRY 4, 10
MDD_PRVDR_DM_AUTHRZD_COS_HSTRY 4, 11
MDD_PRVDR_DM_BED_TYPE_HSTRY 5, 11
MDD_PRVDR_DM_DMGRPHC_DTL_HSTRY 5, 12
MDD_PRVDR_DM_LCN_TXY_ASTN_HSTY 5, 12
MDD PRVDR DM LCNS HSTRY 5, 13
MDD_PRVDR_DM_LGCY_IDENT_HSTRY 5, 14
MDD_PRVDR_DM_NAME_HSTRY 5, 15
MDD PRVDR DM NPI HSTRY 5, 16
MDD_PRVDR_DM_NPI_PIN_LCTN_ADR_HSTRY 5, 16
MDD_PRVDR_DM_SPCLTY_HSTRY 5, 17
MDD_PRVDR_DM_TAX_IDENT_HSTRY 5, 18
MDD PRVDR DM TXNMY HSTRY 5, 19
MDD_PRVDR_DM_TYPE_HSTRY 5, 19
MDD PRVDR QIES PRFL 6, 20
MDD SPP ENRLMT STUS 6, 28
MDD_SPP_MDCD_AFLTD_GRP 6, 28
MDD_SPP_MDCD_ENRLMT 6, 29
MDD_SPP_MDCR_BLG_ENRLMT 6, 30
MDD SPP PA EMPLR ASCTN DTL 6, 31
MDD SPP PA EMPLR ENRLMT ASCTN 6, 31
MDD SPP_PRVDR_CHOW
MDD SPP PRVDR DME FAAIR 6, 32
MDD_SPP_PRVDR_ENRLMT_BAR 6, 33
MDD_SPP_PRVDR_ENRLMT_CNTCT 6, 34
MDD_SPP_PRVDR_ENRLMT_ROLE_ASCTN 6, 34
MDD SPP PRVDR ENRLMT STUS RSN DTL 6,35
MDD_SPP_PRVDR_LGL_ACTN 6,
MDD_SPP_PRVDR_REASGNMT_BNFTS 7, 36
MDD SPP PRVDR SNCTN 7, 37
MDL NAME
MDM 3.0 PMI SPP
MDM_PRVDR_DME_FAAIR_SK 33
MDM_PRVDR_ENRLMT_ROLE_ASCTN_SK 35
MDM_PRVDR_ENT_ID 8,
MDM PRVDR LGL ACTN SK 36
MDM_PRVDR_REASGNMT_BNFTS_SK 37
MDM_PRVDR_SK 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 28, 29, 30, 32, 33, 34, 35, 36, 38
MDM PRVDR SNCTN SK 38
MDM PRVDR TYPE CD 7,8
MLTPL ENRLMT IND 13
NEW_PTNTS_ACPTNC SW 12
NPI 16
NPI DEACTVTN TS 16
NPI_ENMRTN_TS 16
NPI_PIN_LCTN_ADR_EFCTV_TS 16
NPI_PIN_LCTN_ADR_TRMNTN_TS 16
ORG_BUSNS_STRUC_CD 30
ORG_BUSNS_STRUC_TYPE_DESC 31
ORG_CR_FR_ACQS_SW 35
ORG IND
ORG_NAME 32
ORG PRFT SW 31
ORGNL PRTCPTN_DT 20
OTHR RSN TXT
OWNRSHP PCT NUM 35
OWNRSHP RFRNC SK 12
OWNRSHP_TYPE_CD 23
OWNRSHP_TYPE_DESC 24
PA ASCTN DTL SRC SK 31
```

```
PA ASCTN SRC SK 32
PA ENRLMT ID
PA MDCR ID 31
PA_MDCR_TYPE_CD 31
PA_MDCR_TYPE_DESC 31
PAC ID 7
PPS_PSYCH_EXCLSN_UNIT_IND 20
PPS REHAB EXCLSN UNIT IND 20
PRCTC_LCTN_NAME
PRCTC_LCTN_TYPE_IND 9
PRFT_STUS_RFRNC_SK 12
PRMRY_TXNMY_SW 13
PROC CNTL DTL INSRT SK 7, 8, 10, 11, 12, 13, 14, 15, 16, 18, 19, 20, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38
PROC_CNTL_DTL_INST_SK 9
PROC_CNTL_DTL_LAST_UPDT_SK 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38
PRSN IND
PRSN_TITL_TXT 35
PRVDR_1ST_NAME 15
PRVDR_ADR_CITY_NAME 9
PRVDR ADR EFCTV TS 9
PRVDR_ADR_FRGN_CNTRY_NAME 10
PRVDR ADR FRGN PSTL CD
PRVDR ADR FRGN STATE NAME 10
PRVDR_ADR_HSTRY_SK 10
PRVDR_ADR_LINE_1_TXT 9
PRVDR_ADR_LINE_2_TXT 9
PRVDR_ADR_LINE_3_TXT 9
PRVDR_ADR_LINE_4_TXT 10
PRVDR ADR STATE CD 9
PRVDR ADR TRMNTN TS 9
PRVDR_ADR_ZIP_CD
PRVDR_ADR_ZIP_PLUS_4_CD 9
PRVDR_AFLTD_PGM_HSTRY_SK 10
PRVDR ALIAS 1ST NAME 15
PRVDR_ALIAS_LAST_NAME 15
PRVDR_ALIAS_MDL_NAME 15
PRVDR AUTHRZD COS SK 11
PRVDR_BED_TYPE_USG_HSTRY_SK 11
PRVDR BIRTH TS
PRVDR_CTGRY_DESC 22
PRVDR_CTGRY_SBTYP_CD 22
PRVDR_CTGRY_SBTYP_DESC 23
PRVDR_DEATH_TS 15
PRVDR DMGRPHC DTL HSTRY SK 12
PRVDR_ENRLMT_BAR_SK 3
PRVDR_ENRLMT_CHOW_SK 32
PRVDR_ENRLMT_CNTCT_SK 34
PRVDR_ENRLMT_MTHD_CD 30
PRVDR_ENRLMT_MTHD_DESC 29
PRVDR_FED_TAX_IDENT_HSTRY_SK 18
PRVDR IDNTY CD RFRNC SK
PRVDR_IDNTY_SUB_CD_RFRNC_SK 12
PRVDR_IDNTY_TYPE_CD_RFRNC_SK 12
PRVDR IND
PRVDR_LANG_PRIMARY_IND 12
PRVDR_LAST_NAME 1
PRVDR_LCN_TXY_ASTN_HSTY_SK 12
PRVDR LCNS EFCTV TS 13
PRVDR_LCNS_HSTRY_SK 13
PRVDR LCNS TRMNTN TS 13
PRVDR LCTN ADR CITY NAME 17
PRVDR_LCTN_ADR_FRGN_CNTRY_NAME 17
PRVDR LCTN ADR FRGN PSTL CD 1
PRVDR_LCTN_ADR_FRGN_STATE_NAME 17
PRVDR_LCTN_ADR_LINE_1_TXT
PRVDR_LCTN_ADR_LINE_2_TXT
PRVDR_LCTN_ADR_LINE_3_TXT 17
PRVDR_LCTN_ADR_LINE_4_TXT 17
PRVDR_LCTN_ADR_STATE_CD 17
PRVDR_LCTN_ADR_ZIP_CD 17
PRVDR_LCTN_ADR_ZIP_PLUS_4_CD 17
PRVDR_LCTN_ID 7,8
```

```
PRVDR_LGCY_ID 14, 16
PRVDR_LGCY_MDCR_IDENT_HSTRY_SK 14
PRVDR LGL ACTN SK
PRVDR_LGL_ACTN_TS 36
PRVDR LGL NAME 15
PRVDR_MDCD_ENRLMT_STUS_CD 29
PRVDR_MDCD_ENRLMT_STUS_DESC 29
PRVDR_MDCR_SPCLTY_EFCTV_TS 17
PRVDR_MDCR_SPCLTY_HSTRY_SK 18
PRVDR_MDCR_SPCLTY_TRMNTN_TS 17
PRVDR_MDL_NAME
PRVDR NAME CRDNTL TXT 15
PRVDR NAME HSTRY SK 15
PRVDR_NAME_SFX_NAME 15
PRVDR_NAME_SLTTN_NAME 15
PRVDR NM EFCTV TS 15
PRVDR_NM_TRMNTN_TS 15
PRVDR NPI 7,8
PRVDR NPI HSTRY SK 16
PRVDR NPI ID 16
PRVDR_NPI_PIN_LCTN_ADR_SK 16
PRVDR ORG ALIAS NAME 15
PRVDR_ORG_NAME
PRVDR_ORG_OTHR_NAME_TXT 15
PRVDR_OTHR_NAME_TYPE_TXT 15
PRVDR_PRMRY_IND
PRVDR PRMRY PRCTC LCTN SW 9
PRVDR REASGNMT ID 3
PRVDR REASGNMT MDCR NPI SK 37
PRVDR ROLE ASCTN SK 35
PRVDR_ROLE_TYPE_CD 37
PRVDR_ROLE_TYPE_DESC 37
PRVDR_SNCTN_EFCTV_TS 38
PRVDR SNCTN SK
PRVDR_SRC_ADR_SK 10, 17
PRVDR_SSN_VRFY_SW 18
PRVDR TAX NAME 16
PRVDR_TXNMY_EFCTV_TS 19
PRVDR_TXNMY_HSTRY_SK 13, 19
PRVDR_TXNMY_TRMNTN_TS 19
PRVDR_TYPE_HSTRY_SK 19
PSYCH_UNIT_BED_CNT 27
RASNG CNTRCTR ID CD 37
RASNG MDCR_PRVDR_ENRLMT_ID 37
RASNG_NPI_ID
RASNG PRVDR LGCY MDCR ID 36
RCVG CNTRCTR ID CD 3
RCVG_MDCR_PRVDR_ENRLMT_ID 37
RCVG NPI ID
RCVG PRVDR LGCY MDCR ID 36
REC ADD TS 10, 11, 12, 13, 14, 15, 16, 18, 19, 20, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38
REC_APPND_TS 9
REC_CHG_TYPE_NAME 9
REC_COMT_TS
REC_COMT_VRSN_NUM 9
REC_STUS_CD 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38 REC_UPDT_TS 10, 11, 12, 13, 14, 15, 16, 18, 19, 20, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38
REHAB UNIT BED CNT 27
REINSTMT_RSN_CD 3
REINSTMT_RSN_DESC 38
REINSTMT TS
RFRNC_SRRGT_KEY 7
RFRNC_TYPE_CD 7
RFRNC_TYPE_DESC 7
RFRNC_VAL_CD 7
RFRNC_VAL_DESC 7
RPTG PRD DT 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 28, 30, 31, 32, 33, 34, 35, 36, 37, 38
RSLTN_TXT 36
SNCTN CD 37
```

```
SNCTN DESC 38
SPP_MDCD_AFLTD_GRP_SK 28
SPP MDCD ENRLMT SK 29
SPP_PA_EMPLR_ASCTN_DTL_SK 31
SPP_PA_EMPLR_ENRLMT_ASCTN_SK 31
SRC_ENRLMT_ID 28, 34
SRC_PRVDR_ID 8
SRC_PRVDR_ID_TYPE_DESC 8
SRC_RFRNC_SRRGT_KEY 7
SRC_SUB_SYS_NAME 7, 12, 28, 31, 32, 33, 34, 35, 36, 37, 38
SRC_SYS_NAME 7, 12, 28, 31, 32, 33, 34, 35, 36, 37, 38
SRC_SYS_REC_DESC 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 29
SRC SYS REC ID 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 29
SSA_CNTY_CD 20
SSA_CNTY_DESC 20
STATE_BRDR_ADR_SW 10
STATE_CD
STATE_PLAN_ENRLMT_TYPE_CD 30
STATE_PLAN_ENRLMT_TYPE_NAME 29
STATE_PRVDR_MID_NUM 7,8
STUS_CD 28
STUS DESC 28
STUS_EFF_TS 28
STUS_END_TS 28
TCHNG SW 12
TEL_EXTNSN_NUM 9
TEL_NUM 9, 34
TIN_ID 18
TOT_BED_CNT 27
TOT_PREFRD_BED_CNT 27
TRGT_RFRNC_SRRGT_KEY 7
TRMNTN CD
TRMNTN_DESC 27
TRMNTN DT 20
TRMNTN_TS 30, 36
UNDFND_SPCLTY_DESC 17
ZIP CD 32, 34
ZIP_PLUS_4_CD 34
```