

Report 'default'

Table Of Contents

Report for Table (1)	1
Table(s) of Model "MDM 3.0 NPI Profile"	3
Column(s) of Table "MDD_NPI_ADR"	3
Column(s) of Table "MDD_NPI_CHOW"	4
Column(s) of Table "MDD_NPI_DME_FAAIR"	5
Column(s) of Table "MDD_NPI_DMGRPHC"	6
Column(s) of Table "MDD_NPI_ENRLMT"	6
Column(s) of Table "MDD_NPI_ENRLMT_BAR"	7
Column(s) of Table "MDD_NPI_ENRLMT_STUS"	8
Column(s) of Table "MDD_NPI_EXCLSN_SNCTN"	8
Column(s) of Table "MDD_NPI_LCNS"	8
Column(s) of Table "MDD_NPI_LGCY_ID"	9
Column(s) of Table "MDD_NPI_LGL_ACTN"	10
Column(s) of Table "MDD_NPI_NAME"	10
Column(s) of Table "MDD_NPI_PA_EMPLR_ASCTN"	11
Column(s) of Table "MDD_NPI_PIN_LCTN_ADR"	11
Column(s) of Table "MDD_NPI_PRFL"	12
Column(s) of Table "MDD_NPI_REASGNMT_BNFT"	17
Column(s) of Table "MDD_NPI_ROLE_ASCTN"	18
Column(s) of Table "MDD_NPI_RPRSNTN"	19
Column(s) of Table "MDD_NPI_SPCLTY"	20
Column(s) of Table "MDD_NPI_TIN_ID"	20
Column(s) of Table "MDD_NPI_TXNMY"	21
Index	

Table(s) of Model "MDM 3.0 NPI Profile"	
Table Physical_Name	Comments
MDD_NPI_ADR	An instance of this entity represents a location where a post office will deliver mail to a Provider at a Point in time (History). Includes addresses associated with a provider sourced from different PECOS enrollments as well as from NPPES.
MDD_NPI_CHOW	Includes information about Provider Change of Ownership. It represents detail about both the seller and the buyer of the change of ownership and describes if it is part of an acquisition/merger as well.
MDD_NPI_DME_FAAIR	Provider information submitted relative to Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS) Supplier and the enrollment alert that is associated with the Fraud and Abuse Index of Risk Code. Includes the Fraud and Abuse Index of Risk (FAAIR) Codes assigned by CMS to Durable Medical Equipment (DME) Suppliers.
MDD_NPI_DMGRPHC	Provides additional demographic information related to a healthcare provider of a point in time. This includes Gender, Ethnicity, Race, Language.
MDD_NPI_ENRLMT	Medicare Enrollment details associated with a Provider NPI (National Provider Identifier) level. Includes the Enrollments associated with a provider from PECOS, the Medicare Program enrollment data system.
MDD_NPI_ENRLMT_BAR	An instance contains an enrollment forms enrollment bar. Over time an enrollment form may have many enrollment bars. Includes both current and historical representation of enrollments, which are barred from subsequent enrollment.
MDD_NPI_ENRLMT_STUS	An instance contains an enrollment status. Over time an enrollment form may have many enrollment statuses. Includes the work-in-progress statuses of the Enrollments associated with a provider from PECOS, the Medicare Program enrollment data system.
MDD_NPI_EXCLSN_SNCTN	A sanction or Legal Action that has been imposed or levied against a Provider. Includes the exclusions and/or sanctions that CMS may place on individual practitioners or organizational providers for failures to satisfy legislative, policy, or legal requirements associated with the Medicare program.
MDD_NPI_LCNS	A Healthcare Provider's license information as of a point in time. Includes the Licenses associated with a provider from different PECOS enrollments as well as from NPPES.
MDD_NPI_LGCY_ID	Includes the relationships between all the historical legacy identifier data associated with a provider's NPI inherited from NPPES enumerations, NPICS crosswalk records, and individual practitioner or organizational provider PECOS enrollments
MDD_NPI_LGL_ACTN	Legal Action Specific information associated with a Provider NPI (National Provider Identifier) level.
MDD_NPI_NAME	An instance of this entity represents the Name of Provider at a point in time. Includes each of the variations on a provider's name from different PECOS enrollments as well as from NPPES.
MDD_NPI_PA_EMPLR_ASCTN	An instance of Physician Assistant Employer Enrollment associated with a National Provider Identifier (NPI). Includes both current and historical information of Physician Assistant enrollment and Medicare legacy numbers associated to an Employer enrollment.
MDD_NPI_PIN_LCTN_ADR	An instance of Provider Identification Number that is valid at a location for an NPI. Includes the associations of NPIs and Medicare PIN/PTANS for practice locations listed in Section 4 of PECOS Medicare Program enrollment applications.
MDD_NPI_PRFL	Includes one row per NPI. An instance in this entity has information about Provider. If the provider is in PECOS, this table has the most current PECOS record data for the NPI. Otherwise, the most current NPPES only data is used.
MDD_NPI_REASGNMT_BNFT	Includes the reassignment of Medicare billing benefits between an individual practitioner and a provider.
MDD_NPI_ROLE_ASCTN	An instance of NPI Role Association associated with a National Provider Identifier (NPI). Includes the roles, such as part owner or manager or authorizing official or billing agency, that individuals or organizations play in individual practitioner or organizational provider Medicare enrollments.
MDD_NPI_RPRSNTN	An instance in this entity has information of how a Provider is represented within Master Data Management (MDM). Includes each of the PECOS Medicare Program enrollment records for each NPI.
MDD_NPI_SPCLTY	An instance of this entity represents the Specialty of Provider at a point in time. Includes the Specialty Set codes, Specialty codes and Facility Type codes associated with a provider from PECOS, the only source currently ingested by MDM that contains this information.
MDD_NPI_TIN_ID	An instance of this entity represents the Federal Tax Identifier for a Provider at a point in time .
MDD_NPI_TXNMY	An instance of this entity represents the Taxonomy of Provider at a point in time. Includes only NPPES captured provider Taxonomies. Therefore, all taxonomy data comes from NPPES.

Column(s) of Table "MDD_NPI_ADR"		
Column Physical_Name	Comments	Physical Data Type
NPI_ADR_SK	System generated unique Identifier to identify a record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
PRVDR_ADR_EFCTV_TS	A date on which a Geographic Address for a Provider that is of a certain address type becomes effective.	TIMESTAMP
PRVDR_ADR_TRMNTN_TS	A date on which a Geographic Address for a Provider that is of a certain address type ceases to be effective.	TIMESTAMP
PRCTC_LCTN_TYPE_IND	A yes/no indicator of whether the Provider healthcare Address has the characteristics of the indicated classification of Provider healthcare Address Type.	STRING
PRCTC_LCTN_NAME	The name commonly used to denote this location where the Provider renders healthcare service.	STRING

PRVDR_PRMRY_PRCTC_LCTN_SW	A yes/no indication of whether the Practice Location is considered to be the Provider's primary practice location. This information is useful to assist in the Center for Medicare and Medicaid Services (CMS) claims billing activity.	STRING
TEL_NUM	Telephone number of the enrollment contact person	STRING
TEL_EXTNSN_NUM	The extension number used to further route telephone calls once they are connected to the telephone number.	STRING
PRVDR_ADR_ZIP_PLUS_4_CD	The extension Zone Improvement Plan (ZIP) code as assigned by the United States Postal Service (USPS). Four additional digits added to the 5-digit ZIP Code that identify a specific range of delivery addresses.	STRING
PRVDR_ADR_ZIP_CD	Unique identifier of a Geographic Postal Zone.	STRING
PRVDR_ADR_LINE_1_TXT	The first line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	STRING
PRVDR_ADR_LINE_2_TXT	The second line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	STRING
PRVDR_ADR_LINE_3_TXT	The third line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	STRING
PRVDR_ADR_STATE_CD	The US Postal Service's (USPS) standard state code.	STRING
PRVDR_ADR_CITY_NAME	The name of the city. A finer partitioning of geographic subdivisions of a state or county, usually associated with additional levels of government.	STRING
PRVDR_ADR_LINE_4_TXT	Address Line 4	STRING
FAX_NUM	The Fax Number available in the provider address.	STRING
PRVDR_ADR_FRGN_STATE_NAME	The Provider Address Foreign State Name.	STRING
PRVDR_ADR_FRGN_PSTL_CD	The Provider Address Foreign Postal Code	STRING
PRVDR_ADR_FRGN_CNTRY_NAME	The Provider Address Foreign Country Name	STRING
PRVDR_ADR_TYPE_CD	The code related to the type of address associated with a provider.	STRING
PRVDR_ADR_TYPE_DESC	The description related to the type of address associated with a provider	STRING
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
MDM_DATA_CNFDNC_FLAG	Indicates the level of data confidence of this instance. Y - Yes, N - No.	STRING
MDM_DATA_CNFDNC_DESC	The description of the level of data confidence of this instance.	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
PRVDR_EMAIL_ADR	Email address of a provider.	STRING

Column(s) of Table "MDD_NPI_CHOW"		
Column Physical_Name	Comments	Physical Data Type
BUYER_CCN	The Online Survey, Certification and Reporting (OSCAR) number of the seller (former owner) of a change of ownership (CHOW).	STRING
BUYER_CITY_NAME	City name of the Buyer	STRING
BUYER_DBA_NAME	The Buyer Provider Enrollment, Chain and Ownership System (PECOS) Doing-Business-As Name for the National Provider Identifier. Valued for Organization Provider records only.	STRING
BUYER_ENRLMT_ID	Enrollment number for the enrollment form associated with buyer	STRING
BUYER_ENRLMT_STATE_CD	State code of the Buyer	STRING
BUYER_LINE_1_ST_ADR	Line 1 address of the Buyer	STRING
BUYER_LINE_2_ST_ADR	Line 2 address of the Buyer	STRING
BUYER_MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
BUYER_MULTIPLE_NPI	Indicates if the Buyer is associated with multiple National Provider Identifiers (NPI)	STRING
BUYER_NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider , which is the Buyer	STRING

BUYER_ORG_NAME	The Legal Business Name (LBN) of the Buyer. This attribute will provide historical information in the event that the associated PECOS Associate of the Buyer is deleted from PECOS	STRING
BUYER_PECOS_ASCT_CNTL_ID	Provider associate level variable (PAC ID) associated with Buyer. A PAC ID is a 10-digit unique numeric identifier that is assigned to each individual or organization in PECOS. All entity-level information (e. g., tax identification numbers and organizational names) is linked through the PAC ID. A PAC ID may be associated with multiple Enrollment IDs if the individual or organization enrolled multiple times under different circumstances.	STRING
BUYER_STATE_CD	State code of the Buyer	STRING
BUYER_TIN	The IRS Tax Identification Number of the Buyer (former) owner. This attribute will provide historical information in the event that the associated PECOS Associate of the Buyer is deleted from PECOS	STRING
BUYER_ZIP_CD	Zip code of the Buyer	STRING
CHOW_EFCTV_DT	The date on which the change of ownership (CHOW), acquisition/merger or consolidation is effective for the seller(former) owner	DATE
CHOW_TYPE_CD	Indicates whether the associated enrollment is related to a change of ownership (CHOW), acquisition/merger or consolidation	STRING
CHOW_TYPE_CD_DESC	The description of whether the associated enrollment is related to a change of ownership (CHOW), acquisition/merger or consolidation	STRING
NPI_CHOW_SK	System generated unique Identifier to identify a chow record	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
SELLER_CCN	The Online Survey, Certification and Reporting (OSCAR) number of the buyer for a change of ownership (CHOW).	STRING
SELLER_CITY_NAME	City name of the Seller (former owner)	STRING
SELLER_DBA_NAME	The Seller Provider Enrollment, Chain and Ownership System (PECOS) Doing-Business-As Name for the National Provider Identifier. Valued for Organization Provider records only.	STRING
SELLER_ENRLMT_ID	Enrollment number for the enrollment form associated with seller	STRING
SELLER_ENRLMT_STATE_CD	State code on enrollment form associated with seller	STRING
SELLER_LINE_1_ST_ADR	Line 1 address of the Seller (former) owner	STRING
SELLER_LINE_2_ST_ADR	Line 2 address of the Seller (former) owner	STRING
SELLER_MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
SELLER_MULTIPLE_NPI	Indicates if the Seller is associated with multiple National Provider Identifiers (NPI)	STRING
SELLER_NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider , which is the Seller	STRING
SELLER_ORG_NAME	The Legal Business Name (LBN) of the seller/former owner. This attribute will provide historical information in the event that the associated PECOS Associate of the seller (former owner) is deleted from PECOS	STRING
SELLER_PECOS_ASCT_CNTL_ID	Provider associate level variable (PAC ID) associated with the seller (former owner) . A PAC ID is a 10-digit unique numeric identifier that is assigned to each individual or organization in PECOS. All entity-level information (e.g., tax identification numbers and organizational names) is linked through the PAC ID. A PAC ID may be associated with multiple Enrollment IDs if the individual or organization enrolled multiple times under different circumstances.	STRING
SELLER_STATE_CD	State code of the Seller (former owner)	STRING
SELLER_TIN	The IRS Tax Identification Number of the seller (former) owner. This attribute will provide historical information in the event that the associated PECOS Associate of the seller (former owner) is deleted from PECOS	STRING
SELLER_ZIP_CD	Zip code of the Seller (former owner)	STRING
SRC_SUB_SYS_NAME	Name of the sub system such as NPPES, PECOS, etc. from which the record is sourced.	STRING
SRC_SYS_NAME	Name of the system from which the record is sourced like NPPES, PECOS.	STRING

Column(s) of Table "MDD_NPI_DME_FAIR"

Column Physical_Name	Comments	Physical Data Type
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING

MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
FAAIR_TYPE_CD	Unique value that identifies the type of Fraud and Abuse Index of Risk Code. e.g.: Q - Low risk; R - Limited risk; S - Medium risk; T - High risk, etc.	STRING
FAAIR_TYPE_DESC	Description of the type of Fraud and Abuse Index of Risk Code.	STRING
FAAIR_EFCTV_TS	Date when the Fraud and Abuse Index of Risk is in effect for the Durable Medical Equipment (DME) Supplier.	TIMESTAMP
FAAIR_TRMNTN_TS	Date when the Fraud and Abuse Index of Risk is no longer valid for the Durable Medical Equipment (DME) Supplier.	TIMESTAMP
MDCR_BLG_ENRLMT_ID	A unique identifier for an enrollment seeking the authority to bill Medicare for services rendered.	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
NPI_DME_FAAIR_SK	System generated unique Identifier to identify a record.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP

Column(s) of Table "MDD_NPI_DMGRPHC"

Column Physical_Name	Comments	Physical Data Type
NPI_DMGRPHC_SK	Unique identifier for additional demographic information related to a healthcare provider.	BIGINT
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
GNDR_RFRNC_CD	This identifies the gender of the provider.	STRING
PRVDR_IDNTY_CD	This identifies either the ethnicity, race, or language of the provider.	STRING
PRVDR_IDNTY_DESC	Description of either the ethnicity, race, or language of the provider.	STRING
PRVDR_IDNTY_SUB_CD	This identifies the ethnicity subdivision of the provider.	STRING
PRVDR_IDNTY_SUB_DESC	Description of the ethnicity or race subdivision of the provider.	STRING
PRVDR_IDNTY_TYPE_CD	This identifies that the identity code is for either ethnicity, race, or language of the provider.	STRING
PRVDR_IDNTY_TYPE_DESC	The description of the identity code.	STRING
PRVDR_LANG_PRIMARY_IND	This identifies which language is the primary language of the provider.	STRING
REC_STUS_CD	Indicates the status of the record. Possible values are C (Current record) and H (History record).	STRING
PROC_CNTL_DTL_INSRT_SK	A unique identifier for the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
SRC_SUB_SYS_NAME	Name of the sub system such as NPPES, PECOS, etc. from which the record is sourced.	STRING
SRC_SYS_NAME	Name of the system from which the record is sourced like NPPES, PECOS.	STRING

Column(s) of Table "MDD_NPI_ENRLMT"

Column Physical_Name	Comments	Physical Data Type
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
MDCR_BLG_ENRLMT_ID	A unique identifier for an enrollment seeking the authority to bill Medicare for services rendered.	STRING
STUS_CD	Code to identify the enrollment status.	STRING
STUS_DESC	Description of enrollment status.	STRING
MDCR_ENRLMT_ROLE_CD	Code to identify the medicare enrollment role.	STRING
ENRLMT_ROLE_DESC	Description of enrollment role.	STRING
MDCR_BLG_ENRLMT_EFCTV_TS	The date on which the entity enrolled to bill Medicare for services rendered.	TIMESTAMP
TRMNTN_TS	The date on which the Health Care Provider enrollment to bill Medicare for the indicated type of submission form in the indicated U.S. state ceased to be active.	TIMESTAMP

ELGBL_FOR_DLTN_SW	A yes/no indicator of whether a Part A Medicare Provider enrollment has been moved to voluntary withdrawal and that information has been sent to the Fiscal Intermediary Standard System (FISS) by the FISS Claims Extract. If the value is 'Y', the Provider enrollment can be physically deleted.	STRING
FNLZD_TS	The date on which the Medicare Provider Enrollment is considered to have been both completed and accepted by Medicare.	TIMESTAMP
CNTRCTR_ID	Unique number that identifies a Medicare contractor.	STRING
CNTRCTR_NAME	Name of the contractor.	STRING
STATE_CD	Unique value that identifies a state in which the Medicare Administrative Contractor operates.	STRING
INCORPTN_STATE_CD	A unique identifier assigned by ANSI (American National Standards Institute) to a US State.	STRING
ORG_BUSNS_STRUC_CD	A unique identifier for a classification of business structure as used by a Person or an Organization in the course of providing some product or service.	STRING
ORG_BUSNS_STRUC_TYPE_DESC	Description of a classification of business structure as used by a Person or an Organization in the course of providing some product or service.	STRING
ORG_PRFT_SW	An indicator Y for yes and N for no that the non government organization is for profit For example Y Yes for profit N No for non profit	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
NPI_ENRLMT_SK	System generated unique Identifier to identify a record.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP

Column(s) of Table "MDD_NPI_ENRLMT_BAR"		
Column Physical Name	Comments	Physical Data Type
CNTRCTR_ID	Unique number that identifies a Medicare contractor.	STRING
ENRLMT_BAR_EDIT_RSN_CD	Unique Code of Bar change Reason. E.g.: 00 - CMS AUTHORIZED UPDATE; 01 - ENROLLMENT BAR OVERTURNED AS A RESULT OF THE ADJUDICATION	STRING
ENRLMT_BAR_EDIT_RSN_DESC	Unique description that identifies the type of bar.E.g.:00 -ENROLLMENT BAR-1 YEAR;01 - ENROLLMENT BAR-2 YEARS	STRING
ENRLMT_BAR_EFCTV_DT	The date that the Enrollment Bar became effective	DATE
ENRLMT_BAR_END_DT	Indicates the date on which the Enrollment Bar is no longer valid	DATE
ENRLMT_BAR_EXPRTN_DT	The date that the Enrollment bar will expire and is an earlier date than an end date	DATE
ENRLMT_BAR_RSN_CD	identifies the Enrollment Bar Reason. E.g.: 00 - FAILURE TO RESPOND TO REVALIDATION REQUEST;01 - FAILURE TO REPORT LICENSE REVOCATION OR SUSPENSION (NOT BILLING)	STRING
ENRLMT_BAR_RSN_DESC	Unique description for the Enrollment Bar Reason. E.g.: 00 - FAILURE TO RESPOND TO REVALIDATION REQUEST;01 - FAILURE TO REPORT LICENSE REVOCATION OR SUSPENSION (NOT BILLING)	STRING
ENRLMT_BAR_TXT	Text for Enrollment Bar	STRING
ENRLMT_BAR_TYPE_CD	Unique value that identifies the type of bar.E.g.:00 - ENROLLMENT BAR-1 YEAR;01 -ENROLLMENT BAR-2 YEARS	STRING
ENRLMT_BAR_TYPE_DESC	Unique description for the Enrollment Bar Reason. E.g.: 00 - FAILURE TO RESPOND TO REVALIDATION REQUEST;01 - FAILURE TO REPORT LICENSE REVOCATION OR SUSPENSION (NOT BILLING)	STRING
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
NPI_ENRLMT_BAR_SK	System generated unique Identifier to identify a record.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
SRC_ENRLMT_ID	Unique number for the enrollment form	STRING
SRC_SUB_SYS_NAME	Name of the sub system such as NPPEs, PECOS, etc. from which the record is sourced.	STRING
SRC_SYS_NAME	Name of the system from which the record is sourced like NPPEs, PECOS.	STRING

STATE_CD	Unique value that identifies a state	STRING
----------	--------------------------------------	--------

Column(s) of Table "MDD_NPI_ENRLMT_STUS"

Column Physical_Name	Comments	Physical Data Type
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
SRC_ENRLMT_ID	Enrollment identifier provided by the source system.	STRING
STUS_CD	Code that identifies the enrollment status.	STRING
STUS_DESC	Description of enrollment status.	STRING
STUS_EFF_TS	The date on which the enrollment status is effective from.	TIMESTAMP
STUS_END_TS	The date on which the enrollment status ends.	TIMESTAMP
ENRLMT_STUS_RSN_CD	Code that identifies the enrollment status reason.	STRING
ENRLMT_STUS_RSN_DESC	Description of the enrollment status reason.	STRING
OTHR_RSN_TXT	Contains the reason for the status when the reason code is Other.	STRING
ENRLMT_STUS_CMT_TXT	Comment for an enrollment status.	STRING
CNTCT_TS	The date on which the provider contacted.	TIMESTAMP
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
NPI_ENRLMT_STUS_SK	System generated unique Identifier to identify a record.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP

Column(s) of Table "MDD_NPI_EXCLSN_SNCTN"

Column Physical_Name	Comments	Physical Data Type
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
PAC_ID	Provider Access Control Identifier of the provider from the Provider Enrollment, Chain and Ownership System (PECOS).	STRING
SNCTN_CD	Code to identify sanction	STRING
SNCTN_DESC	Description for the sanction	STRING
PRVDR_SNCTN_EFCTV_TS	The date on which a sanction that has been imposed or levied against a Provider becomes effective.	TIMESTAMP
REINSTMT_TS	Reinstatement date for the adverse action imposed on the organization.	TIMESTAMP
REINSTMT_RSN_CD	Unique value that indicates the reason for the reinstatement of the organization.	STRING
REINSTMT_RSN_DESC	Description for the unique value that indicates the reason for the reinstatement of the organization.	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
NPI_EXCLSN_SNCTN_SK	System generated unique Identifier to identify a record.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP

Column(s) of Table "MDD_NPI_LCNS"

Column Physical_Name	Comments	Physical Data Type
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP
NPI_LCNS_SK	System generated unique Identifier to identify a record.	BIGINT
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
LCNS_NUM	The identifier assigned to a license or certificate for a specific medical skill and assigned to a healthcare Provider.	STRING
PRVDR_LCNS_EFCTV_TS	The date the healthcare Provider officially began to be identified at CMS by the specific type of legacy Medicare identifier.	TIMESTAMP

PRVDR_LCNS_TRMNTN_TS	The last day the legacy Medicare identifier was active at CMS for the healthcare Provider.	TIMESTAMP
LCNS_CITY_NAME	The name of a city that the license may be valid for. Such a city name is relative to either: 1. An ambulance service license, or 2. A Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS) license.	STRING
MLTPL_ENRLMT_IND	Indicates whether the DMEPOS Supplier is currently enrolled in the Medicaid/Medicare program other than as a DMEPOS Supplier; valid values are: 'Y' and 'N'. If 'Y', a corresponding row will be in the DMEPOS Supplier Other Enrollment Association entity.	STRING
LCNS_STATE_CD	The USPS state code of a state that the license may be valid for.	STRING
ISS_TS	The date on which the issuing organization made it known that a Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS) license would be granted to the Provider.	TIMESTAMP
LCNS_TYPE_CD	Reference Value Code	STRING
LCNS_TYPE_DESC	Description of the Reference value code	STRING
LCNS_STUS_TYPE_CD	Reference Value Code	STRING
LCNS_STUS_TYPE_DESC	Description of the Reference value code	STRING
DME_LCNS_TYPE_CD	Reference Value Code	STRING
DME_LCNS_TYPE_DESC	Description of the Reference value code	STRING
DME_LCNS_AGENCY_CD	Reference Value Code	STRING
DME_LCNS_AGENCY_DESC	Description of the Reference value code	STRING
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
MDM_DATA_CNFDNC_FLAG	Indicates the level of data confidence of this instance. Y - Yes, N - No.	STRING
MDM_DATA_CNFDNC_DESC	The description of the level of data confidence of this instance.	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT

Column(s) of Table "MDD_NPI_LGKY_ID"		
Column Physical Name	Comments	Physical Data Type
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
NPI_LGKY_ID_SK	System generated unique Identifier to identify a record.	BIGINT
LGKY_ID_TYPE_CD	Current 'finalized' Medicare Enrollment Status Code from Provider Enrollment, Chain and Ownership System (PECOS) or 'NA' = 'Not Applicable' for providers not in Medicare. This field does not show "work in progress" enrollment status. It shows one of the 5 "final" PECOS enrollment status values: '06' - Approved, '09' - Denied, '11' - Revoked, '13' - Voluntary Withdrawal/Deactivated, or '20' - Opt Out of Medicare.	STRING
LGKY_ID_TYPE_DESC	The description of the Medicare Status code. Where Medicare status code is the Current 'finalized' Medicare Enrollment Status Code from Provider Enrollment, Chain and Ownership System (PECOS) or 'NA' = 'Not Applicable' for providers not in Medicare. This field does not show "work in progress" enrollment status. It shows one of the 5 "final" PECOS enrollment status values: '06' - Approved, '09' - Denied, '11' - Revoked, '13' - Voluntary Withdrawal/Deactivated, or '20' - Opt Out of Medicare.	STRING
CNTRCTR_ID	The identification number assigned by CMS to a fiscal intermediary authorized to process institutional claim records. (NCH)	STRING
LGKY_MDCR_IDENT_EFCTV_TS	The date the healthcare Provider officially began to be identified at CMS by the specific type of legacy Medicare identifier.	TIMESTAMP
LGKY_MDCR_IDENT_TRMNTN_TS	The last day the legacy Medicare identifier was active at CMS for the healthcare Provider.	TIMESTAMP
NPICS_PRVDR_XREF_EFCTV_TS	Timestamp of the match's activation	TIMESTAMP
NPICS_PRVDR_XREF_DEACTVTN_TS	Timestamp of the match's deactivation	TIMESTAMP
RSNBL_CHRG_LCLTY_CD	The Reasonable Charge Locality Code	STRING
PHYSN_FEE_LCLTY_CD	The Physician Fee Locality Code	STRING
DEACTVTN_RSN_CD	The Deactivation Reason Code	STRING
DEACTVTN_RSN_DESC	The Deactivation Reason Description	STRING
GEO_ISO_PRNCPL_SBDIV_CD	Represents an administrative area directly subordinate to the pertinent governing authority.	STRING

GEO_ISO_CNTRY_CD	A two-character alphabetic representation of a basic geopolitical entity as listed in International Organization for Standards (ISO) 3166-1	STRING
PRVDR_LGCY_ID	The unique identifier that had in the past been assigned to the Provider by some system for use by Medicare before the advent of the National Provider Identifier (NPI) as an identifier.	STRING
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
MDM_DATA_CNFDNC_FLAG	Indicates the level of data confidence of this instance. Y - Yes, N - No.	STRING
MDM_DATA_CNFDNC_DESC	The description of the level of data confidence of this instance.	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT

Column(s) of Table "MDD_NPI_LGL_ACTN"

Column Physical_Name	Comments	Physical Data Type
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
PAC_ID	Provider Access Control Identifier of the provider from the Provider Enrollment, Chain and Ownership System (PECOS).	STRING
PRVDR_LGL_ACTN_TS	The date on which a sanction that has been imposed or levied against a Provider becomes effective.	TIMESTAMP
TRMNTN_TS	The date on which the legal action ceases to be effective.	TIMESTAMP
LGL_ACTN_TXT	Description of why and how the adverse legal action occurred in connection with a conviction, suspension, revocation, restriction, denial or other adverse action to a person.	STRING
LAW_AUTHRTY_NAME	Law enforcement authority/court/administrative body that imposed the action, and the resolution.	STRING
RSLTN_TXT	Evidence of how the adverse legal action was finally resolved. (e.g., reinstatement notices, etc.).	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
NPI_LGL_ACTN_SK	System generated unique Identifier to identify a record.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP

Column(s) of Table "MDD_NPI_NAME"

Column Physical_Name	Comments	Physical Data Type
NPI_NAME_SK	System generated unique Identifier to identify a record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
PRVDR_1ST_NAME	The first name or given name of the Person Name.	STRING
PRVDR_MD_L_NAME	The middle name of the Person Name.	STRING
PRVDR_LAST_NAME	The last name or surname of the Person Name.	STRING
PRVDR_NAME_SFX_NAME	The unique identifier for the Person Name Suffix.	STRING
PRVDR_NAME_CRDNTL_TXT	Text used to describe the known official or professional credentials that may accompany a person's name (e.g., M.D., Ph.D.)	STRING
PRVDR_BIRTH_DT	The Date of Birth of the Person. Only relevant to Individual Providers.	DATE
PRVDR_DEATH_DT	The date on which the Person died. This date has been verified by the Social Security Administration (SSA). Only relevant to Individual Providers.	DATE

PRVDR_NM_EFCTV_TS	The date on which the Organization Name became effective.	TIMESTAMP
PRVDR_NAME_SLTTN_NAME	The unique identifier for the Person Name Salutation	STRING
PRVDR_OTHR_NAME_TYPE_TXT	The type of name if Person Name Type Code = 'Other'.	STRING
PRVDR_NM_TRMNTN_TS	The date on which the Name is no longer effective for the Person	TIMESTAMP
PRVDR_ORG_NAME	The name by which the Organization is known.	STRING
PRVDR_ORG_OTHR_NAME_TXT	Text used to convey the nature or purpose of a name assigned to the Organization that does not fit within the usual types of name and hence has been assigned a name type of "other".	STRING
PRVDR_ALIAS_1ST_NAME	The alias first name or given name of the Person Name	STRING
PRVDR_ALIAS_MDL_NAME	The alias middle name of the Person Name	STRING
PRVDR_ALIAS_LAST_NAME	The alias last name or surname of the Person Name	STRING
PRVDR_ORG_ALIAS_NAME	The alias name of the Organization.	STRING
PRVDR_NAME_TYPE_CD	The Provider Name Type Code	STRING
PRVDR_NAME_TYPE_DESC	The Provider Name Type Description	STRING
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
MDM_DATA_CNFDNC_FLAG	Indicates the level of data confidence of this instance. Y - Yes, N - No.	STRING
MDM_DATA_CNFDNC_DESC	The description of the level of data confidence of this instance.	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
PRVDR_GNDR_CD	Gender code of a provider.	STRING

Column(s) of Table "MDD NPI PA EMPLR ASCTN"

Column Physical_Name	Comments	Physical Data Type
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
PA_PAC_ID	Provider Access Control Identifier of the physician assistant from the Provider Enrollment, Chain and Ownership System (PECOS).	STRING
PA_ENRLMT_ID	The unique identifier of PA assigned by the Provider Enrollment Chain Organization System (PECOS) at Centers for Medicare and Medicaid Services (CMS) to an Physician Assistant that successfully enrolls to bill Medicare.	STRING
EMPLR_ENRLMT_ID	The unique identifier of employer assigned by the Provider Enrollment Chain Organization System (PECOS) at Centers for Medicare and Medicaid Services (CMS) to an Physician Assistant that successfully enrolls to bill Medicare.	STRING
EMPLR_PAC_ID	Provider Access Control Identifier of the employer from the Provider Enrollment, Chain and Ownership System (PECOS).	STRING
ASCTN_EFCTV_DT	The date that the association of Physician Assistant and Employer Enrollment becomes effective.	DATE
ASCTN_END_DT	The date after which the association of Physician Assistant and Employer Enrollment is no longer effective.	DATE
PA_MDCR_ID	The Medicare Identifier of Physician Assistant. This number uniquely identifies the applicant as a Medicare provider and/or supplier and is the number used on claim forms.	STRING
PA_MDCR_TYPE_CD	Unique value that identifies the type of the Medicare Identifier for a Physician Assistant. Example: NSC or OSCAR, etc.	STRING
PA_MDCR_TYPE_DESC	Description of the type of Medicare Identifier for a Physician Assistant.	STRING
EMPLR_MDCR_ID	The Medicare Identifier of the employer. This number uniquely identifies the applicant as a Medicare provider and/or supplier and is the number used on claim forms.	STRING
EMPLR_MDCR_TYPE_CD	Unique value that identifies the type of the Medicare Identifier for an employer. Example: NSC or OSCAR, etc.	STRING
EMPLR_MDCR_TYPE_DESC	Description of Medicare Identifier Type of Employer.	STRING
EMPLR_NPI	National Provider Identifier of the Employer.	STRING
NPI_PA_EMPLR_ASCTN_SK	System generated unique Identifier to identify a record.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP

Column(s) of Table "MDD NPI PIN LCTN ADR"

Column Physical_Name	Comments	Physical Data Type
----------------------	----------	--------------------

NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
LGCY_MDCR_ID_TYPE_CD	The unique identifier that had in the past been assigned to the Provider by some system for use by Medicare before the advent of the National Provider Identifier (NPI) as an identifier.	STRING
LGCY_MDCR_ID_TYPE_CD_DESC	Description of Medicare Identifier type.	STRING
PRVDR_LGCY_ID	The unique identifier that had in the past been assigned to the Provider by some system for use by Medicare before the advent of the National Provider Identifier (NPI) as an identifier.	STRING
CNTRCTR_ID	The identification number assigned by Center for Medicare and Medicaid Services (CMS) to a fiscal intermediary authorized to process institutional claim records. (NCH)	STRING
CNTRCTR_NAME	Name of the contractor	STRING
NPI_PIN_LCTN_ADR_EFCTV_TS	The date on which an NPI and Legacy Id became effective at an address.	TIMESTAMP
NPI_PIN_LCTN_ADR_TRMNTN_TS	The date on which an NPI and Legacy Id became ceased to be in usage for the healthcare Provider at an Address.	TIMESTAMP
PRVDR_LCTN_ADR_LINE_1_TXT	The first line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	STRING
PRVDR_LCTN_ADR_LINE_2_TXT	The second line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	STRING
PRVDR_LCTN_ADR_LINE_3_TXT	The third line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	STRING
PRVDR_LCTN_ADR_LINE_4_TXT	The fourth line of the specification of a location by reference to a thoroughfare, or a landmark; or a point of postal delivery. Street address may encompass any of the components that are described by the United States Postal Service as a "standardized delivery address line" in USPS Publication 28.	STRING
PRVDR_LCTN_ADR_CITY_NAME	Name of City.	STRING
PRVDR_LCTN_ADR_STATE_CD	The name of the city. A finer partitioning of geographic subdivisions of a state or county, usually associated with additional levels of government.	STRING
PRVDR_LCTN_ADR_ZIP_CD	Unique identifier of a Geographic Postal ZoneThe ZIP Code was established in 1963 as a system of 5-digit codes that identifies the individual post office or metropolitan area delivery station associated with an address. The first three digits identify the delivery area of a sectional center facility or a major-city post office serving the delivery address area. The next two (the fourth and fifth) digits identify the delivery area of an associate post office, post office branch, or post office station.	STRING
PRVDR_LCTN_ADR_ZIP_PLUS_4_CD	The extension Zone Improvement Plan (ZIP) code as assigned by the United States Postal Service (USPS). Four additional digits added to the 5-digit ZIP Code that identify a specific range of delivery addresses. The concatenation of Medicare Beneficiary Address Zip Code and Medicare Beneficiary Address Plus Four Code create the compound attribute Entity Address Zip Plus Four Code.	STRING
PRVDR_LCTN_ADR_FRGN_STATE_NAME	The Provider Address Foreign State Name.	STRING
PRVDR_LCTN_ADR_FRGN_PSTL_CD	The Provider Address Foreign State code.	STRING
PRVDR_LCTN_ADR_FRGN_CNTRY_NAME	The Provider Address Foreign Country Name	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
NPI_PIN_LCTN_ADR_SK	System generated unique Identifier to identify a record.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP

Column(s) of Table "MDD_NPI_PRFL"

Column Physical_Name	Comments	Physical Data Type
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
NPI_ENMRTN_TS	The date on which the National Provider Identifier record for a Provider became effective.	TIMESTAMP
NPI_DEACTVTN_TS	The date on which the National Provider Identifier record for a Provider ceased to be effective.	TIMESTAMP

PAC_ID	A unique identifier assigned by Provider Enrollment, Chain and Ownership System (PECOS) for PECOS Associates (assigned on the basis of Tax Identification Numbers).	STRING
MDCR_STUS_CD	Current 'finalized' Medicare Enrollment Status Code from Provider Enrollment, Chain and Ownership System (PECOS) or 'NA' = 'Not Applicable' for providers not in Medicare. This field does not show "work in progress" enrollment status. It shows one of the 5 "final" PECOS enrollment status values: '06' - Approved, '09' - Denied, '11' - Revoked, '13' - Voluntary Withdrawal/Deactivated, or '20' - Opt Out of Medicare.	STRING
NPI_DEACTVTN_RSN_CD	Reason National Provider Identifier was deactivated.	STRING
PRVDR_ROLE_CD	The Provider's Role (see the rows highlighted in Yellow in the Role Type tab).	STRING
PRVDR_1ST_NAME	The first name or given name of the Person Name.	STRING
PRSN_MDL_NAME	The middle name of the Person Name.	STRING
PRSN_LAST_NAME	The last name or surname of the Person Name.	STRING
PRVDR_NAME_SFX_TXT	The unique identifier for the Person Name Suffix.	STRING
PRVDR_NAME_CRDNTL_TXT	Text used to describe the known official or professional credentials that may accompany a person's name (e.g., M.D., Ph.D.)	STRING
PRVDR_BIRTH_DT	The Date of Birth of the Person. Only relevant to Individual Providers.	DATE
PRVDR_DEATH_DT	The date on which the Person died. This date has been verified by the Social Security Administration (SSA). Only relevant to Individual Providers.	DATE
ORG_LGL_BUSNS_NAME	The "current" Provider Enrollment, Chain and Ownership System (PECOS) Legal Business Name by which the Organization is known. Valued for Organization Provider records only.	STRING
ORG_DBA_NAME	The "current" Provider Enrollment, Chain and Ownership System (PECOS) Doing-Business-As Name for the National Provider Identifier. Valued for Organization Provider records only.	STRING
PRVDR_NAME_EFCTV_TS	The date on which the Organization Legal Name became effective. Not available in Provider Enrollment, Chain and Ownership System (PECOS) for Individuals.	TIMESTAMP
PRVDR_NAME_TRMNTN_TS	The date on which the "current" Individual or Organization Name is no longer effective. Not available in Provider Enrollment, Chain and Ownership System (NPPES).	TIMESTAMP
PRVDR_DBA_NAME_EFCTV_TS	The date on which the Organization's Doing Business As Name is effective. Not available in Provider Enrollment, Chain and Ownership System (PECOS) for Individuals.	TIMESTAMP
PRVDR_DBA_NAME_TRMNTN_TS	The date on which the Organization's Doing Business As Name is no longer effective. Not available in Provider Enrollment, Chain and Ownership System (PECOS) for Individuals.	TIMESTAMP
PRVDR_FAC_TYPE_CD	Facility Types are only available in Provider Enrollment, Chain and Ownership System (PECOS).	STRING
PRVDR_FAC_TYPE_DESC	Description of Facility Type Code	STRING
PRVDR_SPCLTY_01_CD	A unique identifier for a classification of healthcare Provider as recognized for the purposes of that healthcare Provider enrolling to bill Medicare for services provided to Medicare Beneficiaries. Medicare Part B only.	STRING
PRVDR_SPCLTY_01_DESC	Description of the Specialty Code	STRING
SPCLTY_01_PRMRY_SPCLTY_SW	Sometimes includes a "P" indicating the Specialty Code 1 is the "Primary" specialty for the provider.	STRING
PRVDR_UNDFND_SPCLTY_01_DESC	A Provider's free-form description of his/her/its Medicare Specialty in cases where the Provider Medicare Specialty Code says that it is some form of 'other'. Populated when Specialty Codes = '88' for undefined non-physicians and '99' for undefined physicians.	STRING
PRVDR_SPCLTY_01_EFCTV_TS	The date on which a Provider is reported as carrying out the classification of Medicare Specialty.	TIMESTAMP
PRVDR_SPCLTY_01_TRMNTN_TS	The date on which a Provider is no longer reported as carrying out the classification of Medicare Specialty.	TIMESTAMP
PRVDR_SPCLTY_02_CD	A unique identifier for a classification of healthcare Provider as recognized for the purposes of that healthcare Provider enrolling to bill Medicare for services provided to Medicare Beneficiaries.	STRING

PRVDR_SPCLTY_02_DESC	Description of the Specialty Code	STRING
SPCLTY_02_PRMRY_SPCLTY_SW	Sometimes includes a "P" indicating the Specialty Code 2 is also a "Primary" specialty for the provider.	STRING
PRVDR_UNDFND_SPCLTY_02_DESC	A Provider's free-form description of his/her/its Medicare Specialty in cases where the Provider Medicare Specialty Code says that it is some form of 'other'. Populated when Specialty Codes = '88' for undefined non-physicians and '99' for undefined physicians.	STRING
PRVDR_SPCLTY_02_EFCTV_TS	The date on which a Provider is reported as carrying out the classification of Medicare Specialty.	TIMESTAMP
PRVDR_SPCLTY_02_TRMNTN_TS	The date on which a Provider is no longer reported as carrying out the classification of Medicare Specialty.	TIMESTAMP
PRVDR_TXNMY_01_TYPE_CD	Only NPPES provides Taxonomy Codes. A unique identifier for a classification of health care specialty at a specialized level of defined medical activity within a medical field as created by the National Uniform Claim Committee (NUCC).	STRING
PRVDR_TXNMY_01_TYPE_DESC	Description of the Taxonomy Code	STRING
PRVDR_TXNMY_02_TYPE_CD	A unique identifier for a classification of health care specialty at a specialized level of defined medical activity within a medical field as created by the National Uniform Claim Committee (NUCC).	STRING
PRVDR_TXNMY_02_TYPE_DESC	Description of the Taxonomy Code from the published National Uniform Claim Committee (NUCC) table.	STRING
TIN_ID	Current tax identifier assigned to a Provider by the Internal Revenue Service (IRS), U.S. Department of the Treasury.	STRING
TIN_TYPE_CD	Tax identification type code	STRING
TIN_TYPE_DESC	Description of Tax identification type code	STRING
TIN_EFCTV_TS	The date on which Tax Identification Number (TIN) became effective.	TIMESTAMP
TIN_TRMNTN_TS	The date on which Tax Identification Number was no longer effective.	TIMESTAMP
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was updated	TIMESTAMP
MDM_PRVDR_ENT_ID	This column is generated by Master Data Engine for every unique Source Identification number based on probabilistic matching algorithm.	STRING
NPI_DEACTVTN_RSN_DESC	Description of the Reason National Provider Identifier was deactivated.	STRING
PRMRY_TXNMY_01_IND	Indicates whether the Taxonomy is the primary for the provider or not. X – Designates the initial Primary Taxonomy selection Y – Designates that the taxonomy was the Primary Taxonomy N – Designates that the taxonomy was not the Primary Taxonomy	STRING
PRMRY_TXNMY_02_IND	Indicates whether the Taxonomy is the primary for the provider or not. X – Designates the initial Primary Taxonomy selection Y – Designates that the taxonomy was the Primary Taxonomy N – Designates that the taxonomy was not the Primary Taxonomy	STRING
LCNS_01_NUM	The identifier assigned to a license or certificate for a specific medical skill and assigned to a healthcare Provider.	STRING
LCNS_01_STATE_CD	License state code	STRING
LCNS_02_NUM	The identifier assigned to a license or certificate for a specific medical skill and assigned to a healthcare Provider.	STRING
LCNS_02_STATE_CD	License state code	STRING
MDCR_STUS_CD_DESC	The description of the Medicare Status code. Where Medicare status code is the Current 'finalized' Medicare Enrollment Status Code from Provider Enrollment, Chain and Ownership System (PECOS) or 'NA' = 'Not Applicable' for providers not in Medicare. This field does not show "work in progress" enrollment status. It shows one of the 5 "final" PECOS enrollment status values: '06' - Approved, '09' - Denied, '11' - Revoked, '13' - Voluntary Withdrawal/Deactivated, or '20' - Opt Out of Medicare.	STRING

PRVDR_ROLE_CD_DESC	Description of Health Care Provider role or function codes	STRING
MDCR_STUS_EFCTV_TS	The date on which the Medicare status became effective.	TIMESTAMP
PECOS_PRVDR_LCNS_1_NUM	The identifier assigned to a license or certificate for a specific medical skill and assigned to a healthcare Provider. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	STRING
PECOS_PRVDR_LCNS_1_TYPE_CD	The code that identifies the type of most recent provider license. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	STRING
PECOS_PRVDR_LCNS_1_CITY_NAME	The name of a city that the recent license may be valid for. Such a city name is relative to either: 1. An ambulance service license, or 2. A Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS) license. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	STRING
PECOS_PRVDR_LCNS_1_STATE_CD	The standard code of state that issued the recent provider license. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	STRING
PECOS_PRVDR_LCNS_1_EFCTV_TS	The date the healthcare Provider officially began to be identified at Center for Medicare and Medicaid Services (CMS) by the specific type of legacy Medicare identifier. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	TIMESTAMP
PECOS_PRVDR_LCNS_1_TRMNTN_TS	The last day the legacy Medicare identifier was active at Center for Medicare and Medicaid Services (CMS) for the healthcare Provider. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	TIMESTAMP
PECOS_PRVDR_LCNS_2_NUM	The identifier assigned to a earlier license or certificate for a specific medical skill and assigned to a healthcare Provider. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	STRING
PECOS_PRVDR_LCNS_2_TYPE_CD	The provider licenses are categorized into different types. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	STRING
PECOS_PRVDR_LCNS_2_CITY_NAME	The name of a city that the license may be valid for. Such a city name is relative to either: 1. An ambulance service license, or 2. A Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS) license. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	STRING
PECOS_PRVDR_LCNS_2_STATE_CD	The standard code of state that issued the second recent provider license. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	STRING
PECOS_PRVDR_LCNS_2_EFCTV_TS	The date the healthcare Provider officially began to be identified at Center for Medicare and Medicaid Services (CMS) by the specific type of legacy Medicare identifier. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	TIMESTAMP
PECOS_PRVDR_LCNS_2_TRMNTN_TS	The last day the legacy Medicare identifier was active at Center for Medicare and Medicaid Services (CMS) for the healthcare Provider. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	TIMESTAMP
LGCY_MDCR_1_ID	The unique identifier that had in the past been assigned to the Provider by some system for use by Medicare before the advent of the National Provider Identifier (NPI) as an identifier	STRING
LGCY_MDCR_ID_1_TYPE_CD	The provider legacy identifiers are categorized into different types.	STRING
CNTRCTR_1_ID	The identification number assigned by Center for Medicare and Medicaid Services (CMS) to a fiscal intermediary authorized to process institutional claim records. (NCH)	STRING
CNTRCTR_1_NAME	The name of a fiscal intermediary that Center for Medicare and Medicaid Services (CMS) authorizes to process institutional claim records. (NCH)	STRING
LGCY_MDCR_ID_1_EFCTV_TS	The date the healthcare Provider officially began to be identified at Center for Medicare and Medicaid Services (CMS) by the specific type of legacy Medicare identifier.	TIMESTAMP
LGCY_MDCR_ID_1_TRMNTN_TS	The last day the legacy Medicare identifier was active at Center for Medicare and Medicaid Services (CMS) for the healthcare Provider.	TIMESTAMP
LGCY_MDCR_ID_1_DEACTVTN_RSN_CD	A reason code that a Provider's Legacy Medicare Identification (first) can be deactivated, for examples: Invalid Fiscal Intermediary Standard System Data Invalid Multi-carrier System Data No match/ Missing Contractor Identifier	STRING

LGCY_MDCR_2_ID	The unique identifier that had in the past been assigned to the Provider by some system for use by Medicare before the advent of the National Provider Identifier (NPI) as an identifier.	STRING
LGCY_MDCR_ID_2_TYPE_CD	The provider legacy identifiers are categorized into different types.	STRING
CNTRCTR_2_ID	The identification number assigned by Center for Medicare and Medicaid Services (CMS) to a fiscal intermediary authorized to process institutional claim records. (NCH)	STRING
CNTRCTR_2_NAME	The name of a fiscal intermediary that Center for Medicare and Medicaid Services (CMS) authorizes to process institutional claim records. (NCH)	STRING
LGCY_MDCR_ID_2_EFCTV_TS	The date the healthcare Provider officially began to be identified at Center for Medicare and Medicaid Services (CMS) by the specific type of legacy Medicare identifier.	TIMESTAMP
LGCY_MDCR_ID_2_TRMNTN_TS	The last day the legacy Medicare identifier was active at Center for Medicare and Medicaid Services (CMS) for the healthcare Provider.	TIMESTAMP
LGCY_MDCR_ID_2_DEACTVTN_RSN_CD	A reason code that a Provider's Legacy Medicare Identification (second one) can be deactivated, for examples: Invalid Fiscal Intermediary Standard System Data Invalid Multi-carrier System Data No match\Missing Contractor Identifier	STRING
PREFRD_ENRLMT_ID	The Preferred Enrollment Identifier (also known Winner Enrollment Identifier) is chosen based on business rules: Enrollment ID from Medicare Provider Enrollment Chain and Ownership System (PECOS) for each National Provider Identifier (NPI), picked based on already existing Master Data Management (MDM) business rule. Rank By PECOS STUS_CD and select all enrollments/affidavits with the highest STUS_CD rank (for the specific NPI): -OPT OUT - '20' -APPROVED - '06' -DEACTIVATED - '13' -REVOKED - '11' -DENIED - '09' If there are more than one enrollment with rank 1 in the step above, then Rank again by ROLE_CD for those enrollments selected from the criteria #1 above and select all enrollments with the highest ROLE_CD rank: -DME SUPPLIER (30) -PROVIDER (00) -SUPPLIER (12) -ORDERING & REFERRING (33) -PRACTITIONER (14) Select the MAX(ENRLMT_ID) among those enrollments selected from the criteria #2 above	STRING
PREFRD_CNTRCTR_ID	The contractor identifier corresponding to the Preferred Enrollment Identifier.	STRING
PREFRD_CNTRCTR_NAME	The contractor name corresponding to the Preferred Enrollment Identifier.	STRING
ENRLMT_CNT	Total Number of Enrollment reported for a Provider	INT
LGCY_ID_1_DEACTVTN_RSN_DESC	A reason description that a Provider's Legacy Medicare Identification (first one) can be deactivated, for examples: Invalid Fiscal Intermediary Standard System Data Invalid Multi-carrier System Data No match\Missing Contractor Identifier	STRING
LGCY_ID_2_DEACTVTN_RSN_DESC	A reason description that a Provider's Legacy Medicare Identification (second one) can be deactivated, for examples: Invalid Fiscal Intermediary Standard System Data Invalid Multi-carrier System Data No match\Missing Contractor Identifier	STRING
PECOS_PRVDR_LCNS_1_TYPE_DESC	The definition that identifies the type of most recent provider license. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	STRING
PECOS_PRVDR_LCNS_2_TYPE_DESC	The definition that identifies the type of most recent provider license. This information is received from Medicare Provider Enrollment Chain and Ownership System (PECOS).	STRING
RCVG_BNFTS_SW	The receiving benefits flag tells if the Provider with this National Provider Identifier (NPI) is receiving benefits from any other providers.	STRING
RASNG_BNFTS_SW	Indicates if the Provider has reassigned their benefits to another provider	STRING
PECOS_1ST_APRVD_DT	The date the provider(identified by their National Provider Identifier) was first approved in Provider Enrollment, Chain and Ownership System (PECOS)	DATE
LGL_ACTN_SW	Indicates if any current and active Legal Action on a provider	STRING
SNCTN_SW	Indicates if any current active Sanction on a provider	STRING
DME_FAAIR_CD	The highest current and active Fraud And Abuse Index Of Risk(FAAIR) code assigned for a Durable Medical Equipment (DME) supplier.	STRING
PREFRD_ENRLMT_STATE_CD	The code of the state from where the Preferred enrollment is enrolled in PECOS	STRING

PECOS_LAST_DACTVTD_DT	The most recent date at which an enrollment for the NPI had a status of Deactivated, Revoked or Denied	DATE
OLDST_LGCY_MDCR_ID	The oldest unique identifier that had in the past been assigned to the Provider by some system for use by Medicare before the advent of the National Provider Identifier (NPI) as an identifier	STRING
OLDST_LGCY_MDCR_ID_TYPE_CD	The type of provider legacy identifier used for the oldest Medicare legacy Identifier.	STRING
OLDST_LGCY_ID_CNTRCTR_ID	Code that identifies the contractor for the oldest legacy Medicare Identifier	STRING
OLDST_LGCY_ID_CNTRCTR_NAME	The contractor's name for the oldest legacy Medicare Identifier	STRING
OLDST_LGCY_ID_EFCTV_TS	The effective date of oldest Medicare Identifier of a provider.	TIMESTAMP
OLDST_LGCY_ID_TRMNTN_TS	The termination date of oldest Medicare Identifier of a provider.	TIMESTAMP
OLDST_LGCY_ID_DEACTVTN_RSN_CD	A reason code that a Provider's oldest Legacy Medicare Identification was deactivated, for examples: Invalid Fiscal Intermediary Standard System Data Invalid Multi-carrier System Data No match\Missing Contractor Identifier	STRING
OLDST_ID_DEACTVTN_RSN_DESC	A reason description that a Provider's oldest Legacy Medicare Identification was deactivated, for examples: Invalid Fiscal Intermediary Standard System Data Invalid Multi-carrier System Data No match\Missing Contractor Identifier	STRING
SOLE_PRRPTR_SW	Indicates whether the provider is a Sole Proprietor or not. Valid values are Y or N.	STRING
PROC_CNTL_DTL_LAST_UPDT_SK	Unique Identifier of the process that updated the record.	BIGINT
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
GNDR_RFRNC_CD	This identifies the gender of the provider.	STRING
PRVDR_RACE_CD	This identifies the race of the provider	STRING

Column(s) of Table "MDD NPI REASGNMT BNFT"

Column Physical_Name	Comments	Physical Data Type
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP
PROC_CNTL_DTL_LAST_UPDT_SK	Unique Identifier of the process that updated the record.	BIGINT
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was updated	TIMESTAMP
RASNG_PRVDR_NPI	The unique number generated by the National Provider system for the requesting provider.	STRING
RASNG_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
RASNG_MDCR_PRVDR_ENRLMT_ID	Enrollment Identifier of the provider from the Provider Enrollment, Chain and Ownership System (PECOS)	STRING
RASNG_PRVDR_PAC_ID	Provider Access Control Identifier of the provider from the Provider Enrollment, Chain and Ownership System (PECOS).	STRING
PRVDR_REASGNMT_ID	An identification component from the source used to achieve an uniqueness in the data loaded into this table.	STRING
RASNG_TIN_ID	The tax identifier assigned to a Provider by the Internal Revenue Service (IRS), U.S. Department of the Treasury.	STRING
RASNG_TIN_TYPE_CD	The tax identifier assigned to a Provider by the Internal Revenue Service (IRS), U.S. Department of the Treasury (e.g., SSN, Individual Tax Number, or Employer Identification Number).	STRING
RCVG_PRVDR_NPI	The unique number generated by the National Provider system for the requesting provider.	STRING
RCVG_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
RCVG_MDCR_PRVDR_ENRLMT_ID	Enrollment Identifier of the provider from the Provider Enrollment, Chain and Ownership System (PECOS)	STRING
RCVG_PRVDR_PAC_ID	Provider Access Control Identifier of the provider from the Provider Enrollment, Chain and Ownership System (PECOS).	STRING
RCVG_PRVDR_LAST_NAME	The last name or surname of the Person Name.	STRING
RCVG_PRVDR_1ST_NAME	The first name or given name of the Person Name.	STRING

RCVG_PRVDR_MDL_NAME	The middle name of the Person Name.	STRING
RCVG_PRVDR_ORG_NAME	The "current" Provider Enrollment, Chain and Ownership System (PECOS) Legal Business Name by which the Organization is known. Valued for Organization Provider records only.	STRING
RASNG_PRVDR_LGCY_MDCR_ID	For the provider who reassigned their benefits: This number uniquely identifies the applicant as a Medicare provider and/or supplier and is the number used on claim forms. Examples of Medicare numbers are UPINs, OSCAR, NSC.	STRING
RASNG_LGCY_ID_TYPE_CD	The Medicare Number type code. Eg: EP (Employer Pin), ER (Employer RRB Number), GP (Group Pin) etc	STRING
RASNG_LGCY_ID_TYPE_DESC	The description of the Legacy identifier type code	STRING
RASNG_PRVDR_LAST_NAME	The last name or surname of the Person Name.	STRING
RASNG_PRVDR_1ST_NAME	The first name or given name of the Person Name.	STRING
RASNG_PRVDR_MDL_NAME	The middle name of the Person Name.	STRING
RASNG_PRVDR_ORG_NAME	The "current" Provider Enrollment, Chain and Ownership System (PECOS) Legal Business Name by which the Organization is known. Valued for Organization Provider records only.	STRING
RASNG_CNTRCTR_ID_CD	The identification number assigned by CMS to a fiscal intermediary authorized to process institutional claim records. (NCH)	STRING
RASNG_CNTRCTR_NAME	The Name associated with the identification number assigned by CMS to a fiscal intermediary authorized to process institutional claim records. (NCH)	STRING
RCVG_PRVDR_LGCY_MDCR_ID	For the provider who is receiving the reassigned benefits: This number uniquely identifies the applicant as a Medicare provider and/or supplier and is the number used on claim forms. Examples of Medicare numbers are UPINs, OSCAR, NSC.	STRING
RCVG_LGCY_ID_TYPE_CD	The Medicare Number type code. Eg: EP (Employer Pin), ER (Employer RRB Number), GP (Group Pin) etc	STRING
RCVG_LGCY_ID_TYPE_DESC	The description of the Legacy identifier type code	STRING
RCVG_TIN_ID	The tax identifier assigned to a Provider by the Internal Revenue Service (IRS), U.S. Department of the Treasury.	STRING
RCVG_TIN_TYPE_CD	The tax identifier assigned to a Provider by the Internal Revenue Service (IRS), U.S. Department of the Treasury (e.g., SSN, Individual Tax Number, or Employer Identification Number).	STRING
RCVG_CNTRCTR_ID_CD	The identification number assigned by CMS to a fiscal intermediary authorized to process institutional claim records. (NCH)	STRING
RCVG_CNTRCTR_NAME	The Name associated with the identification number assigned by CMS to a fiscal intermediary authorized to process institutional claim records. (NCH)	STRING
RCVG_PRVDR_ROLE_TYPE_CD	The unique identifier for a classification of the various functions or roles that a Health Care Provider may carry out relative to another Health Care Provider that is enrolled to bill Medicare for health care services rendered. Examples include: 5% or more ownership interest Partner Interpreting physician Employee Phy-Own-Hosp- Direct Organization Ownership Interest Reference lookup as PRVDR_ROLE_TYPE_RFRNC.	STRING
RCVG_PRVDR_ROLE_TYPE_DESC	Description for the unique identifier for a classification of the various functions or roles that a Health Care Provider may carry out relative to another Health Care Provider that is enrolled to bill Medicare for health care services rendered. Examples include: 5% or more ownership interest Partner Interpreting physician Employee Phy-Own-Hosp- Direct Organization Ownership Interest Reference lookup as PRVDR_ROLE_TYPE_RFRNC.	STRING
ASCTN_EFCTV_TS	The date on which the association between a Provider, a supporting Provider, and the role classification carried out by the supporting Provider begins to be effective.	TIMESTAMP
ASCTN_TRMNTN_TS	The date on which the association between a Provider, a supporting Provider, and the role classification carried out by the supporting Provider ceases to be effective.	TIMESTAMP
NPI_REASGNMT_BNFT_SK	System generated unique Identifier to identify a record.	BIGINT
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING

Column(s) of Table "MDD NPI ROLE ASCTN"

Column Physical_Name	Comments	Physical Data Type
NPI	The unique number generated by the National Provider system for the requesting provider.	STRING

MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
ASCTN_ROLE_TYPE_CD	The unique identifier for a classification of the various functions or roles that a Health Care Provider may carry out relative to another Health Care Provider that is enrolled to bill Medicare for health care services rendered.	STRING
ASCTN_ROLE_TYPE_DESC	Description of a classification of the various functions or roles that a Health Care Provider may carry out relative to another Health Care Provider that is enrolled to bill Medicare for health care services rendered.	STRING
MDCR_BLG_ENRLMT_ID	A unique identifier for an enrollment seeking the authority to bill Medicare for services rendered.	STRING
ASCTN_EFCTV_TS	The date on which the association between a Provider, a supporting Provider, and the role classification carried out by the supporting Provider begins to be effective.	TIMESTAMP
ASCTN_TRMNTN_TS	The date on which the association between a Provider, a supporting Provider, and the role classification carried out by the supporting Provider ceases to be effective.	TIMESTAMP
PAC_ID	Provider Access Control Identifier of the provider from PECOS system	STRING
PRVDR_LAST_NAME	Last name of a provider.	STRING
PRVDR_1ST_NAME	First name of a provider.	STRING
PRVDR_MDL_NAME	Middle name of a provider.	STRING
PRVDR_ORG_NAME	Name of the organization provider.	STRING
PRSN_TITL_TXT	Text used to describe the purpose or duties of the associated Person that has a control relationship relative to the Health Care Provider.	STRING
OWNRSH_PCT_NUM	The percentage of ownership that the Person may have in the Health Care Provider. Example 1: Company A owns 100% of a Skilled Nursing Facility (that is, Company A owns 100% of the actual assets that constitute the Provider Skilled Nursing Facility).. Company C owns 60% of Company A, so that Company C is an indirect owner of the Provider Skilled Nursing Facility. Individual Y owns 15% of Company C. The 100% ownership that Company A has of the Skilled Nursing Facility is multiplied by the 60% that Company C owns of Company A to determine that Company C has a 60% indirect ownership in the Skilled Nursing Facility. This 60% indirect ownership of Company C is then multiplied by the 15% that Individual Y owns in Company C to calculate that Individual Y has a 9% indirect ownership in the Skilled Nursing Facility.	DECIMAL(5,2)
CNTRCT_SRVC_TXT	Description of contracted services that the person with some degree of control may furnish to the Provider.	STRING
DLGTD_W2_EMPLEE_SW	Indicator of whether the person with control is carrying out the role of a delegated employee.	STRING
ORG_CR_FR_ACQS_SW	A "yes/no" indicator of whether it is known that the Organization was created for the express purpose of acquiring ownership (either partial or total) in the Health Care Provider.	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
NPI_ROLE_ASCTN_SK	System generated unique Identifier to identify a record.	BIGINT
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP

Column(s) of Table "MDD_NPI_RPRSNTN"		
Column Physical_Name	Comments	Physical Data Type
NPI_RPRSNTN_SK	System generated unique Identifier to identify a record.	BIGINT
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
NPS_MDM_PRVDR_SK	System generated unique Identifier to identify a record.	BIGINT
PAC_MDM_PRVDR_SK	System generated unique Identifier to identify a record.	BIGINT
ENRLMT_MDM_PRVDR_SK	System generated unique Identifier to identify a record.	BIGINT
NPI_MDM_PRVDR_SK	System generated unique Identifier to identify a record.	BIGINT
PRRTY_IND	The most appropriate record for the National Provider Identifier (NPI). The value of 'Y' is defined based on the Source system, Enrollment Status, Role code.	STRING
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT

REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table.	TIMESTAMP
REC_UPDT_TS	The data lineage column used to identify the date and time that the record was updated	TIMESTAMP
NPICS_MDM_PRVDR_SK	System generated unique Identifier to identify a record.	BIGINT
PAC_ID	Provider Access Control Identifier of the provider from PECOS system	STRING
ENRLMT_ID	Enrollment Identifier of the provider from PECOS system	STRING
MDM_PRVDR_ENT_ID	This column is generated by Master Data Engine for every unique Source Identification number based on probabilistic matching algorithm.	STRING
PROC_CNTL_DTL_LAST_UPDT_SK	Unique Identifier of the process that updated the record	BIGINT

Column(s) of Table "MDD_NPI_SPCLTY"

Column Physical_Name	Comments	Physical Data Type
NPI_SPCLTY_SK	System generated unique Identifier to identify a record.	BIGINT
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
PRVDR_MDCR_SPCLTY_EFCTV_TS	The date on which a Provider is reported as carrying out the classification of Medicare Specialty.	TIMESTAMP
PRVDR_PRMRY_IND	An indicator of whether the healthcare Provider's Medicare specialty is regarded as being its primary specialty or not.	STRING
PRVDR_MDCR_SPCLTY_TRMNTN_TS	The date on which a Provider is no longer reported as carrying out the classification of Medicare Specialty.	TIMESTAMP
BRD_CRTFCTN_IND	Indicates whether the physician has a primary or secondary board certification.	STRING
UNDFND_SPCLTY_DESC	A Provider's free-form description of his/her/its Medicare Specialty in cases where the Provider Medicare Specialty Code says that it is some form of 'other'.	STRING
PRVDR_SPCLTY_CD	Code that identifies the provider specialty.	STRING
PRVDR_SPCLTY_DESC	Description of the provider specialty.	STRING
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
MDM_DATA_CNFDC_FLAG	Indicates the level of data confidence of this instance. Y - Yes, N - No.	STRING
MDM_DATA_CNFDC_DESC	The description of the level of data confidence of this instance.	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
PRVDR_FAC_TYPE_CD	The code to identify the Facility type for a provider. Example: Skilled Nursing Facility, Home Health Agency, hospital, Ambulance Service.	STRING
PRVDR_FAC_TYPE_DESC	Description of Facility Type.	STRING
PRVDR_SPCLTY_SET_CD	The code that identifies the broad category of Provider Specialty. Valid values are P(Physician), N (Non-physician), S(Supplier) and D(DME supplier).	STRING
PRVDR_SPCLTY_SET_DESC	Description of the broad category of the Provider specialty	STRING
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT

Column(s) of Table "MDD_NPI_TIN_ID"

Column Physical_Name	Comments	Physical Data Type
NPI_TIN_ID_SK	System generated unique Identifier to identify a record.	BIGINT
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
TIN_ID	Current tax identifier assigned to a Provider by the Internal Revenue Service (IRS), U.S. Department of the Treasury.	STRING
TAX_IDENT_TYPE_CD	The tax identifier assigned to a Provider by the Internal Revenue Service (IRS), U.S. Department of the Treasury (e.g., SSN, Individual Tax Number, or Employer Identification Number).	STRING
TAX_IDENT_TYPE_DESC	Description of Tax identification type code	STRING
TIN_EFCTV_TS	The date on which Tax Identification Number (TIN) became effective. TIN_ID1 should be the current TIN.	TIMESTAMP

TIN_TRMNTN_TS	The date on which Tax Identification Number was no longer effective.	TIMESTAMP
ASCTN_EFCTV_TS	The date on which a Federal Tax Identifier for a Provider became effective.	TIMESTAMP
ASCTN_TRMNTN_TS	The date on which a Federal Tax Identifier for a Provider has been terminated.	TIMESTAMP
NPI_TIN_ASCTN_TYPE_DESC	The type of association between National Provider Identifier Tax Identification Number.	STRING
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT

Column(s) of Table "MDD NPI TXNMY"		
Column Physical_Name	Comments	Physical Data Type
REC_ADD_TS	The data lineage column used to identify the date and time that the record was inserted into the table	TIMESTAMP
NPI_TXNMY_SK	System generated unique Identifier to identify a record.	BIGINT
PRVDR_TXNMY_EFCTV_TS	The date on which the license becomes effective for the Provider.	TIMESTAMP
PRVDR_TXNMY_TRMNTN_TS	The date on which the license ceased to be effective for the Provider.	TIMESTAMP
PRVDR_TXNMY_NUM	identifies the provider type and area of specialization for health care providers	STRING
PRVDR_TXNMY_DESC	Provider Taxonomy Description	STRING
MDM_PRVDR_TYPE_CD	Used to distinguish between Individuals and Organizations.	STRING
NPI	The HIPAA administrative simplification standard unique health identifier for a healthcare Provider.	STRING
REC_STUS_CD	Indicates the active status of the record. Possible values are C (Current) and H (History)	STRING
PROC_CNTL_DTL_INSRT_SK	The surrogate key for the process that inserted the record.	BIGINT

Index

A

ASCTN_EFCTV_DT 11
ASCTN_EFCTV_TS 18, 19, 21
ASCTN_END_DT 11
ASCTN_ROLE_TYPE_CD 19
ASCTN_ROLE_TYPE_DESC 19
ASCTN_TRMNTN_TS 18, 19, 21

B

BRD_CRTFCTN_IND 20
BUYER_CCN 4
BUYER_CITY_NAME 4
BUYER_DBA_NAME 4
BUYER_ENRLMT_ID 4
BUYER_ENRLMT_STATE_CD 4
BUYER_LINE_1_ST_ADR 4
BUYER_LINE_2_ST_ADR 4
BUYER_MDM_PRVDR_TYPE_CD 4
BUYER_MULTIPLE_NPI 4
BUYER_NPI 4
BUYER_ORG_NAME 5
BUYER_PECOS_ASCT_CNTL_ID 5
BUYER_STATE_CD 5
BUYER_TIN 5
BUYER_ZIP_CD 5

C

CHOW_EFCTV_DT 5
CHOW_TYPE_CD 5
CHOW_TYPE_CD_DESC 5
CNTCT_TS 8
CNTRCT_SRVC_TXT 19
CNTRCTR_1_ID 15
CNTRCTR_1_NAME 15
CNTRCTR_2_ID 16
CNTRCTR_2_NAME 16
CNTRCTR_ID 7, 9, 12
CNTRCTR_NAME 7, 12

D

DEACTVTN_RSN_CD 9
DEACTVTN_RSN_DESC 9
DLGTD_W2_EMPLEE_SW 19
DME_FAAIR_CD 16
DME_LCNS_AGENCY_CD 9
DME_LCNS_AGENCY_DESC 9
DME_LCNS_TYPE_CD 9
DME_LCNS_TYPE_DESC 9

E

ELGBL_FOR_DLTN_SW 7
EMPLR_ENRLMT_ID 11
EMPLR_MDCR_ID 11
EMPLR_MDCR_TYPE_CD 11
EMPLR_MDCR_TYPE_DESC 11
EMPLR_NPI 11
EMPLR_PAC_ID 11
ENRLMT_BAR_EDIT_RSN_CD 7
ENRLMT_BAR_EDIT_RSN_DESC 7
ENRLMT_BAR_EFCTV_DT 7
ENRLMT_BAR_END_DT 7
ENRLMT_BAR_EXPRTN_DT 7
ENRLMT_BAR_RSN_CD 7
ENRLMT_BAR_RSN_DESC 7
ENRLMT_BAR_TXT 7
ENRLMT_BAR_TYPE_CD 7
ENRLMT_BAR_TYPE_DESC 7
ENRLMT_CNT 16
ENRLMT_ID 20

ENRLMT_MDM_PRVDR_SK 19
ENRLMT_ROLE_DESC 6
ENRLMT_STUS_CMT_TXT 8
ENRLMT_STUS_RSN_CD 8
ENRLMT_STUS_RSN_DESC 8

F

FAAIR_EFCTV_TS 6
FAAIR_TRMNTN_TS 6
FAAIR_TYPE_CD 6
FAAIR_TYPE_DESC 6
FAX_NUM 4
FNLZD_TS 7

G

GEO_ISO_CNTRY_CD 10
GEO_ISO_PRNCPL_SBDIV_CD 9
GNDR_RFRNC_CD 6, 17

I

INCORPTN_STATE_CD 7
ISS_TS 9

L

LAW_AUTHRTY_NAME 10
LCNS_01_NUM 14
LCNS_01_STATE_CD 14
LCNS_02_NUM 14
LCNS_02_STATE_CD 14
LCNS_CITY_NAME 9
LCNS_NUM 8
LCNS_STATE_CD 9
LCNS_STUS_TYPE_CD 9
LCNS_STUS_TYPE_DESC 9
LCNS_TYPE_CD 9
LCNS_TYPE_DESC 9
LGCY_ID_1_DEACTVTN_RSN_DESC 16
LGCY_ID_2_DEACTVTN_RSN_DESC 16
LGCY_ID_TYPE_CD 9
LGCY_ID_TYPE_DESC 9
LGCY_MDCR_1_ID 15
LGCY_MDCR_2_ID 16
LGCY_MDCR_ID_1_DEACTVTN_RSN_CD 15
LGCY_MDCR_ID_1_EFCTV_TS 15
LGCY_MDCR_ID_1_TRMNTN_TS 15
LGCY_MDCR_ID_1_TYPE_CD 15
LGCY_MDCR_ID_2_DEACTVTN_RSN_CD 16
LGCY_MDCR_ID_2_EFCTV_TS 16
LGCY_MDCR_ID_2_TRMNTN_TS 16
LGCY_MDCR_ID_2_TYPE_CD 16
LGCY_MDCR_ID_TYPE_CD 12
LGCY_MDCR_ID_TYPE_CD_DESC 12
LGCY_MDCR_IDENT_EFCTV_TS 9
LGCY_MDCR_IDENT_TRMNTN_TS 9
LGL_ACTN_SW 16
LGL_ACTN_TXT 10

M

MDCR_BLG_ENRLMT_EFCTV_TS 6
MDCR_BLG_ENRLMT_ID 6, 19
MDCR_ENRLMT_ROLE_CD 6
MDCR_STUS_CD 13
MDCR_STUS_CD_DESC 14
MDCR_STUS_EFCTV_TS 15
MDD_NPI_ADR 3
MDD_NPI_CHOW 3, 4
MDD_NPI_DME_FAAIR 3, 5
MDD_NPI_DMGRPHC 3, 6
MDD_NPI_ENRLMT 3, 6
MDD_NPI_ENRLMT_BAR 3, 7
MDD_NPI_ENRLMT_STUS 3, 8
MDD_NPI_EXCLSN_SNCTN 3, 8
MDD_NPI_LCNS 3, 8

MDD_NPI_LGCY_ID 3, 9
MDD_NPI_LGL_ACTN 3, 10
MDD_NPI_NAME 3, 10
MDD_NPI_PA_EMPLR_ASCTN 3, 11
MDD_NPI_PIN_LCTN_ADR 3, 11
MDD_NPI_PRFL 3, 12
MDD_NPI_REASGNMT_BNFT 3, 17
MDD_NPI_ROLE_ASCTN 3, 18
MDD_NPI_RPRSNTN 3, 19
MDD_NPI_SPCLTY 3, 20
MDD_NPI_TIN_ID 3, 20
MDD_NPI_TXNMY 3, 21
MDM 3.0 NPI Profile 3
MDM_DATA_CNFDNC_DESC 4, 9, 10, 11, 20
MDM_DATA_CNFDNC_FLAG 4, 9, 10, 11, 20
MDM_PRVDR_ENT_ID 14, 20
MDM_PRVDR_TYPE_CD 3, 6, 7, 8, 9, 10, 12, 17, 19, 20, 21
MLTPL_ENRLMT_IND 9

N

NPI 4, 5, 6, 7, 8, 9, 10, 11, 12, 18, 19, 20, 21
NPI_ADR_SK 3
NPI_CHOW_SK 5
NPI_DEACTVTN_RSN_CD 13
NPI_DEACTVTN_RSN_DESC 14
NPI_DEACTVTN_TS 12
NPI_DME_FAAIR_SK 6
NPI_DMGRPHC_SK 6
NPI_ENMRTN_TS 12
NPI_ENRLMT_BAR_SK 7
NPI_ENRLMT_SK 7
NPI_ENRLMT_STUS_SK 8
NPI_EXCLSN_SNCTN_SK 8
NPI_LCNS_SK 8
NPI_LGCY_ID_SK 9
NPI_LGL_ACTN_SK 10
NPI_MDM_PRVDR_SK 19
NPI_NAME_SK 10
NPI_PA_EMPLR_ASCTN_SK 11
NPI_PIN_LCTN_ADR_EFCTV_TS 12
NPI_PIN_LCTN_ADR_SK 12
NPI_PIN_LCTN_ADR_TRMNTN_TS 12
NPI_REASGNMT_BNFT_SK 18
NPI_ROLE_ASCTN_SK 19
NPI_RPRSNTN_SK 19
NPI_SPCLTY_SK 20
NPI_TIN_ASCTN_TYPE_DESC 21
NPI_TIN_ID_SK 20
NPI_TXNMY_SK 21
NPICS_MDM_PRVDR_SK 20
NPICS_PRVDR_XREF_DEACTVTN_TS 9
NPICS_PRVDR_XREF_EFCTV_TS 9
NPS_MDM_PRVDR_SK 19

O

OLDST_ID_DEACTVTN_RSN_DESC 17
OLDST_LGCY_ID_CNTRCTR_ID 17
OLDST_LGCY_ID_CNTRCTR_NAME 17
OLDST_LGCY_ID_DEACTVTN_RSN_CD 17
OLDST_LGCY_ID_EFCTV_TS 17
OLDST_LGCY_ID_TRMNTN_TS 17
OLDST_LGCY_MDCR_ID 17
OLDST_LGCY_MDCR_ID_TYPE_CD 17
ORG_BUSNS_STRUC_CD 7
ORG_BUSNS_STRUC_TYPE_DESC 7
ORG_CR_FR_ACQS_SW 19
ORG_DBA_NAME 13
ORG_LGL_BUSNS_NAME 13
ORG_PRFT_SW 7
OTHR_RSN_TXT 8
OWNRSH_PCT_NUM 19

P

PA_ENRLMT_ID 11
 PA_MDCR_ID 11
 PA_MDCR_TYPE_CD 11
 PA_MDCR_TYPE_DESC 11
 PA_PAC_ID 11
 PAC_ID 8, 10, 13, 19, 20
 PAC_MDM_PRVDR_SK 19
 PECOS_1ST_APRVD_DT 16
 PECOS_LAST_DACTVTD_DT 17
 PECOS_PRVDR_LCNS_1_CITY_NAME 15
 PECOS_PRVDR_LCNS_1_EFCTV_TS 15
 PECOS_PRVDR_LCNS_1_NUM 15
 PECOS_PRVDR_LCNS_1_STATE_CD 15
 PECOS_PRVDR_LCNS_1_TRMNTN_TS 15
 PECOS_PRVDR_LCNS_1_TYPE_CD 15
 PECOS_PRVDR_LCNS_1_TYPE_DESC 16
 PECOS_PRVDR_LCNS_2_CITY_NAME 15
 PECOS_PRVDR_LCNS_2_EFCTV_TS 15
 PECOS_PRVDR_LCNS_2_NUM 15
 PECOS_PRVDR_LCNS_2_STATE_CD 15
 PECOS_PRVDR_LCNS_2_TRMNTN_TS 15
 PECOS_PRVDR_LCNS_2_TYPE_CD 15
 PECOS_PRVDR_LCNS_2_TYPE_DESC 16
 PHYSN_FEE_LCLTY_CD 9
 PRCTC_LCTN_NAME 3
 PRCTC_LCTN_TYPE_IND 3
 PREFRD_CNTRCTR_ID 16
 PREFRD_CNTRCTR_NAME 16
 PREFRD_ENRLMT_ID 16
 PREFRD_ENRLMT_STATE_CD 16
 PRMRY_TXNMY_01_IND 14
 PRMRY_TXNMY_02_IND 14
 PROC_CNTL_DTL_INSRT_SK 4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 17, 19, 20, 21
 PROC_CNTL_DTL_LAST_UPDT_SK 17, 20
 PRRTY_IND 19
 PRSN_LAST_NAME 13
 PRSN_MDL_NAME 13
 PRSN_TITL_TXT 19
 PRVDR_1ST_NAME 10, 13, 19
 PRVDR_ADR_CITY_NAME 4
 PRVDR_ADR_EFCTV_TS 3
 PRVDR_ADR_FRGN_CNTRY_NAME 4
 PRVDR_ADR_FRGN_PSTL_CD 4
 PRVDR_ADR_FRGN_STATE_NAME 4
 PRVDR_ADR_LINE_1_TXT 4
 PRVDR_ADR_LINE_2_TXT 4
 PRVDR_ADR_LINE_3_TXT 4
 PRVDR_ADR_LINE_4_TXT 4
 PRVDR_ADR_STATE_CD 4
 PRVDR_ADR_TRMNTN_TS 3
 PRVDR_ADR_TYPE_CD 4
 PRVDR_ADR_TYPE_DESC 4
 PRVDR_ADR_ZIP_CD 4
 PRVDR_ADR_ZIP_PLUS_4_CD 4
 PRVDR_ALIAS_1ST_NAME 11
 PRVDR_ALIAS_LAST_NAME 11
 PRVDR_ALIAS_MDL_NAME 11
 PRVDR_BIRTH_DT 10, 13
 PRVDR_DBA_NAME_EFCTV_TS 13
 PRVDR_DBA_NAME_TRMNTN_TS 13
 PRVDR_DEATH_DT 10, 13
 PRVDR_EMAIL_ADR 4
 PRVDR_FAC_TYPE_CD 13, 20
 PRVDR_FAC_TYPE_DESC 13, 20
 PRVDR_GNDR_CD 11
 PRVDR_IDNTY_CD 6
 PRVDR_IDNTY_DESC 6
 PRVDR_IDNTY_SUB_CD 6
 PRVDR_IDNTY_SUB_DESC 6
 PRVDR_IDNTY_TYPE_CD 6
 PRVDR_IDNTY_TYPE_DESC 6
 PRVDR_LANG_PRIMARY_IND 6

PRVDR_LAST_NAME 10, 19
 PRVDR_LCNS_EFCTV_TS 8
 PRVDR_LCNS_TRMNTN_TS 9
 PRVDR_LCTN_ADR_CITY_NAME 12
 PRVDR_LCTN_ADR_FRGN_CNTRY_NAME 12
 PRVDR_LCTN_ADR_FRGN_PSTL_CD 12
 PRVDR_LCTN_ADR_FRGN_STATE_NAME 12
 PRVDR_LCTN_ADR_LINE_1_TXT 12
 PRVDR_LCTN_ADR_LINE_2_TXT 12
 PRVDR_LCTN_ADR_LINE_3_TXT 12
 PRVDR_LCTN_ADR_LINE_4_TXT 12
 PRVDR_LCTN_ADR_STATE_CD 12
 PRVDR_LCTN_ADR_ZIP_CD 12
 PRVDR_LCTN_ADR_ZIP_PLUS_4_CD 12
 PRVDR_LGKY_ID 10, 12
 PRVDR_LGL_ACTN_TS 10
 PRVDR_MDCR_SPCLTY_EFCTV_TS 20
 PRVDR_MDCR_SPCLTY_TRMNTN_TS 20
 PRVDR_MDL_NAME 10, 19
 PRVDR_NAME_CRDNTL_TXT 10, 13
 PRVDR_NAME_EFCTV_TS 13
 PRVDR_NAME_SFX_NAME 10
 PRVDR_NAME_SFX_TXT 13
 PRVDR_NAME_SLTTN_NAME 11
 PRVDR_NAME_TRMNTN_TS 13
 PRVDR_NAME_TYPE_CD 11
 PRVDR_NAME_TYPE_DESC 11
 PRVDR_NM_EFCTV_TS 11
 PRVDR_NM_TRMNTN_TS 11
 PRVDR_ORG_ALIAS_NAME 11
 PRVDR_ORG_NAME 11, 19
 PRVDR_ORG_OTHR_NAME_TXT 11
 PRVDR_OTHR_NAME_TYPE_TXT 11
 PRVDR_PRMRY_IND 20
 PRVDR_PRMRY_PRCTC_LCTN_SW 4
 PRVDR_RACE_CD 17
 PRVDR_REASGNMT_ID 17
 PRVDR_ROLE_CD 13
 PRVDR_ROLE_CD_DESC 15
 PRVDR_SNCTN_EFCTV_TS 8
 PRVDR_SPCLTY_01_CD 13
 PRVDR_SPCLTY_01_DESC 13
 PRVDR_SPCLTY_01_EFCTV_TS 13
 PRVDR_SPCLTY_01_TRMNTN_TS 13
 PRVDR_SPCLTY_02_CD 13
 PRVDR_SPCLTY_02_DESC 14
 PRVDR_SPCLTY_02_EFCTV_TS 14
 PRVDR_SPCLTY_02_TRMNTN_TS 14
 PRVDR_SPCLTY_CD 20
 PRVDR_SPCLTY_DESC 20
 PRVDR_SPCLTY_SET_CD 20
 PRVDR_SPCLTY_SET_DESC 20
 PRVDR_TXNMY_01_TYPE_CD 14
 PRVDR_TXNMY_01_TYPE_DESC 14
 PRVDR_TXNMY_02_TYPE_CD 14
 PRVDR_TXNMY_02_TYPE_DESC 14
 PRVDR_TXNMY_DESC 21
 PRVDR_TXNMY_EFCTV_TS 21
 PRVDR_TXNMY_NUM 21
 PRVDR_TXNMY_TRMNTN_TS 21
 PRVDR_UNDFND_SPCLTY_01_DESC 13
 PRVDR_UNDFND_SPCLTY_02_DESC 14

R

RASNG_BNFTS_SW 16
 RASNG_CNTRCTR_ID_CD 18
 RASNG_CNTRCTR_NAME 18
 RASNG_LGKY_ID_TYPE_CD 18
 RASNG_LGKY_ID_TYPE_DESC 18
 RASNG_MDCR_PRVDR_ENRLMT_ID 17
 RASNG_PRVDR_1ST_NAME 18
 RASNG_PRVDR_LAST_NAME 18

RASNG_PRVDR_LGCY_MDCR_ID 18
RASNG_PRVDR_MDL_NAME 18
RASNG_PRVDR_NPI 17
RASNG_PRVDR_ORG_NAME 18
RASNG_PRVDR_PAC_ID 17
RASNG_PRVDR_TYPE_CD 17
RASNG_TIN_ID 17
RASNG_TIN_TYPE_CD 17
RCVG_BNFTS_SW 16
RCVG_CNTRCTR_ID_CD 18
RCVG_CNTRCTR_NAME 18
RCVG_LGCY_ID_TYPE_CD 18
RCVG_LGCY_ID_TYPE_DESC 18
RCVG_MDCR_PRVDR_ENRLMT_ID 17
RCVG_PRVDR_1ST_NAME 17
RCVG_PRVDR_LAST_NAME 17
RCVG_PRVDR_LGCY_MDCR_ID 18
RCVG_PRVDR_MDL_NAME 18
RCVG_PRVDR_NPI 17
RCVG_PRVDR_ORG_NAME 18
RCVG_PRVDR_PAC_ID 17
RCVG_PRVDR_ROLE_TYPE_CD 18
RCVG_PRVDR_ROLE_TYPE_DESC 18
RCVG_PRVDR_TYPE_CD 17
RCVG_TIN_ID 18
RCVG_TIN_TYPE_CD 18
REC_ADD_TS 3, 5, 6, 7, 8, 10, 11, 12, 14, 17, 19, 20, 21
REC_STUS_CD 4, 5, 6, 7, 8, 9, 10, 11, 12, 18, 19, 20, 21
REC_UPDT_TS 14, 17, 20
REINSTMT_RSN_CD 8
REINSTMT_RSN_DESC 8
REINSTMT_TS 8
RSLTN_TXT 10
RSNBL_CHRG_LCLTY_CD 9

S

SELLER_CCN 5
SELLER_CITY_NAME 5
SELLER_DBA_NAME 5
SELLER_ENRLMT_ID 5
SELLER_ENRLMT_STATE_CD 5
SELLER_LINE_1_ST_ADR 5
SELLER_LINE_2_ST_ADR 5
SELLER_MDM_PRVDR_TYPE_CD 5
SELLER_MULTIPLE_NPI 5
SELLER_NPI 5
SELLER_ORG_NAME 5
SELLER_PECOS_ASCT_CNTL_ID 5
SELLER_STATE_CD 5
SELLER_TIN 5
SELLER_ZIP_CD 5
SNCTN_CD 8
SNCTN_DESC 8
SNCTN_SW 16
SOLE_PRRPTR_SW 17
SPCLTY_01_PRMRY_SPCLTY_SW 13
SPCLTY_02_PRMRY_SPCLTY_SW 14
SRC_ENRLMT_ID 7, 8
SRC_SUB_SYS_NAME 5, 6, 7
SRC_SYS_NAME 5, 6, 7
STATE_CD 7, 8
STUS_CD 6, 8
STUS_DESC 6, 8
STUS_EFF_TS 8
STUS_END_TS 8

T

TAX_IDENT_TYPE_CD 20
TAX_IDENT_TYPE_DESC 20
TEL_EXTNSN_NUM 4
TEL_NUM 4
TIN_EFCTV_TS 14, 20
TIN_ID 14, 20

TIN_TRMNTN_TS 14, 21
TIN_TYPE_CD 14
TIN_TYPE_DESC 14
TRMNTN_TS 6, 10

U

UNDFND_SPCLTY_DESC 20